

U.S. Department of Transportation

National Highway Traffic Safety Administration

DOT HS 812 781



August 2019

Occupant Restraint Use in 2018: Results From the NOPUS Controlled Intersection Study

DISCLAIMER

This publication is distributed by the U.S. Department of Transportation, National Highway Traffic Safety Administration, in the interest of information exchange. The opinions, findings, and conclusions expressed in this publication are those of the authors and not necessarily those of the Department of Transportation or the National Highway Traffic Safety Administration. The United States Government assumes no liability for its contents or use thereof. If trade or manufacturers' names or products are mentioned, it is because they are considered essential to the object of the publications and should not be construed as an endorsement. The United States Government does not endorse products or manufacturers.

Suggested APA Format Citation:

Enriquez, J. (2019, August). Occupant restraint use in 2018: Results from the NOPUS controlled intersection study (Report No. DOT HS 812 781). Washington, DC: National Highway Traffic Safety Administration.

Technical Report Documentation Page

| | | | <u> </u> | | | |
|---|---------------------------|----------------------------|----------------------------|-----------------------|--|--|
| 1. Report No. | 2. Government Accessio | on No. | 3. Recipient's Catalog No. | | | |
| DOT HS 812 781 | | | | | | |
| 4. Title and Subtitle | | 5. Report Date | | | | |
| Occupant Restraint Use in 2018: Re | August 2019 | | | | | |
| Intersection Study | | n Code | | | | |
| | | NSA-210 | | | | |
| 7. Author | | | 8. Performing Organization | n Report No. | | |
| Jacob Enriquez of the National Cen | ter for Statistics a | and Analysis | | | | |
| 9. Performing Organization Name | | | 10. Work Unit No. (TRAIS) | | | |
| Mathematical Analysis Division, | | | | | | |
| National Center for Statistics and A | | | 11. Contract or Grant No. | | | |
| National Highway Traffic Safety A | | | | | | |
| 1200 New Jersey Avenue SE | | | | | | |
| Washington, DC 20590 | | | | | | |
| 12. Sponsoring Agency Name and Address | | | 13. Type of Report and Pe | riod Covered | | |
| | | | | 1.0 | | |
| National Highway Traffic Safety Ad | dministration | | NHTSA Technic | | | |
| 1200 New Jersey Avenue SE | | | 14. Sponsoring Agency Co | ode | | |
| Washington, DC 20590 | | | | | | |
| 15. Supplementary Notes | | | | | | |
| Abstract | | | | | | |
| This report presents results from the | e 2018 National (| Occupant Protection | Use Survey (NOPI | US) Controlled Inter- | | |
| section Study, the only nationwide r | | | | | | |
| Statistics and Analysis conducts th | | | | | | |
| continued to be higher for females (| | | | | | |
| non-rush hours decreased significant | | | | | | |
| seats (76.1%) continued to be lower | | | percent in 2010. | Sour son use in rour | | |
| 17. Key Words | | 18. Distribution Statement | | | | |
| seat belt use, child restraint use, obs | pervetional sur | | vailable from the N | Jational Technical | | |
| vey, demographics, rear-seat seat be | | Information Service | | | | |
| pant protection, NOPUS, controlled | | information Servic | e, www.iitis.gov. | | | |
| car seat | i intersections, | | | | | |
| 19. Security Classif. (of this report) | 20. Security Classif. (of | this nade) | 21. No. of Pages | 22. Price | | |
| to. Coounty Olassin. (or this report) | 20. 0000mty 01035m. (01 | uno pugo/ | 21. NO. 011 ayes | 22.1100 | | |
| Unclassified | Unclassified | | 33 | | | |
| Form DOT F 1700.7 (8-72) | Reproduction | of completed page author | rized | • | | |

Definitions

The percentages provided in this report are interpreted as the percentage of occupants nationwide at a typical daylight moment.

Vehicle occupants observed in the NOPUS survey are counted as "belted" if they appear to have a shoulder belt across the front of the body. NOPUS does not observe the use of lap belts because these restraints cannot be reliably observed from the roadside.

The survey classifies a child as follows.

- <u>Restrained in a rear-facing car seat</u> if the child appears to be on a seat on top of the vehicle seat, facing the rear of the vehicle, with harness straps across the front of the child.
- <u>Restrained in a forward-facing car seat</u> if the child appears to be on a seat on top of the vehicle seat, facing the front of the vehicle, with harness straps across the front of the child.
- <u>Restrained in a high-backed booster seat</u> if the child appears to be on a seat on top of the vehicle seat with a shoulder belt across the front of the child.
- <u>Restrained in a seat belt or backless booster seat</u> if there is a shoulder belt across the front of the child but the observers cannot see if the child is in a seat on top of the vehicle seat.
- <u>Restrained</u> if s/he is restrained by any of the above.
- The remaining children are classified as <u>unrestrained</u>. Note that in the survey there is no mention of being "unrestrained" in, for example, a forward-facing car seat. NOPUS does not observe the use of lap belts, and does not distinguish between seat belts and backless booster seats, because these assessments cannot be reliable if observed from the roadside.

The racial categories "Black," "White," and "Members of other races" in NOPUS reflect subjective characterizations by roadside observers regarding the race of vehicle occupants. Likewise, observers record age groups (8 to 15 years old, 16 to 24 years old, 25 to 69 years old, and 70 and older) that best fit their visual assessment of each observed occupant.

"Expressways" are defined as roadways with limited access, while "surface streets" are all other roadways.

A roadway is defined to have "fast traffic" if, during the observation period, the average speed of passenger vehicles passing the observers exceeds 50 mph, with "medium-speed traffic" defined as 31 to 50 mph, and "slow traffic" defined as 30 mph or slower. The traffic speed data in the Controlled Intersection Study is matched to the Moving Traffic Survey data.

A roadway is defined to have "heavy traffic" if the average number of vehicles on the roadway during the observation period is greater than 5 per lane per mile, with "moderately dense traffic" defined as greater than 1 but less than or equal to 5 vehicles per lane per mile, and "light traffic" as less than or equal to 1 vehicle per lane per mile. Please note that this traffic density breakdown was revised in the 2011 NOPUS to better capture the traffic patterns. The traffic density data in the Controlled Intersection Study is matched to the Moving Traffic Survey data.

Since NOPUS is not a census but a probability sample, it is impossible to produce State-by-State restraint use results. However NOPUS produces the following regional estimates.

Northeast: Connecticut, Massachusetts, Maine, New Hampshire, New Jersey, New York, Penn-sylvania, Rhode Island, Vermont

<u>Midwest</u>: Iowa, Kansas, Illinois, Indiana, Michigan, Minnesota, Missouri, North Dakota, Nebraska, Ohio, South Dakota, Wisconsin

South: Alabama, Arkansas, the District of Columbia, Delaware, Florida, Georgia, Kentucky, Louisiana, Maryland, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Virginia, West Virginia

West: Alaska, Arizona, California, Colorado, Hawaii, Idaho, Montana, New Mexico, Nevada, Oregon, Utah, Washington, Wyoming

These are the same regions used in the National Survey of the Use of Booster Seats (NSUBS).

NHTSA's National Center for Statistics and Analysis

TABLE OF CONTENTS

| Definitions | ii |
|--|--------------------------------------|
| Executive Summary | vi |
| 1. Introduction | 1 |
| 2. Demographic Results in Front Seats Age Gender Race | |
| Presence of Passengers and Seat Belt Use | |
| Seat Belt Use in Rear Seats. Seat Belt Use in Rear Seats Versus in Front Seats. State Laws and Rear-Seat Belt Use. | 6 |
| 4. Child Restraint Use | 9 9 11 12 12 12 12 |
| 5. NOPUS Methodology Sample Design Data Collection Estimation | |
| 6. References | 23 |

TABLE OF FIGURES

| Figure 1: Seat Belt Use by Age for Occupants 8 and Older in 2017 and 2018 | 2 |
|--|----|
| Figure 2: Seat Belt Use by Age for Occupants 8 and Older, 2009-2018 | 3 |
| Figure 3: Seat Belt Use by Gender for Occupants 8 and Older, 2009-2018 | 3 |
| Figure 4: Seat Belt Use by Race for Occupants 8 and Older, 2009-2018 | 4 |
| Figure 5: Passenger Effect on Seat Belt Use for Occupants 8 and Older, 2009-2018 | 4 |
| Figure 6: Seat Belt Use by Seating Position for Occupants 8 and Older, 2009-2018 | 6 |
| Figure 7: Seat Belt Use in Rear Seats by State Law Type for Occupants 8 and Older, 2009-2018 | 7 |
| Figure 8: Child Restraint Use Among Children Under 8, 2009-2018 | 9 |
| Figure 9: Child Rear Seat Placement, 2009-2018 | 10 |
| Figure 10: Child Restraint Use by Region in 2017 and 2018 | 11 |
| Figure 11: Child Restraint Use by Region, 2009-2018 | 11 |
| Figure 12: Child Restraint Use by Time of Week in 2017 and 2018 | 12 |
| Figure 13: Child Restraint Use by Vehicle Type in 2017 and 2018 | 12 |
| Figure 14: Child Restraint Use by Driver Belt Status, 2009-2018 | 13 |
| | |

LIST OF TABLES

| Table 1: Passenger Vehicle Occupant Seat Belt Use in Front Seats by Demographic and Other | |
|--|----|
| Characteristics | 5 |
| Table 2: States With Laws Requiring Seat Belts Be Used in All Seating Positions | 7 |
| Table 3: Seat Belt Use in Rear Seats of Passenger Vehicles, by Major Characteristics | 8 |
| Table 4: States With Laws Requiring Children 5 and Younger to Be in Rear Seats* | 10 |
| Table 5: Child Restraint Use in Passenger Motor Vehicles, by Major Characteristics | 14 |
| Table 6: The Percent of Children Who Rode in Rear Seats, by Major Characteristics | 16 |
| Table 7: Child Restraint Use in Passenger Motor Vehicles, by Age and Other Characteristics | |
| Table 8: Sites, Vehicles, and Occupants in the 2018 NOPUS Controlled Intersection Study | |
| | |
| | |
| | |

Executive Summary

The National Occupant Protection Use Survey is the only nationwide probability-based survey of seat belt use (for occupants 8 and older in both front and rear seats), motorcycle helmet use, child restraint use (for children under 8 years old), and driver electronic device use in the United States. NHTSA's National Center for Statistics and Analysis conducts this survey annually. Two subsurveys – the Moving Traffic Survey and the Controlled Intersection Study – comprise the NOPUS.

In the Controlled Intersection Study, occupants of passenger vehicles are observed from the roadside at intersections controlled by stop signs or stoplights. Only stopped vehicles are observed to allow ample time to collect a variety of information required by the survey. NOPUS derives its estimates of seat belt use in rear seats, child restraint use, driver electronic device use, and demographic characteristics of vehicle occupants from the Controlled Intersection Study. Details about the NOPUS sample design are in Section 5 of this report.

This report presents results of occupant restraint use from the 2018 NOPUS Controlled Intersection Study. NHTSA will publish the driver electronic device use results in a separate research note. The following are the major findings from the 2018 NOPUS Controlled Intersection Study:

Front Seats Belt Use (Among Occupants 8 and Older):

- Overall front seat belt use in 2018 was 89.6 percent, not statistically different at the 0.05 level from 89.7 percent in 2017.
- Seat belt use continued to be lower for males (87.7%) than females (92.0%) in 2018.
- Seat belt use continued to be lower among 16- to 24-year-olds (87.6%) than other age groups.
- Seat belt use continued to be lower among Black occupants (85.5%) than occupants of the other racial groups. Seat belt use for members of other races decreased significantly, from 94.6 percent in 2017 to 92.6 percent in 2018, but continued to be higher than the other two racial groups.

Rear Seats Belt Use (Among Occupants 8 and Older):

- Seat belt use continued to be lower in rear seats (76.1%) than in front seats (89.6%) in 2018.
- Seat belt use continued to be higher in States with seat belt laws for all seating positions (81.0%) than in States with front-seat-only belt laws (68.7%) in 2018.
- Seat belt use among passengers ages 70 and older increased significantly from 72.1 percent in 2017 to 85.6 percent in 2018.

Child Restraint Use (For Children From Birth to 7 Years Old):

- Restraint use for children from birth to 7 years old in 2018 was 90.4 percent, compared to 92.8 percent in 2017.
- Restraint use for children in the west region decreased significantly from 97.6 percent in 2017 to 93.7 percent in 2018.
- Restraint use for children during weekday non-rush hours decreased significantly from 94.3 percent in 2017 to 86.9 percent in 2018.

1. Introduction

The National Occupant Protection Use Survey is the only nationwide probability-based survey of seat belt use (for occupants 8 and older in both front and rear seats), motorcycle helmet use, child restraint use (for children under 8 years old), and driver electronic device use in the United States. NCSA conducts the NOPUS annually. Two sub-surveys, the Moving Traffic Survey and the Controlled Intersection Study, comprise the NOPUS.

In the Moving Traffic Survey, front-seat occupant shoulder belt use data and motorcyclist helmet use data are collected either at the roadside or by data collectors in vehicles (on expressways). NOPUS estimates of front-seat belt use and motorcycle helmet use are from the Moving Traffic Survey. The collective front-seat belt use estimate (also known as NHTSA's national seat belt estimate) is described in *Seat Belt Use in 2018 – Overall Resu*lts.

In contrast, the NOPUS Controlled Intersection Study data is collected at intersections controlled by stop signs or stoplights, where vehicle occupants are observed from the roadside. Since the vehicles are stationary, data collectors have enough time to record occupants' characteristics such as race, age, gender, and seat belt use. NOPUS derives its estimates of rear-seat belt use, child restraint use, driver electronic device use, and demographic characteristics of the vehicle occupants from the Controlled Intersection Study.

Only motorcycles and passenger vehicles (passenger cars, pickup trucks, SUVs, and vans) are observed in the NOPUS. The population of interest includes all 50 States, the District of Columbia, with the sample observation sites consisting of Federal, State, and county highways, residential streets, and rural roads. Data is collected only during daylight hours when light is adequate to observe seat belt use through the vehicle windshield.

The 2018 NOPUS data collection was conducted from 7 a.m. to 6 p.m. during the period from June 4 to June 20, 2018. The 2018 NOPUS survey data is based on the results of 70,919 occupants observed in 51,414 vehicles at 1,612 data collection sites. Of those observed occupants, 3,102 were children under 8. More details on the NOPUS sampling, data collection and estimation are discussed in Section 5: NOPUS Methodology.

Please note that the terms "significant" and "statistically significant" are used interchangeably throughout this report. "Significant" always means "statistically significant," and the statistical significance level is alpha=0.05. In tables below, the data with p-values that are less than 0.05 are formatted in boldface type.

The percentages provided in this report are interpreted as the percentage of occupants nationwide at a typical daylight moment.

2. Demographic Results in Front Seats

The national seat belt use estimate in 2018 was 89.6 percent; not a significant change from 89.7 percent in 2017 (Enriquez, & Pickrell, 2019). This section presents a demographic breakdown of the occupants who used seat belts in 2018. Table 1 presents passenger vehicle occupant seat belt use in front seats by demographic and other characteristics in 2017 and 2018. NOPUS demographics are highlighted below.

Age

There was no significant year-to-year change in seat belt use among occupants for all age groups, 8-to-15, 16-to-24, 25-to-69, and 70-and-older. Figure 1 and Table 1 show a comparison of the seat belt use rates from 2017 and 2018 across these age groups.




Figure 1: Seat Belt Use by Age for Occupants 8 and Older in 2017 and 2018

Figure 2 displays the trends of seat belt use for the four age groups over a 10-year period (2009-2018). Seat belt use among 16- to 24-year-olds has been consistently lower than other age groups.




Figure 2: Seat Belt Use by Age for Occupants 8 and Older, 2009-2018

Gender

Figure 3 shows the trends of seat belt use for male and female occupants over a period of 10 years (2009 to 2018). In 2018 seat belt use continued to be lower for males (87.7%) than females (92.0%). There was no significant change in seat belt use by female or male occupants from 2017 to 2018.




Figure 3: Seat Belt Use by Gender for Occupants 8 and Older, 2009-2018

Race

In NOPUS observed vehicle occupant race categories are Black, White, and members of other races. This characterization is based on the visual assessment of the data collectors who observe vehicle occupants from roadsides.

Figure 4 shows the trends of seat belt use among occupants who are White, Black, and members of other races over a period of 10 years (2009 to 2018). In 2018 seat belt use continued to be lower among Black occupants than occupants of the other racial groups. Seat belt use for members of other races decreased significantly, from 94.6 percent in 2017 to 92.6 percent in 2018, but continued to be higher than the other two groups.




Figure 4: Seat Belt Use by Race for Occupants 8 and Older, 2009-2018

Presence of Passengers and Seat Belt Use

Figure 5 shows that seat belt use continued to be lower for a driver driving alone than for a driver driving with at least one passenger in the vehicle.




Figure 5: Passenger Effect on Seat Belt Use for Occupants 8 and Older, 2009-2018

As shown in Table 1, there was only one group with a significant change in seat belt use. Seat belt use among members of other races decreased significantly from 94.6 percent in 2017 to 92.6 percent in 2018.

| Occupant Group ¹ | | 2017 | naracter | 2018 | 2017 | - 2018 Change | |
|--|--------------------------|--|--------------------------|--|--------------------------------------|--|--------------------------|
| o orașunt orouș | Belt Use ² | 95% Confidence Interval ³ | Belt Use ² | 95% Confidence Interval ³ | Change in Percentage ⁷ | 95% Confidence Interval ⁴ | P- value ⁵ |
| All Occupants | 89.7% | (88.2, 91.0) | 89.6% | (88.0, 91.1) | 0.0 | (-1.4, 1.4) | 0.97 |
| Males ⁶ | 88.0% | (86.2, 89.5) | 87.7% | (85.7, 89.5) | -0.2 | (-1.9, 1.4) | 0.76 |
| Females ⁶ | 91.8% | (90.3, 93.0) | 92.0% | (90.7, 93.1) | 0.2 | (-1.2, 1.6) | 0.77 |
| Occupants by Age Group ⁶ | | | | | | | |
| 8 to 15 | 89.5% | (85.1, 92.7) | 91.3% | (88.8, 93.3) | 1.8 | (-2.8, 6.4) | 0.42 |
| 16 to 24 | 87.0% | (85.2, 88.6) | 87.6% | (85.0, 89.8) | 0.6 | (-2.3, 3.6) | 0.68 |
| 25 to 69 | 89.9% | (88.3, 91.3) | 89.5% | (87.9, 91.0) | -0.4 | (-1.8, 1.1) | 0.61 |
| 70 and Older | 90.7% | (87.6, 93.0) | 92.4% | (90.5, 94.0) | 1.8 | (-0.9, 4.4) | 0.18 |
| Occupants by Race ⁶ | | | | | | | |
| White | 89.4% | (87.6, 91.0) | 89.7% | (88.1, 91.2) | 0.3 | (-1.3, 1.8) | 0.71 |
| Black | 85.3% | (81.5, 88.5) | 85.5% | (80.0, 89.7) | 0.2 | (-3.0, 3.4) | 0.90 |
| Members of Other Races | 94.6% | (93.5, 95.6) | 92.6% | (91.2, 93.8) | -2.0 | (-3.5, -0.5) | 0.01 |
| Drivers With | | | | | | | |
| No Passengers | 89.3% | (87.7, 90.7) | 88.9% | (87.1, 90.5) | -0.4 | (-2.0, 1.2) | 0.59 |
| At Least One Passenger | 92.1% | (90.8, 93.2) | 92.2% | (90.5, 93.6) | 0.1 | (-1.2, 1.5) | 0.84 |
| Drivers With | | | | | | | |
| No Passengers | 89.3% | (87.7, 90.7) | 88.9% | (87.1, 90.5) | -0.4 | (-2.0, 1.2) | 0.59 |
| Passengers All Under 8 | 91.0% | (88.3, 93.1) | 91.2% | (88.8, 93.2) | 0.2 | (-2.6, 3.0) | 0.88 |
| Passengers All 8 and Older | 92.1% | (90.8, 93.2) | 92.2% | (90.4, 93.6) | 0.1 | (-1.3, 1.5) | 0.86 |
| Some Passengers Under 8 and Some 8 or Older | 93.7% | (91.5, 95.3) | 93.7% | (91.1, 95.5) | 0.0 | (-2.8, 2.8) | > 0.99 |
| Drivers 16-24 With | | | | | | | |
| No Passengers | 86.2% | (83.5, 88.6) | 86.9% | (83.6, 89.7) | 0.7 | (-3.1, 4.4) | 0.71 |
| Passengers All 16-24 | 90.0% | (86.4, 92.7) | 90.1% | (85.6, 93.4) | 0.1 | (-4.9, 5.1) | 0.96 |
| At Least One Passenger Not 16-24 | 90.3% | (86.9, 92.8) | 88.3% | (81.0, 93.0) | -2.0 | (-8.3, 4.4) | 0.53 |
| Occupants 16-24 When | | | | | | | |
| All Occupants Are 16-24 | 86.3% | (84.1, 88.3) | 87.6% | (84.7, 90.1) | 1.3 | (-2.1, 4.7) | 0.45 |
| At Least One Occupant Is Not 16-24 | 88.7% | (86.4, 90.7) | 87.7% | (84.3, 90.4) | -1.0 | (-4.8, 2.7) | 0.58 |

Table 1: Passenger Vehicle Occupant Seat Belt Use in Front Seats by Demographic and Other Characteristics

¹Drivers and right-front passengers of passenger vehicles.

 2 Use of shoulder belts observed from 7 a.m. to 6 p.m.

³ The Wilson confidence interval is used in the estimated percentages in the occupant group (e.g., occupants who are male), which is in the form: $\{(2n_{EFF}p + t^2) \pm t\sqrt{(t^2 + 4n_{EFF}pq)}\}/(2(n_{EFF} + t^2))$, where *p* is the estimated percentage of Belt Use, $n_{EFF} = n/D_{EFF}$ is the effective sample size (where *n* is the sample size and D_{EFF} is the design effect), $t = t_{(1-\alpha/2)}(df)$, is a multiplier from the t-distribution with *df* degrees of freedom, and q = 1 - p. For percentages, these endpoints are multiplied by 100. ⁴ The regular symmetric interval was used for the estimated change in percentage point, which is in the form: $p \pm t_{(1-\alpha/2)}(df)\sqrt{v(p)}$, where *p* is the estimated change in percentage point, v(p) is its estimated variance, and $t_{(1-\alpha/2)}(df)$ is a multiplier from the t-distribution with *df* degrees of freedom.

⁵ A p-value of 0.05 or less indicates that there is a statistically significant difference (at the alpha=0.05 level) between the yearover-year estimates for the group in question; indicated with **bold type**.

⁶ The age, gender, and racial classifications are based on the subjective assessments of roadside observers.

⁷ The "Change in Percentage Points" column was computed using unrounded estimates and may not equal the difference between the rounded estimates displayed in the table.

Source: NOPUS, 2017, 2018.

3. Seat Belt Use in Rear Seats

According to Federal Motor Vehicle Safety Standard (FMVSS) 208, Occupant Crash Protection, except for convertibles and open-body vehicles, all outboard designated seating positions shall be equipped with integral lap and shoulder belts at every forward facing, outboard designated seating position. Using the 2018 vehicle registration data from the National Vehicle Population Profile (R. L. Polk & Co., n.a.), NHTSA estimated that 96.0 percent of passenger vehicles on the road have shoulder belts in the rear outboard seating positions. Of the 4.0 percent of vehicles that have only lap belts in the rear outboard seats, all observed rear-seat vehicle occupants are counted by NOPUS as *unbelted (not restrained with a shoulder belt)*, even if they are using lap belts. Consequently, NOPUS rear-seat shoulder belt use estimates reflect both the degree to which vehicle occupants use restraints and the availability of shoulder belts in these seating positions. Please note that NOPUS only observes up to two passengers in the second row of seats and none in the third row and beyond.

Table 3 on page 8 presents results of seat belt use in rear seats of passenger vehicles in 2017 and 2018 as well as the changes between the 2 years. Some major results are highlighted below.

Seat Belt Use in Rear Seats Versus in Front Seats

Figure 6 displays the front and rear seat belt use trends from 2009 to 2018. As in previous years, seat belt use in 2018 was lower in rear seats (76.1%) than in front seats (89.6%).




Figure 6: Seat Belt Use by Seating Position for Occupants 8 and Older, 2009-2018

Similar to female occupants in front seats, seat belt use among female passengers in rear seats was higher than the seat belt use among male passengers. Seat belt use continued to be lower among black occupants than occupants of other races in both front and rear seats. Seat belt use in rear seats among passengers 70 and older increased significantly from 72.1 percent in 2017 to 85.6 percent in 2018.

State Laws and Rear-Seat Belt Use

At the time the 2018 NOPUS survey was conducted, 29 States and the District of Columbia required all vehicle occupants 18 and older to use seat belts when riding in rear seats (Highway Loss Data Institute, 2019). Please note that rear-seat belt use laws are secondary in Arizona, Colorado, Idaho, Massachusetts, Missouri, Montana, Nebraska, Nevada, New Jersey, North Carolina, Ohio, Pennsylvania, Vermont, Virginia, and Wyoming. Secondary seat belt laws state that a law enforcement officer may issue a ticket for not wearing a seat belt only when there is another citable traffic infraction. New Hampshire is the only State that does not have mandatory seat belt laws for adults 18 and older.


Table 2 provides a list of States requiring seat belts be used in all seating positions.

| Alaska | California | Delaware |
|----------------------|---------------|----------------|
| District of Columbia | Hawaii | Idaho |
| Illinois | Indiana | Kansas |
| Kentucky | Louisiana | Maine |
| Maryland | Massachusetts | Minnesota |
| Mississippi | Montana | Nevada |
| New Jersey | New Mexico | North Carolina |
| Oregon | Rhode Island | South Carolina |
| Texas | Utah | Vermont |
| Washington | Wisconsin | Wyoming |

Table 2: States With Laws Requiring Seat Belts Be Used in All Seating Positions

States with laws in effect as of June 2018, requiring people 18 and older to use seat belts in all seating positions. Also includes the District of Columbia. Source: Highway Loss Data Institute, 2019

Figure 7 shows the trends of rear-seat belt use among passengers in the States with or without laws requiring belt use in all seating positions over the period 2009 - 2018. As in previous years, seat belt use in rear seats in 2018 was higher in the States with laws requiring belt use in all seating positions (81.0%) than in the States requiring belt use only in front seats (68.7%).





| Table 5. Seat Det Use in Real Seats of Lassenger Venicles, by Major Characteristics | | | | | | | | | |
|--|--------------------------|--|--------------------------|--|---|--|--------------------------|--|--|
| | | 2017 | | 2018 | 201 | 7 – 2018 Chan | ge | | |
| Passenger Group ¹ | Belt Use ² | 95% Confidence Interval ³ | Belt Use ² | 95% Confidence Interval ³ | Change in Per- centage ⁷ | 95% Confidence Interval ⁴ | P- value ⁵ | | |
| All Passengers | 75.4% | (68.9, 80.9) | 76.1% | (69.2, 81.8) | 0.7 | (-4.5, 5.9) | 0.79 | | |
| Males ⁶ | 73.6% | (67.3, 79.1) | 75.2% | (69.4, 80.2) | 1.6 | (-4.0, 7.3) | 0.56 | | |
| Females ⁶ | 77.2% | (69.5, 83.4) | 77.0% | (68.0, 84.0) | -0.2 | (-6.9, 6.5) | 0.95 | | |
| Passengers by Age Group ⁶ | | | | | | | | | |
| 8 to 15 | 83.0% | (75.9, 88.3) | 85.6% | (81.8, 88.7) | 2.6 | (-3.2, 8.5) | 0.36 | | |
| 16 to 24 | 71.8% | (63.3, 78.9) | 71.5% | (61.0, 80.1) | -0.2 | (-10.4, 9.9) | 0.96 | | |
| 25 to 69 | 70.0% | (62.4, 76.7) | 68.1% | (58.4, 76.5) | -1.9 | (-9.3, 5.4) | 0.59 | | |
| 70 and Older | 72.1% | (55.6, 84.3) | 85.6% | (76.2, 91.6) | 13.4 | (0.3, 26.6) | 0.04 | | |
| Passengers by Race ⁶ | | | | | | | | | |
| White | 78.8% | (73.8, 83.1) | 79.9% | (74.7, 84.2) | 1.1 | (-4.6, 6.7) | 0.70 | | |
| Black | 52.9% | (34.1, 70.8) | 63.7% | (48.3, 76.7) | 10.8 | (-2.7, 24.4) | 0.11 | | |
| Members of Other Races | 78.9% | (72.2, 84.3) | 72.5% | (59.5, 82.5) | -6.5 | (-20.3, 7.4) | 0.35 | | |
| Passengers in States With Laws Requiring Belts Be Used In All Seating Posi- | | | | | | | | | |
| tions | 84.3% | (78.8, 88.5) | 81.0% | (75.0, 85.7) | -3.3 | (-9.2, 2.5) | 0.25 | | |
| In Front Seats Only | 62.7% | (52.6, 71.9) | 68.7% | (52.0, 81.7) | 6.0 | (-3.8, 15.8) | 0.22 | | |

Table 3: Seat Belt Use in Rear Seats of Passenger Vehicles, by Major Characteristics

¹ Up to two passengers observed in the second row of seats in passenger vehicles.

² Use of shoulder belts observed from 7 a.m. to 6 p.m.

³ The Wilson confidence interval is used in the estimated percentages in the occupant group (e.g., occupants who are male), which is in the form: $\{(2n_{EFF}p + t^2) \pm t\sqrt{(t^2 + 4n_{EFF}pq)}\}/(2(n_{EFF} + t^2))$, where *p* is the estimated percentage of Belt Use, $n_{EFF} = n/D_{EFF}$ is the effective sample size (where *n* is the sample size and D_{EFF} is the design effect), $t = t_{(1-\alpha/2)}(df)$, is a multiplier from the t-distribution with *df* degrees of freedom, and q = 1 - p. For percentages, these endpoints are multiplied by 100. ⁴ The regular symmetric interval was used for the estimated change in percentage point, which is in the form: $p \pm t_{(1-\alpha/2)}(df)\sqrt{v(p)}$, where *p* is the estimated change in percentage point, v(p) is its estimated variance, and $t_{(1-\alpha/2)}(df)$ is a multiplier from the t-distribution with *df* degrees of freedom.

⁵ A p-value of 0.05 or less indicates that there is a statistically significant difference (at the alpha=0.05 level) between the yearover-year estimates for the group in question, **indicated with bold type**.

⁶ The age, gender, and racial classifications are based on the subjective assessments of roadside observers.

⁷ The "Change in Percentage Points" column was computed using unrounded estimates and may not equal the difference between the rounded estimates displayed in the table.

Source: NOPUS, 2017, 2018.

4. Child Restraint Use

In 2018 NOPUS continued to collect roadside observational data on child restraint use for all children under 8 years old. Detailed results of child restraint use are presented in Tables 5, 6, and 7. Table 5 presents the results of child restraint use in passenger motor vehicles by major characteristics in 2017 and 2018 as well as the changes between the two years. Table 6 presents results on child rear placement by major characteristics in 2017 and 2018 as well as the child occupants into three age groups and reports restraint use by some other characteristics among these groups. Some of the major results of child restraint use are discussed below.

Child Restraint Use Among All Children Under 8

Restraint use for children under 8 in 2018 is 90.4 percent, down from 92.8 percent in 2017. Figure 8 shows the child restraint use trend since 2009.



Figure 8: Child Restraint Use Among Children Under 8, 2009-2018

Child Rear Seat Placement

Figure 9 shows the trends (for each age group) of rear seat placement of children under 8 between 2009 and 2018. The 2018 NOPUS found that 93.7 percent of children under 8 rode in rear seats of vehicles. In the infant group (from birth to 12 months), 99.4 percent rode in rear seats. Nearly all (99.2%) of children 1 to 3 years old and 88.8 percent of 4- to 7-year-olds were in rear seats in 2018.

Note that the child restraint use in rear seats decreased to 91.3 percent in 2018 from 93.2 percent in 2017 (Table 5, Page 14).




Figure 9: Child Rear Seat Placement, 2009-2018

Table 4: States With Laws Requiring Children 5 and Younger to Be in Rear Seats*

| California | Georgia | Maine |
|----------------|------------|--------------|
| Nebraska | New Jersey | Rhode Island |
| South Carolina | Tennessee | Washington |
| Wyoming | | |
| | | |

* Among children less than 80 pounds and less than 54" tall. States with laws in effect as of June 27, 2018. In no other States did such laws take effect during the period June 27, 2017, to June 27, 2018. In Delaware, children 11 and younger and 65 inches or less must be in rear seats if passenger air bags are active.

At the time the 2018 survey was conducted, 10 States required children 5 and younger who weighed less than 80 pounds and were less than 54 inches tall, to ride in the rear seats of vehicles. Table 4 lists the States with child rear placement laws.

Child Restraint Use by Region

After a significant increase in 2017, restraint use among children in the west region of the United States decreased significantly in 2018, from 97.6 percent to 93.7 percent. There were no significant changes in child restraint use from 2017 to 2018 in the other three regions (northeast, midwest, and south), as shown in Figure 10.




Figure 10: Child Restraint Use by Region in 2017 and 2018

Figure 11 shows that child restraint use in the west region decreased significantly in 2018 after experiencing an increase in 2017. Except for a few years, child restraint use in the west region has consistently exceeded that in the other regions.




Figure 11: Child Restraint Use by Region, 2009-2018

Child Restraint Use by Time of Week

Child restraint use among child passengers during weekdays decreased from 93.0 percent in 2017 to 90.1 percent in 2018; however, this was not a significant change. Restraint use among children passengers during weekday non-rush hours decreased significantly to 86.9 percent in 2018 after experiencing an increase in 2017 (Figure 12).




Figure 12: Child Restraint Use by Time of Week in 2017 and 2018

Child Restraint Use by Vehicle Type

As shown in Figure 13, restraint use for children traveling in passenger cars decreased from 89.9 percent in 2017 to 85.2 percent in 2018; this was not a statistically significant decrease.




Figure 13: Child Restraint Use by Vehicle Type in 2017 and 2018

Child Restraint Use by Driver Type and Belt Use Status

After a significant increase in 2017, restraint use for children driven by drivers of "Other Races" decreased significantly in 2018, from 94.5 percent to 89.4 percent (Table 5).

As shown in Figure 14, restraint use for children driven by belted drivers continued to be significantly higher than for those driven by unbelted drivers.




Figure 14: Child Restraint Use by Driver Belt Status, 2009-2018

| | , | 2017 | 2 | 2018 2017-2018 | | 2017-2018 Change | | |
|---|-------------------------------|--|-------------------------------|--|---|--|----------------------|--|
| Child Passenger Group ¹ | Restraint Use ² | 95% Confidence Interval ³ | Restraint Use ² | 95% Confidence Interval ³ | Change in Per- centage Points ⁶ | Confidence in a Change in Use ⁴ | P-value ⁵ | |
| All Child Passengers (From Birth to 7 Years) | 92.8% | (90.4, 94.6) | 90.4% | (87.6, 92.6) | -2.4 | (-5.3, 0.4) | 0.09 | |
| Children Driven by | | | | | | | | |
| a Belted Driver | 94.1% | (92.3, 95.6) | 92.3% | (89.4, 94.4) | -1.9 | (-4.5, 0.7) | 0.15 | |
| an Unbelted Driver | 77.8% | (66.2, 86.3) | 65.0% | (54.6, 74.2) | -12.8 | (-25.9, 0.2) | 0.05 | |
| a Male Driver | 90.1% | (85.9, 93.1) | 88.7% | (85.6, 91.2) | -1.3 | (-5.5, 2.8) | 0.51 | |
| a Female Driver | 94.5% | (91.8, 96.3) | 91.6% | (88.1, 94.2) | -2.8 | (-6.4, 0.7) | 0.11 | |
| a Driver 16 to 24 | 92.8% | (84.7, 96.8) | 91.3% | (88.3, 93.6) | -1.5 | (-7.2, 4.2) | 0.59 | |
| a Driver 25 to 69 | 92.8% | (90.3, 94.6) | 90.3% | (87.2, 92.6) | -2.5 | (-5.4, 0.4) | 0.09 | |
| a Driver 70 and Older | 94.6% | (72.6, 99.1) | 91.3% | (79.0, 96.7) | -3.3 | (-17.2, 10.6) | 0.63 | |
| a White Driver | 94.0% | (91.8, 95.6) | 92.8% | (89.9, 94.9) | -1.2 | (-4.4, 2.0) | 0.44 | |
| a Black Driver | 83.3% | (74.6, 89.5) | 77.8% | (68.4, 85.0) | -5.5 | (-15.0, 4.1) | 0.25 | |
| a Driver Who is a Member of Other Races | 94.5% | (91.1, 96.6) | 89.4% | (84.1, 93.0) | -5.1 | (-9.2, -1.0) | 0.02 | |
| Children in | | | | | | | | |
| Front Seats | 86.3% | (77.9, 91.9) | 75.5% | (57.9, 87.4) | -10.8 | (-30.3, 8.7) | 0.27 | |
| Rear Seats | 93.2% | (90.7, 95.1) | 91.3% | (89.1, 93.1) | -1.9 | (-4.6, 0.8) | 0.16 | |
| Child Passengers on | | | | | | | | |
| Expressways | 94.8% | (91.8, 96.7) | 93.3% | (90.6, 95.3) | -1.5 | (-4.8, 1.9) | 0.38 | |
| Surface Streets | 91.4% | (87.5, 94.2) | 88.1% | (83.5, 91.5) | -3.3 | (-8.1, 1.5) | 0.17 | |
| Child Passengers Traveling in | | | | | | | | |
| Fast Traffic | 94.2% | (91.4, 96.1) | 92.1% | (89.8, 93.9) | -2.1 | (-5.5, 1.3) | 0.22 | |
| Medium-Speed Traffic | 93.6% | (88.4, 96.5) | 88.4% | (82.1, 92.7) | -5.1 | (-13.0, 2.7) | 0.19 | |
| Slow Traffic | 88.9% | (82.3, 93.3) | 89.5% | (81.5, 94.3) | 0.6 | (-4.4, 5.6) | 0.81 | |
| Child Passengers in | | | | | | | | |
| Passenger Cars | 89.9% | (86.1, 92.8) | 85.2% | (80.5, 88.9) | -4.8 | (-9.9, 0.4) | 0.07 | |
| Vans and SUVs | 96.0% | (94.0, 97.3) | 94.5% | (92.3, 96.1) | -1.5 | (-3.8, 0.8) | 0.18 | |
| Pickup Trucks | 84.6% | (73.6, 91.6) | 88.8% | (81.7, 93.4) | 4.2 | (-6.9, 15.3) | 0.45 | |
| Child Passengers in the | | | | | | | | |
| Northeast | 88.7% | (74.6, 95.5) | 90.3% | (76.7, 96.3) | 1.5 | (-8.0, 11.1) | 0.74 | |
| Midwest | 89.6% | (86.7, 92.0) | 88.8% | (81.5, 93.4) | -0.8 | (-7.8, 6.1) | 0.81 | |
| South | 93.0% | (89.0, 95.7) | 89.2% | (85.0, 92.3) | -3.9 | (-9.1, 1.4) | 0.15 | |
| West | 97.6% | (96.4, 98.5) | 93.7% | (91.3, 95.5) | -3.9 | (-6.2, -1.7) | < 0.01 | |
| Child Passengers in | | | | | | | | |
| Urban Areas | 93.6% | (90.5, 95.7) | 90.4% | (87.0, 93.0) | -3.1 | (-6.8, 0.6) | 0.09 | |
| Rural Areas | 91.0% | (86.1, 94.3) | 90.1% | (87.3, 92.4) | -0.9 | (-5.6, 3.9) | 0.70 | |
| Child Passengers Traveling During | | | | | | | | |
| Weekdays | 93.0% | (91.0, 94.7) | 90.1% | (87.0, 92.5) | -3.0 | (-6.2, 0.2) | 0.07 | |
| Rush Hours | 91.6% | (87.4, 94.5) | 92.9% | (89.8, 95.1) | 1.3 | (-2.6, 5.1) | 0.51 | |
| Non-Rush Hours | 94.3% | (92.0, 95.9) | 86.9% | (80.7, 91.3) | -7.4 | (-13.6, -1.2) | 0.02 | |
| Weekends | 92.4% | (87.9, 95.3) | 90.8% | (85.9, 94.1) | -1.6 | (-6.6, 3.4) | 0.53 | |

Table 5: Child Restraint Use in Passenger Motor Vehicles, by Major Characteristics

¹ Passengers under age 8 observed from 7 a.m. to 6 p.m. in the right-front seat or the second row of seats in passenger vehicles that are stopped at a stop sign or stoplight. Age, gender, and racial classifications are based on the subjective assessments of roadside observers.

² Use of child car seats (forward- or rear-facing), booster seats, and seat belts.

³ The Wilson confidence interval is used in the estimated percentages in the occupant group (e.g., occupants who are male), which is in the form: $\{(2n_{EFF}p + t^2) \pm t\sqrt{(t^2 + 4n_{EFF}pq)}\}/(2(n_{EFF} + t^2))$, where *p* is the estimated percentage of Belt Use, $n_{EFF} = n/D_{EFF}$ is the effective sample size (where *n* is the sample size and D_{EFF} is the design effect), $t = t_{(1-\alpha/2)}(df)$, is a multiplier from the t-distribution with *df* degrees of freedom, and q = 1 - p. For percentages, these endpoints are multiplied by 100. ⁴ The regular symmetric interval was used for the estimated change in percentage point, which is in the form: $p \pm t_{(1-\alpha/2)}(df)\sqrt{v(p)}$, where *p* is the estimated change in percentage point, v(p) is its estimated variance, and $t_{(1-\alpha/2)}(df)$ is a multiplier from the t-distribution with *df* degrees of freedom.

⁵ A p-value of 0.05 or less indicates that there is a statistically significant difference (at the alpha=0.05 level) between the yearover-year estimates for the group in question, **indicated with bold type**.

⁶ The "Change in Percentage Points" column was computed using unrounded estimates and may not equal the difference between the rounded estimates displayed in the table.

Source: NOPUS, 2017, 2018.

| | | 2017 | | 2018 | 20 | 17-2018 Chan | σe |
|--|---|--|---|--|--|--|--------------------------|
| | Per- | 2017 | Per- | 2010 | | 17 2010 Chan | 50 |
| Child Passenger Group ¹ | cent- age Who Were in Rear Seat ² | 95% Confidence In- terval ³ | cent- age Who Were in Rear Seat ² | 95% Confidence Interval ³ | Chang e in Per- cent- age Points ⁶ | Confidence in a Change in Use ⁴ | P- value ⁵ |
| All Child Passengers (From Birth | 93.8% | (91.6, 95.4) | 93.7% | (92.0, 95.1) | 0.0 | (-1.8, 1.7) | 0.95 |
| to 7 Years) 0 (Infants) | 98.2% | (92.4, 99.6) | 99.4% | (98.0, 99.8) | 1.2 | | 0.43 |
| 0 (Infants) 1-3 | 98.2% 98.3% | (92.4, 99.6) (97.3, 98.9) | 99.4% 99.2% | (98.0, 99.8) (98.4, 99.6) | 0.9 | (-1.8, 4.2) (-0.0, 1.8) | 0.43 |
| 4-7 | 98.576 89.6% | (85.8, 92.5) | 88.8% | (85.7, 91.4) | -0.8 | (-4.3, 2.7) | 0.64 |
| Child Passengers in States With ⁶ | 07.070 | (05.0, 72.5) | 00.070 | (05.7, 71.4) | -0.0 | (-1.3, 2.7) | 0.04 |
| Law Requiring Children From | 93.3% | (90, 9, 05, ()) | 06 10/ | (04, 0, 07, 5) | 2.0 | (0, 5, (2)) | 0.00 |
| Birth of 5 Years Be in Rear Seats | | (89.8, 95.6) | 96.1% | (94.0, 97.5) | 2.9 | (-0.5, 6.2) | 0.09 |
| No Such Law | 93.9% | (91.1, 95.9) | 93.0% | (90.2, 95.0) | -0.9 | (-3.0, 1.2) | 0.39 |
| Children Driven by | 0.1.16 | (00 0 05 - | 0.1.101 | (00 0 0 | <u>.</u> | (10.10) | 0.02 |
| a Belted Driver | 94.1% | (92.0, 95.7) | 94.1% | (92.3, 95.5) | -0.1 | (-1.8, 1.6) | 0.93 |
| an Unbelted Driver | 89.9% | (83.0, 94.1) | 89.4% | (81.9, 94.0) | -0.5 | (-8.5, 7.5) | 0.90 |
| a Male Driver | 92.2% | (89.3, 94.3) | 94.6% | (92.7, 96.0) | 2.4 | (-0.5, 5.2) | 0.10 |
| a Female Driver | 94.7% | (91.9, 96.6) | 93.1% | (90.7, 94.9) | -1.6 | (-3.7, 0.4) | 0.12 |
| a Driver 16 to 24 a Driver 25 to 69 | 98.7% 93.6% | (95.8, 99.6) | 95.3% 93.6% | (93.0, 96.9) (91.8, 95.1) | -3.4 0.0 | (-6.0, -0.8) | 0.01 0.99 |
| a Driver 70 and Older | 93.6% 77.6% | (91.4, 95.3) (53.3, 91.3) | 93.0% 93.1% | (91.8, 95.1) (85.2, 96.9) | 15.6 | (-1.9, 1.9) (-6.0, 37.1) | 0.99 |
| a Driver 70 and Order a White Driver | 93.4% | (90.8, 95.3) | 93.1% 93.0% | (83.2, 96.9) (90.5, 94.9) | -0.4 | (-0.0, 37.1) (-2.5, 1.6) | 0.13 |
| a Black Driver | 93.4 <i>%</i> 93.9% | (86.3, 97.4) | 93.0% 94.3% | (90.3, 94.9) (90.1, 96.7) | -0.4 0.4 | (-2.5, 1.0) (-5.5, 6.3) | 0.08 |
| a Driver Who is a Member of Other Races | 95.3% | (92.8, 97.0) | 96.4% | (93.9, 97.9) | 1.1 | (-1.2, 3.4) | 0.34 |
| Child Passengers on | | | | | | | |
| Expressways | 95.9% | (93.4, 97.5) | 96.2% | (93.2, 97.9) | 0.3 | (-2.3, 2.8) | 0.83 |
| Surface Streets | 92.3% | (89.5, 94.4) | 91.9% | (89.4, 93.8) | -0.4 | (-2.8, 2.0) | 0.72 |
| Child Passengers Traveling in | | | | | | | |
| Fast Traffic | 95.3% | (93.3, 96.8) | 95.3% | (92.4, 97.1) | -0.1 | (-2.3, 2.1) | 0.95 |
| Medium-Speed Traffic | 92.8% | (89.0, 95.3) | 93.0% | (88.1, 96.0) | 0.2 | (-2.7, 3.1) | 0.88 |
| Slow Traffic | 91.9% | (86.2, 95.4) | 92.0% | (88.9, 94.3) | 0.1 | (-5.2, 5.4) | 0.96 |
| Child Passengers in | | | | | | | |
| Passenger Cars | 94.6% | (92.5, 96.2) | 93.8% | (90.4, 96.1) | -0.8 | (-3.8, 2.2) | 0.59 |
| Vans and SUVs | 95.4% | (92.7, 97.1) | 94.6% | (92.7, 96.0) | -0.8 | (-3.5, 2.0) | 0.56 |
| Pickup Trucks | 76.5% | (67.5, 83.7) | 87.6% | (81.3, 91.9) | 11.0 | (0.8, 21.2) | 0.04 |
| Child Passengers in the | | | | | | | |
| Northeast | 95.3% | (91.7, 97.4) | 96.8% | (94.8, 98.1) | 1.5 | (-1.3, 4.3) | 0.29 |
| Midwest | 93.2% | (87.3, 96.4) | 92.1% | (85.4, 95.9) | -1.1 | (-5.5, 3.3) | 0.61 |
| South | 93.3% | (89.9, 95.6) | 91.1% | (87.6, 93.6) | -2.2 | (-5.1, 0.6) | 0.11 |
| West | 94.2% | (88.2, 97.3) | 97.2% | (95.8, 98.1) | 3.0 | (-2.0, 7.9) | 0.23 |
| Child Passengers in | 04.00/ | (01.2, 05.0) | 04 29/ | (02.1.05.0) | 0.2 | (1, 2, 2, 2) | 0.92 |
| Urban Areas | 94.0% | (91.3, 95.9) | 94.2% | (92.1, 95.8) | 0.2 | (-1.8, 2.3) | 0.82 |
| Rural Areas Child Passengers Traveling During | 93.3% | (90.3, 95.4) | 92.3% | (88.2, 95.1) | -1.0 | (-4.7, 2.8) | 0.60 |
| Weekdays | 93.6% | (91.1, 95.5) | 93.5% | (01 3 05 2) | -0.1 | (-2, 1, 1, 0) | 0.89 |
| Rush Hours | 93.0% 94.7% | (91.1, 95.5) (92.0, 96.6) | 93.5% 93.6% | (91.3, 95.2) (91.2, 95.4) | -0.1 -1.2 | (-2.1, 1.9) (-4.1, 1.8) | 0.89 |
| Non-Rush Hours | 94.7% 92.7% | (87.2, 95.9) | 93.0% 93.4% | (89.0, 96.1) | -1.2 | (-4.1, 1.8) (-2.3, 3.8) | 0.43 |
| | | | | | | | 0.96 |
| Weekends | 94.0% | (90.0, 96.5) | 94.1% | (91.2, 96.1) | 0.1 | (-2.9, 3.0) | |

Table 6: The Percent of Children Who Rode in Rear Seats, by Major Characteristics

NHTSA's National Center for Statistics and Analysis

1200 New Jersey Avenue SE, Washington, DC 20590

| | | 2017 | | 2018 | 20 | 17-2018 Chan | ge |
|------------------------------------|---|--|---|--|--|--|--------------------------|
| Child Passenger Group ¹ | Per- cent- age Who Were in Rear Seat ² | 95% Confidence In- terval ³ | Per- cent- age Who Were in Rear Seat ² | 95% Confidence Interval ³ | Chang e in Per- cent- age Points ⁶ | Confidence in a Change in Use ⁴ | P- value ⁵ |
| Child Passengers in a | | | | | | | |
| Rear-Facing Car Seat | 98.7% | (92.2, 99.8) | 99.6% | (98.3, 99.9) | 0.9 | (-1.9, 3.7) | 0.51 |
| Forward-Facing Car Seat | 99.4% | (98.6, 99.7) | 98.5% | (96.6, 99.4) | -0.8 | (-2.3, 0.6) | 0.24 |
| High-Backed Booster Seat | 100.0% | (100.0, 100.0) | 99.3% | (96.0, 99.9) | -0.7 | (-2.1, 0.7) | 0.30 |
| Seat belt or Backless Booster Seat | 85.6% | (80.9, 89.3) | 89.1% | (85.8, 91.8) | 3.5 | (-1.1, 8.1) | 0.13 |
| No Restraint Observed | 88.2% | (79.8, 93.4) | 84.1% | (72.4, 91.5) | -4.1 | (-17.5, 9.4) | 0.54 |

¹Passengers under 8 observed from 7 a.m. to 6 p.m. in the right-front seat or the second row of seats in passenger vehicles that are stopped at a stop sign or stoplight. Age, gender, and racial classifications are based on the subjective assessments of roadside observers.

² The percentage of the child passenger group who were in the second row of seats at the time of observation.

³ The Wilson confidence interval is used in the estimated percentages in the occupant group (e.g., occupants who are male), which is in the form: $\{(2n_{EFF}p + t^2) \pm t\sqrt{(t^2 + 4n_{EFF}pq)}\}/(2(n_{EFF} + t^2))$, where *p* is the estimated percentage of Belt Use, $n_{EFF} = n/D_{EFF}$ is the effective sample size (where *n* is the sample size and D_{EFF} is the design effect), $t = t_{(1-\alpha/2)}(df)$, is a multiplier from the t-distribution with df degrees of freedom, and q = 1 - p. For percentages, these endpoints are multiplied by 100. ⁴ The regular symmetric interval was used for the estimated change in percentage point, which is in the form: $p \pm t_{(1-\alpha/2)}(df)\sqrt{v(p)}$, where *p* is the estimated change in percentage point, v(p) is its estimated variance, and $t_{(1-\alpha/2)}(df)$ is a multiplier from the t-distribution with df degrees of freedom.

⁵ A p-value of 0.05 or less indicates that there is a statistically significant difference (at the alpha=0.05 level) between the yearover-year estimates for the group in question, **indicated with bold type**.

⁶ The "Change in Percentage Points" column was computed using unrounded estimates and may not equal the difference between the rounded estimates displayed in the table.

Source: NOPUS, 2017, 2018.

| | | 2017 | | 2018 | 20 | ge | |
|---------------------------------------|------------------------------------|--|------------------------------------|---|---|--|--------------------------|
| Child Passenger Group ¹ | Re- straint Use ² | 95% Confidence Interval ³ | Re- straint Use ² | 95% Confidence Interval ³ | Change in Per- centage Points ⁶ | Confidence in a Change in Use ⁴ | P- value ⁵ |
| | | Infants (Fr | om Birth (| to 12 Months) | | | |
| Infants Driven by | | | | | | | |
| a Belted Driver | 99.5% | (98.6, 99.8) | 99.5% | (98.3, 99.9) | 0.0 | (-0.8, 0.8) | > 0.99 |
| an Unbelted Driver | NA | NA | 100.0% | (100.0, 100.0) | NA | NA | NA |
| a Male Driver | 98.8% | (96.3, 99.6) | 99.3% | (95.8, 99.9) | 0.5 | (-1.5, 2.6) | 0.61 |
| a Female Driver | 99.7% | (98.9, 99.9) | 99.7% | (98.8, 99.9) | -0.1 | (-0.7, 0.5) | 0.81 |
| Infants in | | | | | | | |
| Passenger Cars | 98.6% | (96.4, 99.5) | 99.3% | (95.8, 99.9) | 0.7 | (-1.5, 2.8) | 0.53 |
| Vans and SUVs | 99.9% | (99.4, 100.0) | 99.8% | (98.7, 100.0) | -0.1 | (-0.6, 0.4) | 0.62 |
| Pickup Trucks | NA | NA | NA | NA | NA | NA | NA |
| Infants in the Northeast | 99.0% | (04, 4, 00, 8) | 99.4% | (07 1 00 0) | 0.4 | (10.27) | 0.73 |
| Midwest | 99.0% 100.0% | (94.4, 99.8) (100.0, 100.0) | 99.4% 100.0% | (97.1, 99.9) (100.0, 100.0) | 0.4 | (-1.9, 2.7) (0.0, 0.0) | 1.00 |
| South | 99.4% | (100.0, 100.0) (97.9, 99.9) | 99.1% | (100.0, 100.0) (95.5, 99.8) | -0.4 | (-2.2, 1.4) | 0.67 |
| West | 99.4 <i>%</i> 99.1% | (94.8, 99.9) | 100.0% | (100.0, 100.0) | -0.4 | (-2.2, 1.4) (-0.9, 2.7) | 0.33 |
| Infants in | JJ.170 | () 1.0,))) | 100.070 | (100.0, 100.0) | 0.9 | (0.2, 2.7) | 0.55 |
| Urban Areas | 99.3% | (98.0, 99.8) | 99.6% | (98.1, 99.9) | 0.2 | (-0.9, 1.3) | 0.68 |
| Rural Areas | 99.6% | (97.5, 99.9) | 99.5% | (97.5, 99.9) | -0.1 | (-1.3, 1.1) | 0.89 |
| | | | hildren 1 | | | · · · · | |
| Children 1-3 Driven by | | e | indicit i | | | | |
| a Belted Driver | 98.0% | (96.0, 99.0) | 95.9% | (93.1, 97.7) | -2.0 | (-4.4, 0.3) | 0.09 |
| an Unbelted Driver | 85.8% | (73.7, 92.9) | 76.3% | (62.7, 86.0) | -9.5 | (-25.2, 6.2) | 0.23 |
| a Male Driver | 95.3% | (90.1, 97.8) | 92.3% | (88.7, 94.8) | -3.0 | (-7.8, 1.9) | 0.22 |
| a Female Driver | 97.9% | (96.3, 98.8) | 96.5% | (93.1, 98.3) | -1.4 | (-4.0, 1.3) | 0.30 |
| Children 1-3 in | | | | × ' ' | | × · · / | |
| Passenger Cars | 96.4% | (92.5, 98.3) | 92.1% | (87.0, 95.3) | -4.4 | (-9.5, 0.7) | 0.09 |
| Vans and SUVs | 97.3% | (94.8, 98.6) | 97.0% | (94.5, 98.4) | -0.3 | (-2.8, 2.2) | 0.81 |
| Pickup Trucks | 98.5% | (91.4, 99.8) | 93.8% | (82.6, 98.0) | -4.8 | (-12.6, 3.1) | 0.22 |
| Children 1-3 in the | | | | | | | |
| Northeast | 94.7% | (88.4, 97.7) | 90.2% | (76.8, 96.3) | -4.5 | (-12.1, 3.2) | 0.24 |
| Midwest | 96.9% | (92.9, 98.7) | 95.0% | (90.9, 97.3) | -1.9 | (-5.8, 2.0) | 0.34 |
| South | 95.3% | (91.3, 97.6) | 94.7% | (90.2, 97.2) | -0.7 | (-5.8, 4.5) | 0.79 |
| West | 100.0% | (100.0, 100.0) | 97.4% | (92.1, 99.2) | -2.6 | (-5.7, 0.5) | 0.10 |
| Children 1-3 in | | | | | • • | | |
| Urban Areas | 97.9% | (95.8, 98.9) | 95.0% | (91.7, 97.0) | -2.9 | (-5.5, -0.3) | 0.03 |
| Rural Areas | 94.3% | (87.2, 97.6) | 93.4% | (87.6, 96.6) | -0.8 | (-8.1, 6.4) | 0.81 |
| | | C | hildren 4 | to 7 | | | |
| Children 4-7 Driven by | | | | | | | |
| a Belted Driver | 90.2% | (87.1, 92.6) | 87.9% | (83.3, 91.4) | -2.2 | (-6.9, 2.5) | 0.34 |
| an Unbelted Driver | 67.8% | (54.3, 78.8) | 48.7% | (34.7, 62.9) | -19.1 | (-37.4, -0.8) | 0.04 |
| a Male Driver | 85.0% | (79.1, 89.5) | 84.0% | (78.4, 88.4) | -1.0 | (-7.3, 5.3) | 0.75 |
| a Female Driver | 90.5% | (85.4, 94.0) | 86.0% | (80.3, 90.2) | -4.5 | (-11.1, 2.0) | 0.17 |
| Children 4-7 in | 02 00/ | (76 4 00 1) | 77.00/ | (60, 6, 02, 0) | 61 | (15(25)) | 0.20 |
| Passenger Cars | 83.0% | (76.4, 88.1) | 77.0% | (68.6, 83.6) | -6.1 | (-15.6, 3.5) | 0.20 |
| Vans and SUVs Pickup Trucks | 94.0% 77.9% | (90.5, 96.3) (62.8, 88.1) | 91.2% 85.0% | (87.5, 93.9) (74.7, 91.6) | -2.8 7.1 | (-6.9, 1.4) (-8.0, 22.2) | 0.18 0.34 |
| Children 4-7 in the | 11.970 | (02.0, 00.1) | 03.070 | (/4./,91.0) | /.1 | (-0.0, 22.2) | 0.34 |
| Northeast | 79.5% | (56.1, 92.2) | 86.1% | (67.2, 94.9) | 6.6 | (-8.4, 21.6) | 0.37 |
| Midwest | 79.3% 82.9% | (77.6, 87.1) | 80.1% 82.1% | (67.3, 91.1) | -0.7 | (-14.5, 13.0) | 0.91 |
| witawest | 02.770 | (77.0, 07.1) | 02.170 | (07.5, 71.1) | 0.7 | (14.5, 15.0) | 0.71 |

Table 7: Child Restraint Use in Passenger Motor Vehicles, by Age and Other Characteristics

NHTSA's National Center for Statistics and Analysis

1200 New Jersey Avenue SE, Washington, DC 20590

| | 2017 | | 2018 | | 2017-2018 Change | | |
|---------------------------------------|------------------------------------|--|------------------------------------|---|---|--|--------------------------|
| Child Passenger Group ¹ | Re- straint Use ² | 95% Confidence Interval ³ | Re- straint Use ² | 95% Confidence Interval ³ | Change in Per- centage Points ⁶ | Confidence in a Change in Use ⁴ | P- value ⁵ |
| South | 90.3% | (84.3, 94.1) | 83.9% | (77.4, 88.8) | -6.3 | (-14.0, 1.3) | 0.10 |
| West | 95.3% | (91.9, 97.2) | 89.4% | (85.4, 92.4) | -5.9 | (-10.4, -1.3) | 0.01 |
| Children 4-7 in | | | | | | | |
| Urban Areas | 88.6% | (83.1, 92.5) | 84.8% | (78.8, 89.3) | -3.8 | (-10.9, 3.2) | 0.28 |
| Rural Areas | 87.7% | (81.2, 92.2) | 86.0% | (81.8, 89.3) | -1.7 | (-8.5, 5.1) | 0.61 |

¹ Passengers under 8 observed from 7 a.m. to 6 p.m. in the right-front seat or the second row of seats in passenger vehicles that are stopped at a stop sign or stoplight. Age, gender, and racial classifications are based on the subjective assessments of roadside observers.

² Use of child car seats (forward- or rear-facing), booster seats, and seat belts.

³ The Wilson confidence interval is used in the estimated percentages in the occupant group (e.g., occupants who are male), which is in the form: $\{(2n_{EFF}p + t^2) \pm t\sqrt{(t^2 + 4n_{EFF}pq)}\}/(2(n_{EFF} + t^2))$, where *p* is the estimated percentage of Belt Use, $n_{EFF} = n/D_{EFF}$ is the effective sample size (where *n* is the sample size and D_{EFF} is the design effect), $t = t_{(1-\alpha/2)}(df)$, is a multiplier from the t-distribution with df degrees of freedom, and q = 1 - p. For percentages, these endpoints are multiplied by 100. ⁴ The regular symmetric interval was used for the estimated change in percentage point, which is in the form: $p \pm t_{(1-\alpha/2)}(df)\sqrt{v(p)}$, where *p* is the estimated change in percentage point, v(p) is its estimated variance, and $t_{(1-\alpha/2)}(df)$ is a multiplier from the t-distribution with df degrees of freedom.

⁵ A p-value of 0.05 or less indicates that there is a statistically significant difference (at the alpha=0.05 level) between the yearover-year estimates for the group in question, **indicated with bold type**.

⁶ The "Change in Percentage Points" column was computed using unrounded estimates and may not equal the difference between the rounded estimates displayed in the table.

NA: Data was not sufficient to produce a reliable estimate. Source: NOPUS, 2017, 2018.

5. NOPUS Methodology

The NOPUS sample was redesigned in 2015 and that design has since been used to conduct the survey. This section discusses the sample design, data collection, and estimation used in the 2018 NOPUS Controlled Intersection Study. Data collection, estimation, and variance estimation for NOPUS are conducted by Westat, Inc., under the direction of the NCSA under Federal contract number 693JJ918D000001.

Sample Design

The NOPUS uses a complex multistage probability sample, statistical data editing, imputation for unknown values, and complex estimation procedures. The sample sites for the 2018 NOPUS were entirely from the 2015 NOPUS sample redesign.

The redesigned NOPUS sample was selected using a stratified two-stage design. The first stage of selection was the individual county or set of adjacent counties, referred to as the primary sampling unit (PSU) within the design framework. The PSUs were targeted for selection based on their measure of size (MOS). A sample of 57 primary sampling units (PSUs) were selected from a frame of 1,588 PSUs.

The second stage of selection or secondary sampling unit (SSU), within the selected PSUs, is the road segment. At the road segment level, the NOPUS data collectors are then positioned so that they can efficiently observe seat belt use, motorcycle helmet use, and driver electronic device use.

The NOPUS sample frame of PSUs excluded Puerto Rico and the U.S. Territories. All other counties in the United States were included in the sampling frame with the exception of 37 counties and three areas in Alaska; these locations were excluded on the basis of low traffic volume measured in terms of vehicle miles traveled (VMT) or because they were geographically isolated. The sample frame of SSUs excluded segments along unnamed roads, cul-de-sacs, private roads, and a variety of other road types that have traditionally had very low traffic volume measured by VMT.

One PSU was sampled with certainty because of its large VMT, and the remaining PSUs were then grouped into the eight major strata based on the four Census region (Northeast, Midwest, South, and West) and two urbanicity classes (Urban and Rural).

A sample of 57 PSUs was selected using a Sequential Poisson method[4] with probability approximately proportional to the VMT as the MOS. The new NOPUS sample was selected to maximize PSU overlap with the old sample, thus maintaining comparability of the estimates from the current and previous samples. A SSU sample of road segments within each PSU is selected based upon the types of roads and urban/rural status with specified sampling rates.

Table 8 shows the observed sample sizes of the 2018 NOPUS Controlled Intersection Study. A total of 70,919 occupants were observed in 51,414 vehicles at 1,612 data collection sites. Of

these observed occupants, 3,102 were children under 8. Please note that due to ineligibility, construction, danger in the area, or road closure, observations could not be completed at some of the sampled observation sites.

| Numbers of | 2017 | 2018 | Percentage Change | |
|-----------------------|--------|--------|----------------------|--|
| Sites Observed | 1,615 | 1,612 | -0.19% | |
| Vehicles Observed | 50,577 | 51,414 | 1.65% | |
| Total Occupants | 70,039 | 70,919 | 1.26% | |
| Occupants 8 and Older | 67,050 | 67,817 | 1.14% | |
| In Front Seat | 63,779 | 64,432 | 1.02% | |
| In Rear Seat | 3,271 | 3,385 | 3.49% | |
| Occupants Under 8 | 2,989 | 3,102 | 3.78% | |
| Children Under 1 | 390 | 464 | 18.97% | |
| Children 1 to 3 | 996 | 1,003 | 0.70% | |
| Children 4 to 7 | 1,603 | 1,635 | 2.00% | |
| | | | | |

Table 8: Sites, Vehicles, and Occupants in the 2018 NOPUS Controlled Intersection Study

Data Collection

The 2018 NOPUS data collection was conducted during the period from June 4 to June 20, 2018.

Data collection protocols remain largely the same in the redesigned NOPUS; however, NHTSA has made some minor adjustments to streamline data collection. In order to provide an estimate based on all vehicles affected by seat belt laws in relevant jurisdictions, data collectors observe and record seat belt use for all passenger vehicles observed at the data collection sites.

In the NOPUS Controlled Intersection Study, trained data collectors observe restraint use of drivers and other occupants of passenger vehicles (passenger cars, pickup trucks, SUVs, and vans) that have stopped at a stop sign or stoplight during daylight hours from 7 a.m. to 6 p.m. Observations are made both on the surface streets and at the ends of the expressway exit ramps (where there are controlled intersections). Only stopped vehicles are observed based on the time required to collect the variety of information required by the survey, including subjective assessments of the vehicle occupant age and race. Observers collect data on the driver, right-front passenger, and up to two passengers in the second row of seats. Observers do not interview vehicle occupants intentionally, allowing NOPUS to capture the uninfluenced behavior of the occupants.

The NOPUS Controlled Intersection Study is conducted annually following the NOPUS Moving Traffic Survey and is usually scheduled for all surface streets and limited access highway ramps, where NOPUS data from previous years indicates that a controlled intersection exists. If the data collectors arrive at an assigned surface street site and the site is not controlled, they are instructed to search for an alternate data collection site further along the same road segment. After the data collectors have located a controlled intersection, they position themselves at the traffic signal or stop sign, facing the oncoming traffic from the side of the road. The data collectors walk in the direction of the oncoming traffic, away from the intersection to make their observations. When the traffic light turns green or they finish observing all vehicles, the data collectors return to the intersection to wait for the next traffic light cycle or next vehicle. They observe vehicles in the lane closest to their observational position, even if the closest lane is an exclusive turn lane (which is often the case at the controlled intersections.) When possible and if visibility allows, the data collectors also observe the other lanes of traffic. The data collectors are instructed to record the first behavior of the driver in which they observe.

Estimation

NOPUS estimates the proportion of occupants restrained in restraint type (R) among the occupants having characteristic (C) using the formula,

Restraint Use_{CR} =
$$\frac{\sum_{i,j,k} w_{ijk} F_{ijk} CR_{ijk}}{\sum_{i,j,k} w_{ijk} F_{ijk} C_{ijk}}$$

where w_{ijk} and F_{ijk} , respectively, denote the base weight and the product of various weight adjustment factors at the site k in the stratum j of the PSU i. CR_{ijk} stands for the number of observed occupants having characteristic C and restrained in restraint type R and C_{ijk} denotes the number of observed occupants having characteristic C at the site k in the stratum j of the PSU i. For example, the seat belt use by vehicle type is estimated using the above formula, where CR_{ijk} is the number of observed belted occupants in certain type of vehicles (such as passenger cars, vans & SUVs, or pickup trucks) and C_{ijk} is the number of ALL (belted and unbelted) occupants observed in that type of vehicles at the site k in the stratum j of the PSU i.

Prior to 2015, NHTSA's NOPUS publications reported integer percentage values for seat belt use point estimates. Along with updating the survey design, NHTSA has revised its NOPUS reporting format to be consistent with statistical best practices across the Federal Government. The new reporting format presents percentage point estimates with one decimal place. Along with this change, 95 percent confidence intervals and p-values accompany the point estimates.

In certain instances, NHTSA does not provide estimates. These are typically restraint use estimates whose numerator is based on fewer than five persons observed, or whose denominator is based on fewer than 30 people observed. These are reported as "NA" in publications. Any related estimate (i.e., change in use and confidence estimates) is not reported as well. The same criteria are used in reporting estimates from the NSUBS.

6. References

- Enriquez, J., & Pickrell, T. M. (2019, January). Seat belt use in 2018 Overall results. (Traffic Safety Facts Research Note. Report No. DOT HS 812 662). Washington, DC: National Highway Traffic Safety Administration. Available at https://crashstats.nhtsa.dot.gov/Api/Public/ViewPublication/812662
- Highway Loss Data Institute. (2019, March). Safety belts (Web page). Arlington, VA: Insurance Institute for Highway Safety. Available at www.iihs.org/iihs/topics/laws/safetybeltuse?topicName=safety-belts
- Li, R., & Pickrell, T. M. (2019, February). Occupant restraint use in 2017: Results from the NOPUS controlled intersection study (Report No. DOT HS 812 594). Washington, DC: National Highway Traffic Safety Administration. Available at https://crashstats.nhtsa.dot.gov/Api/Public/ViewPublication/812594

Ohlsson, E. (1998). Sequential Poisson sampling. Journal of official statistics, 14, 149-162.

R. L. Polk & Co. (n.a.). National Vehicle Population Profile. Southfield, MI: Author.

DOT HS 812 781 August 2019



U.S. Department of Transportation

National Highway Traffic Safety Administration



14333-072319-v1c