



SEAHAWK[®]
SINCE 1978

2020 Fishing Tackle Catalogue

www.tce-sports.com

SEAHAWK®

The World Renown Brand

With a motto proclaiming Triple A, "ACCURATE, ADVANCE, AND AHEAD", you can be sure the internationally-known brand, Seahawk, will neither rest on its laurels nor cease to bring forth delightful innovation unto its multitude of fans.

Seahawk emphasizes on ACCURATELY meeting the specific needs of anglers, always looking for ADVANCEMENT into the latest edge-cutting technology, and forever innovation-leading AHEAD in the direction of the fishing frontier.

With more than 30 years of experience in the market (bursting forth since 1978), Seahawk now stands proudly in the forefronts of the fishing industry with a high reputation in local and overseas markets. Its innovative, modern technology, outstanding quality, and efficient manufacturing techniques help it to produce an array of stylish yet high quality products.

CONTENTS

2020 FISHING TACKLE CATALOGUE

REELS

• SPINNING REELS	02
• BAITCAST REELS	19

RODS

• FIRST STIK	20
• SPINNING & CASTING RODS	26
• JIGGING RODS	52
• BOAT RODS	59
• SURF RODS	62
• TELESCOPIC & POLE RODS	66
• ROD KITS	73
• COMBO SET	74

LINES	76
-------------	----

LURES	92
-------------	----

HOOKS	142
-------------	-----

SWIVELS	162
---------------	-----

TERMINAL TACKLE	174
-----------------------	-----

ACCESSORIES	186
-------------------	-----

LITE PRO

SPECIAL EDITION

Custom Made for
Ultra light Game

LitePro 800 is designed with ultralight anglers in mind. The new and improved reel comes after its popular predecessor, the LiteMX 800. With 7 ball bearings, expect improved casting performance with a flawlessly smooth retrieval that prevents line breakage when using light tackle. It is also one of the lightest reels in the market, weighing just 119g (4.2oz). Despite its light weight, the LitePro is no frail reel, featuring a robust and crack-resistant aluminium spool with an aluminium power knob, handle and side cap that further increases durability. Additionally, this reel comes equipped with a generous line capacity of 180m for a 0.15mm line, making it suitable to be used to target a broad range of different species. No doubt, the LitePro is a reel that looks as good as it feels, with even better performance.



Lite Pro
LP 800



BRASS
PINION GEAR



ONE WAY
CLUTCH
BEARINGS



DIRECT DRIVE SYSTEM




7 BALL
BEARINGS



ALUMINIUM SPOOL



AIR THICK BAIL




Features :

- CNC Aluminium Spool
- One-Way Clutch Ball Bearing
- Anti Twist Line Roller
- CNC Aluminium Handle with Aluminium Round Knob
- Excellent Line Lay Oscillation System
- Computer Balanced System
- Air Thick Bail
- Direct Drive System

LITE PRO SPINNING REEL					
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)
LP 800	7	5.5:1	0.15-180, 0.18-150, 0.20-100 / 4-115, 6-100, 8-80	221	3



CNC Aluminium Spool



Aluminium Side Cap



Aluminium Round Knob



CNC Aluminium Handle



Direct Drive System



TEMESIS

The Temesis spinning reel series balances exceptional durability with equally great aesthetics at an extremely affordable price point. The machined aluminum spool and aluminum knob contributes to, strength and durability while its screw-in handle ensures you have complete control even when under pressure. It comes fitted with 7 ball bearings for a reliably smooth performance, trip after trip. The Temesis also features a distinguishable chameleon chrome with a splash of orange-gold, making this robust reel a top choice for value-seeking anglers looking for impressive performance and winning looks, for less.

Features :

- CNC Aluminium Spool
- One-Way Clutch Ball Bearing
- Anti Twist Line Roller
- Screw-In CNC Aluminium Handle with Aluminium Round Knob
- Excellent Line Lay Oscillation System
- Computer Balanced System
- Air Thick Bail



Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)
800	7	5.1:1	0.15-180, 0.18-140, 0.20-120	6-160, 8-130, 10-100	207 5
2500	7	5.5:1	0.20-270, 0.25-200, 0.30-140	10-190, 12-160, 14-130	290 6
4000	7	5.5:1	0.30-180, 0.35-150, 0.40-110	12-200, 14-170, 16-140	318 7
6000	7	4.7:1	0.35-200, 0.40-180, 0.45-120	16-220, 18-190, 20-160	383 8



Temesis 6000



CNC Aluminium Spool



Aluminium Round Knob



Screw-In System



Shujitsu 4000



Black Widow 4000H



Air Cruiser X 3000H



Shujitsu

Features :

- CNC Aluminium Spool
- One-Way Clutch Ball Bearing
- Anti Twist Line Roller
- CNC Aluminium Die Cast Handle with Rubber T Knob
- Excellent Line Lay Oscillation System
- Computer Balanced System
- Air Thick Bail



Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)
800	7	5.1:1	0.15-180, 0.18-140, 0.20-120	6-160, 8-130, 10-110	220 5
2500	7	5.5:1	0.20-270, 0.25-200, 0.30-140	10-190, 12-160, 14-130	270 6
4000	7	5.5:1	0.30-180, 0.35-150, 0.40-110	12-200, 14-170, 16-140	315 7
6000	7	4.7:1	0.35-200, 0.40-180, 0.45-120	16-220, 18-190, 20-160	375 8

Black Widow

Features :

- CNC Aluminium Spool
- One-Way Clutch Ball Bearing
- Anti Twist Line Roller
- CNC Aluminium Die Cast Handle with Aluminium Knob
- Excellent Line Lay Oscillation System
- Computer Balanced System
- Air Thick Bail



Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)
3000H	7	6.7:1	0.25-200, 0.28-160, 0.30-140	6-220, 8-175, 10-155	292 4
4000H	7	6.7:1	0.28-270, 0.30-235, 0.32-205	8-295, 10-260, 12-225	376 6
6000H	7	6.7:1	0.35-370, 0.38-315, 0.42-255	10-405, 16-345, 18-280	442 8

AIR CRUIZER X

Features :

- 7 ball bearing
- Aluminium spool
- CNC aluminium handle with EVA knob
- Excellent line lay oscillation system
- Hi-speed gear ratio
- One way clutch
- Air thick bail



Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)
3000H	7 + 1	7.1:1	0.25-200, 0.28-160, 0.30-140	6-220, 8-175, 10-155	293 7
4000H	7 + 1	6.7:1	0.28-270, 0.30-235, 0.32-205	8-295, 10-260, 12-225	366 8
5000H	7 + 1	6.7:1	0.30-340, 0.32-300, 0.35-250	10-370, 12-325, 14-270	390 8



Strike Wolf XT

Strike Wolf XT 4000

Features :

- CNC Aluminium Spool
- One-Way Clutch Ball Bearing
- Anti Twist Line Roller
- CNC Aluminium Handle with Aluminium Round Knob
- Excellent Line Lay Oscillation System
- Computer Balanced System
- Air Thick Bail

Ball Bearing 7

BRASS

ALUMINIUM SPOOL

AIR THICK BAIL

Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)
800	7	5.1:1	0.20-270, 0.25-200, 0.30-140	10-190, 12-160, 14-130	207 5
2500	7	5.5:1	0.20-270, 0.25-200, 0.30-140	10-190, 12-160, 14-130	209 6
4000	7	5.5:1	0.30-180, 0.35-150, 0.40-110	12-200, 14-170, 16-140	312 7
6000	7	4.7:1	0.35-200, 0.40-180, 0.45-120	16-220, 18-190, 20-160	383 8

日本
技術
Japan
Technology

Gachiri
4000



Screw-in System

Black Spin II
2500



Silverado
4000



Gachiri

Features :

- CNC aluminium spool
- Screw-in CNC aluminium handle with EVA knob
- Computer balanced system
- Excellent line lay oscillation system
- One-way clutch
- Anti twist line roller
- Air thick bail



GACHIRI SPINNING REEL					
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)
1000	8	5.1:1	0.15-180, 0.18-140, 0.20-120	8-210, 12-130, 15-110	208 5
2500	8	5.5:1	0.20-270, 0.25-200, 0.30-140	10-190, 12-160, 14-130	265 6
4000	8	5.5:1	0.30-180, 0.35-150, 0.40-110	12-200, 14-170, 16-140	298 7
6000	8	4.7:1	0.35-200, 0.40-180, 0.45-120	16-220, 18-190, 20-160	340 8

BLACK SPIN II

Features :

- Aluminium spool
- Excellent line lay oscillation system
- One way clutch bearing
- Air thick bail
- Aluminium handle



BLACK SPIN II SPINNING REEL					
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)
1000	6	5.1:1	0.15-180, 0.18-140, 0.20-120	6-160, 8-130, 10-100	238 5
2500	6	5.5:1	0.20-270, 0.25-200, 0.30-140	10-190, 12-160, 14-130	266 6
4000	6	5.5:1	0.30-180, 0.35-150, 0.40-110	12-200, 14-170, 16-140	284 7
6000	6	4.7:1	0.35-200, 0.40-180, 0.45-120	16-220, 18-190, 20-160	350 8

SILVERADO

Features :

- 5 ball bearing
- Aluminium spool
- CNC graphite handle with Rubber T Knob
- Excellent line lay oscillation system
- Computer balance system
- One way clutch
- Air thick bail



SILVERADO SPINNING REEL					
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)
2500	5 + 1	5.5:1	0.20-270, 0.25-200, 0.30-140	8-215, 10-190, 12-130	268 5
4000	5 + 1	5.5:1	0.30-180, 0.35-150, 0.40-110	10-260, 12-210, 15-160	285 6
6000	5 + 1	4.7:1	0.35-200, 0.40-180, 0.45-120	14-180, 16-140, 18-100	385 7



FR6000



FINARU

Finaru is perfect for beginners looking for an inexpensive yet quality entry-level reel. Sizes range from 800 for ultralight fishing to 6000 for bottom. Additionally, it comes equipped with features usually reserved for higher-end models such as a large power knob and deeper spool for higher line capacity to fight large and fast swimmers. The Finaru may be a budget reel, but with more quality components it definitely gives other global brands a run for their money.

Features :

- 6 ball bearings
- One Way Clutch
- Screw-in CNC aluminium handle
- Air Thick Bail
- CNC aluminium spool
- Loud clicker
- Extra deep spool for higher line capacity
- Reinforced graphite body for stability
- Ultra smooth spin
- Brass pinion gear
- Stainless steel main shaft
- Aluminum power round knob with anti-slip groove for comfort and control on casts



FINARU SPINNING REEL						
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)		Wt (g)	Max Drag (kg)
800	6	5.1:1	0.15-180, 0.18-140, 0.20-120	8-210, 12-130, 15-110	208	5
2500	6	5.5:1	0.20-270, 0.25-200, 0.30-140	10-190, 12-180, 14-130	265	6
4000	6	5.5:1	0.30-180, 0.35-150, 0.40-110	12-200, 14-170, 16-140	298	7
6000	6	4.7:1	0.35-200, 0.40-180, 0.45-120	16-220, 18-190, 20-160	340	8



CNC Aluminium Spool



Aluminium Round Knob



Screw-In System


Palau 4000
(Gunsmoke)

Palau 1000
(Black)


PALAU

Features :

- Aluminium Spool
- One Way Clutch Ball Bearing
- Graphite Handle with Rubber T Knob
- Excellent Line Lay Oscillation System
- Computer Balanced System
- Air Thick Bail



PALAU SPINNING REEL						
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)		Wt (g)	Max Drag (kg)
1000	4	5.1:1	0.18-235, 0.20-195, 0.25-120	3-255, 4-210, 6-130	252.5	4
2000	4	5.5:1	0.18-285, 0.20-230, 0.25-150	3-310, 4-250, 6-165	264.5	4
3000	4	5.2:1	0.25-215, 0.30-150, 0.35-110	6-235, 10-165, 12-120	290.5	5
4000	4	5.2:1	0.30-175, 0.35-130, 0.40-100	10-190, 12-140, 15-110	303.5	5
5000	4	5.2:1	0.35-195, 0.40-150, 0.50-95	12-215, 15-165, 20-105	399	6
6000	4	5.2:1	0.45-140, 0.50-115, 0.60-80	18-155, 20-125, 35-90	427	6

impulse

Features :

- 6 Ball Bearings
- 6.2 High Speed Gear Ratio
- CNC Graphite Handle with Soft T Knob
- Excellent Line Lay Oscillation System
- Power Driver Gear for Higher Strength Resistance
- Anti Twist Line Roller
- One Way Clutch



IMPULSE SPINNING REEL						
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)		Wt (g)	Max Drag (kg)
2500H	6	6.2:1	0.25-215, 0.30-150, 0.35-110	6-235, 10-165, 12-120	293	6
4000H	6	6.2:1	0.30-175, 0.35-130, 0.40-100	10-190, 12-140, 15-110	311	6
6000H	6	6.2:1	0.45-140, 0.50-115, 0.60-80	18-155, 20-125, 35-90	423	7



Kossori こそり METAL BODY

The Kossori is the right balance of power and smoothness. Its metal body combined with powerful drive gear feature is designed for a solid feel and build quality made to withstand feisty fresh or saltwater battles. With the addition of 7 ball bearings, the Kossori further ensures fluidity and smoothness in both rotation and performance.

Features :

- CNC Aluminium Spool
- One-Way Clutch Ball Bearing
- Anti Twist Line Roller
- CNC Aluminium Die Cast Handle with Aluminium Round Knob
- Excellent Line Lay Oscillation System
- Computer Balanced System
- Air Thick Bail

KOSSORI SPINNING REEL						
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)		Wt (g)	Max Drag (kg)
KS 2500	7	5.5:1	0.20-270, 0.25-200, 0.30-140	10-190, 12-160, 14-130	302	6
KS 4000	7	5.5:1	0.30-180, 0.35-150, 0.40-110	12-200, 14-170, 16-140	312	7
KS 6000	7	4.7:1	0.35-200, 0.40-180, 0.45-120	16-220, 18-190, 20-160	412	8



POWER
DRIVE GEAR



ALUMINIUM SPOOL

AIR THICK BAIL



CNC Aluminium Spool



Metal Body



Aluminium Round Knob



CNC Aluminium Handle



GINZA

Feature :

- Aluminium Spool
- Graphite Handle with Rubber Knob
- Excellent Line Lay Oscillation System
- Computer Balanced System
- Air Thick Bail



GINZA SPINNING REEL						
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)		Wt (g)	Max Drag (kg)
2500	7	4.9:1	0.20-280, 0.25-180, 0.28-140	4-300, 6-200, 8-180	272	5
3000	7	4.9:1	0.25-250, 0.28-200, 0.30-180	6-280, 8-220, 10-190	285	5
6000	7	4.7:1	0.32-320, 0.35-270, 0.38-230	12-350, 14-300, 16-250	422	8

PURSUIT

Features :

- Light weight, forged & machined aluminum spool
- 8 ball bearings for smooth & powerful performance
- One way clutch bearing
- Computer design balance rotor for minimum vibration
- Excellent line lay oscillation system
- CNC machined cut handle with high-density EVA knob
- Anti-Twist line roller



PURSUIT SPINNING REEL						
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)		Wt (g)	Max Drag (kg)
500	8	5.1:1	0.15-140, 0.18-100	4-90, 6-60		
2000	8	5.5:1	0.20-200, 0.25-150, 0.30-100	6-210, 8-170, 10-140		
4000	8	5.5:1	0.30-180, 0.35-120, 0.40-100	8-220, 10-165, 12-130		
6000	8	5.5:1	0.40-220, 0.50-140, 0.60-100	16-220, 20-70, 24-140		

MONDO

Features :

- 4 Ball Bearings
- One Way Clutch
- Forged & Machine Cut Aluminium Spool
- Computer Design Balance Rotor for Minimum Vibration



MONDO SPINNING REEL						
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)		Wt (g)	Max Drag (kg)
MD 2000	4	5.2:1	0.18-360, 0.20-290, 0.25-185	3-395		
MD 3000	4	5.2:1	0.30-180, 0.35-150, 0.40-110	12-200, 14-170, 16-140		
MD 4000	4	5.2:1	0.35-200, 0.40-180, 0.45-120	16-220, 18-190, 20-160		

FALCON Fire



Falcon Fire 2000

The Falcon Fire is a line of reels delivering commitment to strength and durability. The reel is built using a solid tri-aluminum construction for superior strength; consisting of machined aluminum spool, aluminum screw-in handle for added strength and aluminum knob. This is a sturdy and durable reel made to withstand ferocious fights so you can fish with ease.

Features :

- Aluminium Spool
- One-Way Clutch Ball Bearing
- Anti Twist Line Roller
- Screw-In CNC Aluminium Handle with Aluminium Round Knob
- Excellent Line Lay Oscillation System
- H.P.G - High Precision Gear
- Computer Balance System
- Air Thick Bail



(Red)

(Gold)

(Green)

(Blue)



FALCON FIRE SPINNING REEL

Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)
2000	4	5.2:1	0.18-240, 0.20-200, 0.25-140	4-260, 6-220, 8-150	254 6
3000	4	5.2:1	0.20-240, 0.25-200, 0.30-140	6-260, 8-220, 10-150	270 6
4000	4	5.2:1	0.30-200, 0.35-160, 0.40-120	10-220, 120-175, 15-130	286 7
5000	4	5.2:1	0.35-170, 0.40-140, 0.45-120	12-185, 15-150, 18-130	294 7



CNC Aluminium Spool



High Precision Gear



Aluminium Round Knob



Screw-In System



Twin Power 4000



TWIN POWER

Features :

- 4 ball bearings for smooth & powerful performance
- CNC graphite handle
- Excellent line lay oscillation system
- Aluminium spool
- Air Thick Bail



TWIN POWER SPINNING REEL

Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Spool With Line (lb)
2500	4	5.5:1	0.20-270, 0.25-200, 0.30-140	10-190, 12-160, 14-130
4000	4	5.5:1	0.30-180, 0.35-150, 0.40-110	12-200, 14-170, 16-140
6000	4	4.7:1	0.35-200, 0.40-180, 0.45-120	16-122, 18-190, 20-160

Wind SURF

Features :

- Aluminium Spool
- CNC Aluminium Handle with Rubber T Knob
- Excellent Line Lay Oscillation System
- Computer Balance System
- Air Thick Bail



WIND SURF SPINNING REEL

Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)
6000	6	4.1:1	0.40-320, 0.50-280, 0.60-240	590	14



Wind Surf 6000



Shore Front

Features :

- CNC Aluminium Spool
- One-Way Clutch Ball Bearing
- Anti Twist Line Roller
- CNC Aluminium Die-Cast Handle with Rubber Knob
- Excellent Line Lay Oscillation System
- Computer Balanced System
- Air Thick Bail



SHORE FRONT SPINNING REEL

Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)
5000	7	5.5:1	0.30-200, 0.35-170, 0.40-130	14-210, 16-180, 18-150	316 7
6000	7	4.7:1	0.35-270, 0.40-210, 0.50-130	18-230, 20-200, 22-170	412 8



Shore Front 5000



TRON-X

Ultra Light

Tron-X 500 is specifically designed for ultralight enthusiasts. With its lightweight screw-in aluminium handle and ultralight aluminium knob, this tiny palm-sized UL reel is made to easily fit in a loose pocket or small pack for easy travelling and long-distance fishing trips. Its small size increases the thrill of fishing for smaller species while at the same time creates an exciting challenge to catch larger fish. The Tron-X 500 also features 5 ball bearings for a smooth line retrieval and an instant anti-reverse One Way Clutch to guarantee a solid hook-up.

TRON-X SPINNING REEL						
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)	Wt (g)	Max Drag (kg)	
TX 500	5	5.2:1	0.20-170, 0.25-100, 0.30-60 4-160, 6-120, 8-70	139	3	

5 BALL BEARINGS

ONE WAY CLUTCH BEARINGS

ALUMINIUM SPOOL

AIR THICK BAIL

Features :

- 5 Ball Bearings
- One way Clutch
- Screw-In CNC Aluminium Handle with Aluminium Ultra-Light Knob
- Excellent Line Lay Oscillation System
- Computer Balanced System
- CNC Aluminium Spool
- Air Thick Bail



Aluminium Spool



Aluminium Ultra-Light Knob



Screw-in System



Tron X 500 (Red)

Tron X 500 (Gunsmoke)

Midget

Features :

- Aluminium Spool
- One-Way Clutch Ball Bearing
- Anti Twist Line Roller
- Die-Cast Graphite Handle with Rubber Knob
- Excellent Line Lay Oscillation System
- Computer Balanced System



MIDGET SPINNING REEL							
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)			Wt (g)	Max Drag (kg)
500	4	5.2:1	0.15-180, 0.18-150, 0.20-100	4-100, 6-80, 8-60	140	5	

COOPER

Features :

- Aluminium Spool
- One-Way Clutch Ball Bearing
- Anti Twist Line Roller
- Die-Cast Graphite Handle with Rubber Knob
- Excellent Line Lay Oscillation System
- Computer Balanced System



COOPER SPINNING REEL							
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)			Wt (g)	Max Drag (kg)
CP 500	9	5.2:1	0.15-180, 0.18-150, 0.20-100	4-100, 6-80, 8-60	140	5	



JETSTREAM

Features :

- Aluminium spool
- Dia casting handle with rubber knob
- Excellent line lay oscillation system
- Computer balanced system
- Air thick bail



JET STREAM SPINNING REEL						
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)		Wt (g)	Max Drag (kg)
1000	3	5.1:1	0.15-180, 0.18-140, 0.20-120	6-160, 8-130, 10-100	220	5
2500	3	5.5:1	0.20-270, 0.25-200, 0.30-140	10-190, 12-160, 14-130	275	5
4000	3	5.5:1	0.30-180, 0.35-150, 0.40-110	12-220, 14-170, 16-140	300	6
6000	3	4.7:1	0.35-200, 0.40-180, 0.45-120	16-220, 18-190, 20-160	380	7

WAVE II

Features :

- Graphite spool with line
- Die-cast graphite handle with rubber knob
- Excellent line lay oscillation system
- Computer balance system



WAVE II SPINNING REEL						
Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)		Wt (g)	Max Drag (kg)
WVII 2000	2	5.5:1	0.18-285, 0.20-230, 0.25-150	3-310, 4-250, 6-165	223.5	4
WVII 3000	2	5.2:1	0.25-215, 0.30-150, 0.35-110	6-235, 10-165, 12-120	248.5	5
WVII 4000	2	5.2:1	0.30-175, 0.35-130, 0.40-100	10-190, 12-140, 15-110	261.5	5
WVII 5000	2	5.2:1	0.35-195, 0.40-150, 0.50-95	12-215, 15-165, 20-105	336	6
WVII 6000	2	5.2:1	0.45-140, 0.50-115, 0.60-80	18-155, 20-125, 35-90	363	6

holiday II



Holiday II 4000 (Red)



Holiday II 5000 (Blue)



Holiday II 5000 (Green)



Holiday II 6000 (Gold)

Features :

- 2 Ball Bearings
- Graphite Spool with Line
- ABS Round Knob



Light WEIGHT

FRESHWATER USE

HOLIDAY II SPINNING REEL

Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)		Wt (g)
HLD II 3000	2	5.5:1	0.20-270, 0.25-200, 0.30-140	10-190, 12-160, 14-130	241
HLD II 4000	2	5.5:1	0.30-180, 0.35-150, 0.40-110	12-200, 14-170, 16-140	260
HLD II 5000	2	5.5:1	0.30-200, 0.35-170, 0.40-130	14-210, 16-180, 18-150	272
HLD II 6000	2	4.7:1	0.35-200, 0.40-180, 0.45-120	16-220, 18-190, 20-160	343

MICRA II

Features :

- 3 ball bearings
- Graphite spool
- Excellent line lay oscillation system
- Right / left interchangeable handle
- Computer-designed balance rotor



Light WEIGHT

FRESHWATER USE

MICRA 2 SPINNING REEL

Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)			Wt (g)	Max Drag (kg)	
M800	3	5.2:1	0.18-245	0.20-200	0.25-125	4-115, 6-110, 8-80	149	-



(Gunsmoke)



(Gold)



(Blue)



(Green)



Micro 2 M200 (Blue)

MICRO 2

Features :

- Aluminium spool
- With line



Light WEIGHT

MICRO SPINNING REEL

Model	Ball Bearing	Gear Ratio	Line Capacity (mm-m / lbs-yards)						Wt (g)	Max Drag (kg)
M200	3	5.2:1	0.18-245	0.20-200	0.25-125	1.5-219	2.0-137	3.0-96	176	-

SURGE

Feature :

- Ultra smooth drag system
- 5 magnetic anti-backlash control system
- Lightweight graphite body
- Precision machine cut brass gear
- Specially crafted handle & knob for a more comfortable grip




Light WEIGHT

SURGE BAITCASTING REEL

Model	Ball Bearing	Gear Ratio	Line Capacity (lbs-yards)	Wt (g)	Max Drag (kg)
SUR 103L	4	6.3:1	0.26mm-140m 0.28mm-120m	206	5



Surge SUR 103L





SINCE 1978
PRO-FISHING TEAM
WORLDWIDE

FIRST STIK

FIRST STIK

FIRST STIK BWS 1100-60

FIRST STIK BWS 1120-56

FIRST STIK BWC 1120-60


FIRST STIK

Features :

- Reinforced graphite core for sensitivity and excellent tensile strength
- E-glass outer layer for increased flexibility and toughness
- Super strong translucent solid tip



FUJI Reel Seat



FUJI Guide

FIRST STIK SPINNING ROD SERIES

Model	Length	Line Wt. (lb)	Guide	Section
BWS 1100-50	5'0"	8 - 20	5 + 1	2
BWS 1100-56	5'6"	8 - 20	5 + 1	2
BWS 1100-60	6'0"	8 - 25	5 + 1	2
BWS 1100-66	6'6"	10 - 30	5 + 1	2
BWS 1100-70	7'0"	10 - 30	5 + 1	2
BWS 1100-80	8'0"	12 - 40	5 + 1	2
BWS 1100-90	9'0"	12 - 50	5 + 1	2
BWS 1100-100	10'0"	12 - 50	6 + 1	2
BWS 1100-120	12'0"	12 - 50	6 + 1	2



FUJI Reel Seat



FUJI Guide

FIRST STIK SPINNING ROD SERIES

Model	Length	Line Wt. (lb)	Guide	Section
BWS 1120-50	5'0"	10 - 25	4 + 1	1
BWS 1120-56	5'6"	10 - 25	5 + 1	1
BWS 1120-60	6'0"	10 - 25	5 + 1	1



FUJI Reel Seat



FUJI Guide

FIRST STIK CASTING ROD SERIES

Model	Length	Line Wt. (lb)	Guide	Section
BWC 1120-50	5'0"	10 - 25	6 + 1	1
BWC 1120-56	5'6"	10 - 25	7 + 1	1
BWC 1120-60	6'0"	10 - 30	7 + 1	1
BWC 1120-66	6'6"	10 - 30	7 + 1	1

FIRST STIK

Features :

- Reinforced graphite core for sensitivity and excellent tensile strength
- E-glass outer layer for flexibility and toughness
- Super strong translucent solid tip



FUJI Reel Seat



FUJI Guide

FIRST STIK SPINNING BOAT ROD SERIES

Model	Length	Line Wt. (lb)	Guide	Section
BWS 1130-56	5'6"	20 - 50	5 + 1	1
BWS 1130-60	6'0"	20 - 50	5 + 1	1
BWS 1130-66	6'6"	20 - 50	5 + 1	1



FUJI Reel Seat



FUJI Guide

FIRST STIK BOAT ROD SERIES

Model	Length	Line Wt. (lb)	Guide	Section
BWB 1130-56	5'6"	20 - 50	5 + 1	1
BWB 1130-60	6'0"	20 - 50	5 + 1	1
BWB 1130-66	6'6"	20 - 50	5 + 1	1



FUJI Reel Seat



FUJI Guide

FIRST STIK SPINNING BOAT ROD SERIES

Model	Length	Line Wt. (lb)	Guide	Section
BWS 2130-56	5'6"	20 - 50	5 + 1	2
BWS 2130-60	6'0"	20 - 50	5 + 1	2
BWS 2130-66	6'6"	20 - 50	5 + 1	2



FIRST STIK BWS 1130-56

FIRST STIK BWB 1130-60

FIRST STIK BWS 2130-60

FIRST STIK BWB 2130-60

FIRST STIK SP 1101-46

FIRST STIK SP 562ML



FUJI Reel Seat



FUJI Guide

FIRST STIK BOAT ROD SERIES

Model	Length	Line Wt. (lb)	Guide	Section
BWB 2130-56	5'6"	20 - 50	5 + 1	2
BWB 2130-60	6'0"	20 - 50	5 + 1	2
BWB 2130-66	6'6"	20 - 50	5 + 1	2



FUJI Reel Seat



FUJI Guide

FIRST STIK SPINNING ROD SERIES

Model	Length	Line Wt. (lb)	Guide	Section
SP 1101-36	3'6"	4 - 10	4 + 1	1
SP 1101-40	4'0"	4 - 12	4 + 1	1
SP 1101-46	4'6"	4 - 12	4 + 1	1



FUJI Reel Seat



FUJI Guide

FIRST STIK SPINNING ROD SERIES

Model	Length	Line Wt. (lb)	Guide	Section
SP 502UL	5'0"	4 - 10	4 + 1	2
SP 562ML	5'6"	4 - 12	4 + 1	2
SP 602M	6'0"	6 - 14	5 + 1	2
SP 662M	6'6"	8 - 17	5 + 1	2
SP 702M	7'0"	8 - 25	5 + 1	2

FIRST STIK

Features :

- Reinforced graphite core for sensitivity and excellent tensile strength
- E-glass outer layer for flexibility and toughness
- Super strong translucent solid tip



FUJI Reel Seat




Gimbal



Model	Length	Line Wt. (lb)	Guide	Action	Section
BWS 1140-50	5'0"	15 - 35	5 + 1	Heavy	1
BWS 1140-56	5'6"	15 - 35	5 + 1	Heavy	1
BWS 1140-60	6'0"	15 - 35	5 + 1	Heavy	1



FUJI Reel Seat




Gimbal



Butt Joint

Model	Length	Line Wt. (lb)	Guide	Action	Section
BWS 2140-50	5'0"	15 - 35	5 + 1	Heavy	2
BWS 2140-56	5'6"	15 - 35	5 + 1	Heavy	2
BWS 2140-60	6'0"	15 - 35	5 + 1	Heavy	2



BATTALION

Seahawk's Battalion rod is an affordable all-rounder carbon rod that's ideal for both freshwater and saltwater application.

The Battalion comes in a stylish camo design, fitted with Japan FUJI guides for a smooth casting experience and is available in spinning and casting models.



High Density EVA

BATTALION CASTING ROD					
Model	Length	Line Weight (lb)	Guide	Action	Section
BTL562MB	5'6"	8 - 15	6 + 1	Medium	2
BTL602MB	6'0"	8 - 15	6 + 1	Medium	2
BTL662MHB	6'6"	8 - 17	6 + 1	Medium Heavy	2



FUJI Guide



High Density EVA

BATTALION SPINNING ROD					
Model	Length	Line Weight (lb)	Guide	Action	Section
BTL602MS	6'0"	8 - 15	6 + 1	Medium	2
BTL662MHS	6'6"	8 - 17	6 + 1	Medium Heavy	2
BTL702MHS	7'0"	10 - 20	7 + 1	Medium Heavy	2



FUJI Guide



High Density EVA


BATTALION SPINNING ROD					
Model	Length	Line Weight (lb)	Guide	Action	Section
BTL602MS-FH	6'0"	8 - 15	7 + 1	Medium	2

BATTALION BTL602MB

BATTALION BTL662MHS

BATTALION BTL602MS-FH

STRIKER STK662MHS



STRIKER

Features :

- SEAHAWK solid carbon tip offers durability and strength.
- Aluminium oxide guides for smoother cast.
- Stainless hooded reel seat.



K-Guides



High Density EVA

STRIKER SPINNING ROD					
Model	Length	Line Weight (lb)	Guide	Action	Section
STK602MHS	6'0"	10 - 20	6 + 1	Medium Heavy	2
STK662MHS	6'6"	12 - 25	6 + 1	Medium Heavy	2
STK702MHS	7'0"	15 - 30	7 + 1	Medium Heavy	2
STK802HS	8'0"	17 - 35	8 + 1	Heavy	2

Carbon Fury

CROSS-WRAP

The Carbon Fury is specifically designed to be an exceptionally light all rounder rod for tournament anglers. Built into a feather-light package using advanced materials, this rod is also fitted throughout with premium Japan FUJI components in order to deliver tournament-grade quality that anglers can rely on, cast after cast. It's superbly sensitive blank engineered with cross-wrap technology offers increased lifting power compared to ordinary rods.



Exposed Blank



High Density EVA



CARBON FURY SPINNING ROD


Model	Length	Line Wt. (lb)	Guide	Action	Section
CF 602MHS	6'0"	8 - 17	6 + 1	Medium Heavy	2
CF 662MHS	6'6"	8 - 17	6 + 1	Medium Heavy	2
CF 702MHS	7'0"	10 - 20	6 + 1	Medium Heavy	2



Exposed Blank

CARBON FURY CASTING ROD

Model	Length	Line Wt. (lb)	Guide	Action	Section
CF 602MHB	6'0"	8 - 17	8 + 1	Medium Heavy	2
CF 662MHB	6'6"	8 - 17	8 + 1	Medium Heavy	2



AIR-BLADE


The Air Blade is technologically constructed using a hybrid graphite-glassco composition consisting of 24T carbon. This results in a powerful blank able to withstand higher pressure and with more enhanced lifting power compared to rods made from only normal graphite.

The action and poundage of this rod may be 'medium-heavy' but this rod is still suitable for carp fishing and pond fishing as a strong backbone enables it to bend beautifully with perfect lifting power in a moment's notice.

A stylish design in an affordable price range.


Features :

- Applicable for Freshwater / Saltwater
- Hybrid Graphite Blank
- Sensitive & Responsive with Excellent Durability
- Specifically Engineered for Lure Casting & Pond Casting



AIR BLADE SPINNING ROD

Model	Length	Line Wt. (lb)	Guide	Action	Section
AIR BLADE 602MHS	5'8"	8 - 17	6 + 1	Medium Heavy	2
AIR BLADE 662MHS	6'6"	8 - 17	6 + 1	Medium Heavy	2
AIR BLADE 702MHS	7'0"	10 - 20	6 + 1	Medium Heavy	2



AIR BLADE CASTING ROD

Model	Length	Line Wt. (lb)	Guide	Action	Section
AIR BLADE 562MHB	5'6"	8 - 17	7 + 1	Medium Heavy	2
AIR BLADE 602MHB	6'0"	8 - 17	7 + 1	Medium Heavy	2
AIR BLADE 662MHB	6'6"	8 - 17	7 + 1	Medium Heavy	2

CARBON FURY CF 702MHS


CARBON FURY CF 602MHS

AIR BLADE 602MHS

AIR BLADE 662MHB

PROVIDER

The Provider rod utilises a carbon-graphite hybrid blank for a lighter and more enhanced casting experience in both duration and performance. As a result, this rod weighs only 109g in total and provides a superb casting distance. Its moderate action makes it easy for hook-ups targeting species such as hampala (sebarau), peacock bass, & knife fish (belida). This rod is also suitable for pond fishing to target carp species like rohu, tongsan & patin (silver catfish).



PROVIDER SPINNING ROD					
Model	Length	Line Wt. (lb)	Guide	Action	Section
PROVIDER 562MS	5'6"	8 - 15	6 + 1	Medium	2
PROVIDER 602MS	6'0"	8 - 15	6 + 1	Medium	2
PROVIDER 662MHS	6'6"	8 - 17	6 + 1	Medium Heavy	2
PROVIDER 702MHS	7'0"	8 - 17	7 + 1	Medium Heavy	2



PROVIDER CASTING ROD					
Model	Length	Line Wt. (lb)	Guide	Action	Section
PROVIDER 562MB	5'6"	8 - 15	7 + 1	Medium	2
PROVIDER 602MB	6'0"	8 - 15	7 + 1	Medium	2

PROVIDER FJ

PROVIDER FJ SPINNING ROD					
Model	Length	Line Wt. (lb)	Guide	Action	Section
PROVIDER FJ 602MHS	6'0"	8 - 17	6 + 1	Medium Heavy	2

PROVIDER FJ CASTING ROD					
Model	Length	Line Wt. (lb)	Guide	Action	Section
PROVIDER FJ 602MHB	6'0"	8 - 17	7 + 1	Medium Heavy	2
PROVIDER FJ 662MHB	6'6"	8 - 17	7 + 1	Medium Heavy	2



APACHE

Apache rods are designed and field-tested for both saltwater and freshwater application. The blanks are crafted from carefully researched quality carbon-mix for increased durability while maintaining affordability to cater to the mid-range market. It is available in 2 sizes; 6-14lb & 8-17lb in both spinning and baitcasting models.



APACHE SPINNING ROD					
Model	Length	Line Wt. (lb)	Guide	Action	Section
APACHE 602MS	6'0"	8 - 17	5 + 1	Medium	2



APACHE CASTING ROD					
Model	Length	Line Wt. (lb)	Guide	Action	Section
APACHE 562MB	5'6"	6 - 14	7 + 1	Medium	2
APACHE 602MB	6'0"	8 - 17	7 + 1	Medium	2



CROSS-WAVE X

Features :

- Seahawk IM-6 Graphite Blank Offers Durability and Strength
- Seahawk Custom Reel Seat
- Aluminium Oxide Guides for Smoother Cast



CROSS-WAVE X SPINNING ROD					
Model	Length	Line Wt. (lb)	Guide	Action	Section
CWX 602MHS	6'0"	10 - 20	6 + 1	Medium Heavy	2
CWX 662MHS	6'6"	12 - 25	6 + 1	Medium Heavy	2
CWX 702MHS	7'0"	15 - 30	6 + 1	Medium Heavy	2



CROSS-WAVE X CASTING ROD					
Model	Length	Line Wt. (lb)	Guide	Action	Section
CWX 562MHB	5'6"	8 - 17	7 + 1	Medium Heavy	2
CWX 602MHB	6'0"	10 - 20	8 + 1	Medium Heavy	2



CROSS-WAVE

Features :

- SEAHAWK IM-6 graphite blank offers durability and strength
- SEAHAWK custom reel seat
- Aluminium oxide guides for smoother cast



CROSS WAVE SPINNING ROD						
Model	Length	Lure Wt (g)	Line Wt. (lb)	Guide	Action	Section
CW 602MHS	6'0"	-	10 - 20	6 + 1	Medium Heavy	2
CW 662MHS	6'6"	-	12 - 25	6 + 1	Medium Heavy	2
CW 702MHS	7'0"	-	15 - 30	6 + 1	Medium Heavy	2



CROSS WAVE CASTING ROD						
Model	Length	Lure Wt (g)	Line Wt. (lb)	Guide	Action	Section
CW 562MHB	5'6"	-	8 - 17	7 + 1	Medium Heavy	2
CW 602MHB	6'0"	-	10 - 25	8 + 1	Medium Heavy	2
CW 662MHB	6'6"	-	12 - 25	9 + 1	Medium Heavy	2



CROSS-WAVE X CWX 702MHS

CROSS-WAVE X CWX 602MHS



CROSS WAVE CW 602MHS

CROSS WAVE CW 662MHB

Flexis LITE


The Flexis Lite, a spin-off from its brother the Flexis, is an ultralight rod developed specifically to maximise fish-playing pleasure and to bring your fights to the next level. The blank comes in an eye-catching chameleon Japanese finishing that's made even lighter thanks to its hybrid 80/20 carbon + composite construction. Additionally, by incorporating a new manufacturing technology that greatly increase backbone power, this lightweight rod sports an impressive max drag of up to 13kg for some serious fighting action.




— LIGHT TUNED —



IPS Reel Seat With Cork Handle



Chameleon Aluminium Ring



Premium Titanium Oxide Ring



Chameleon Finishing




High Density EVA


FLEXIS LITE SPINNING ROD						
Model	Length	Line Wt. (lb)	Lure Wt. (g)	Guide	Action	Section
FLX-L 602ULS	6'0"	1 - 4	1 - 5	6 + 1	Ultra Light	2
FLX-L 602ULB	6'0"	2 - 6	2 - 8	6 + 1	Ultra Light	2
FLX-L 632ULS	6'3"	2 - 6	2 - 8	6 + 1	Ultra Light	2
FLX-L 662ULS	6'6"	2 - 6	2 - 8	6 + 1	Ultra Light	2
FLX-L 682ULS	6'8"	2 - 6	2 - 8	6 + 1	Ultra Light	2



IPS Reel Seat With Cork Handle



Chameleon Aluminium Ring



Premium Titanium Oxide Ring



Chameleon Finishing



High Density EVA

FLEXIS LITE CASTING ROD						
Model	Length	Line Wt. (lb)	Lure Wt. (g)	Guide	Action	Section
FLX-L 632ULB	6'3"	2 - 6	2 - 8	7 + 1	Ultra Light	2
FLX-L 662ULB	6'6"	2 - 6	2 - 8	7 + 1	Ultra Light	2

Flexis — LIGHT TUNED —

The Flexis is a highly affordable range specifically designed for ultralight fishing. Featuring an outstanding hybrid construction built on a 60/40 carbon + composite blank, the Flexis is remarkably light yet impressively powerful. Other features include a two-piece blank for maximised portability and world-renowned Fuji guides for an effortlessly smooth cast.



FUJI Guide




FLEXIS SPINNING ROD					
Model	Length	Line Weight (lb)	Guide	Action	Section
FLX 602ULS	6'0"	1 - 4	6 + 1	Ultra Light	2
FLX 632ULS	6'3"	2 - 6	6 + 1	Ultra Light	2
FLX 662ULS	6'6"	2 - 6	6 + 1	Ultra Light	2
FLX 682ULS	6'8"	2 - 6	6 + 1	Ultra Light	2



FUJI Guide



FLEXIS CASTING ROD					
Model	Length	Line Weight (lb)	Guide	Action	Section
FLX 632ULB	6'3"	2 - 6	7 + 1	Ultra Light	2
FLX 662ULB	6'6"	2 - 6	7 + 1	Ultra Light	2



Kossori

The Kossori is the right balance of power and smoothness. Its metal body combined with powerful drive gear feature is designed for a solid feel and build quality made to withstand feisty fresh or saltwater battles. With the addition of 7 ball bearings, the Kossori further ensures fluidity and smoothness in both rotation and performance.



CONCEPT

Fuji's Exclusive Frame with Improved Hard "O" Ring!



FUJI Guide



KOSSORI SPINNING ROD					
Model	Length	Line Wt. (lb)	Guide	Action	Section
KS 602MHS	6'0"	8 - 17	6 + 1	Medium Heavy	2
KS 662MHS	6'6"	8 - 17	6 + 1	Medium Heavy	2
KS 702MHS	7'0"	10 - 20	6 + 1	Medium Heavy	2
KS 802HS	8'0"	15 - 30	7 + 1	Heavy	2



FUJI Guide



KOSSORI CASTING ROD					
Model	Length	Line Wt. (lb)	Guide	Action	Section
KS 562MB	5'6"	7 - 14	7 + 1	Medium	2
KS 602MHB	6'0"	8 - 17	8 + 1	Medium Heavy	2
KS 662MHB	6'6"	8 - 17	9 + 1	Medium Heavy	2



KOSSORI KS 662MHS



KOSSORI KS 562MB



TIMBER WOLF TBW 602MHS



TIMBER WOLF TBW 602MHB

Timber Wolf



FUJI Reel Seat



TIMBER WOLF SPINNING ROD				
Model	Length	Line Wt. (lb)	Action	Section
TBW 562MS	5'6"	6 - 14	Medium	2
TBW 602MHS	6'0"	8 - 15	Medium Heavy	2
TBW 662MHS	6'6"	8 - 17	Medium Heavy	2
TBW 702MHS	7'0"	8 - 17	Medium Heavy	2




FUJI Reel Seat



TIMBER WOLF CASTING ROD				
Model	Length	Line Wt. (lb)	Action	Section
TBW 562MB	5'6"	8 - 17	Medium	2
TBW 602MHB	6'0"	8 - 17	Medium Heavy	2
TBW 662MHB	6'6"	8 - 17	Medium Heavy	2





X'plorer^{SP}

The Xplorer XP is a tournament-grade rod series that packs power, reliability, and durability into a feather-light package. Made using lightweight High Carbon 24T construction, the ultra-sensitive blank is further reinforced with X-wrap (cross-wrap) technology. You'll feel every tiny nibble and still be impressed by its remarkable lifting power and strength.


This quality-crafted rod features Japan FUJI guides fitted along with a partially sanded blank (from the 2nd tip onward) for increased lightweight-ness and better endurance. Additionally, the Xplorer XP comes in a neat modern design with variable lengths to cover a wide range of fishing techniques; from ultralight to medium heavy fishing.



X'PLORER SP SPINNING ROD						
Model	Length	Line Wt (lb)	Lure Wt (g)	Guide	Action	Section
SP 682ULS	6'8"	2 - 6	2 - 7	7 + 1	Ultra Light	2
SP 662MLS	6'6"	6 - 12	7 - 15	7 + 1	Medium Light	2
SP 662MS	6'6"	8 - 17	10 - 20	7 + 1	Medium	2
SP 662MHS	6'6"	10 - 20	15 - 28	7 + 1	Medium Heavy	2
SP 702MHS	7'0"	10 - 25	15 - 35	7 + 1	Medium Heavy	2
SP 802MHS	8'0"	10 - 30	20 - 50	8 + 1	Medium Heavy	2

X'PLORER SP CASTING ROD						
Model	Length	Line Wt (lb)	Lure Wt (g)	Guide	Action	Section
SP 682ULS	6'8"	2 - 6	2 - 7	7 + 1	Ultra Light	2
SP 662MLS	6'6"	6 - 12	7 - 15	7 + 1	Medium Light	2
SP 662MS	6'6"	8 - 17	10 - 20	7 + 1	Medium	2
SP 802MHS	8'0"	10 - 30	20 - 50	8 + 1	Medium Heavy	2

X'PLORER SP SPINNING ROD (FULL HANDLE)						
Model	Length	Line Wt (lb)	Lure Wt (g)	Guide	Action	Section
SP 602MHS	6'0"	10 - 20	15 - 28	6 + 1	Medium Heavy	2



MARVEX

Marvex is an ideal choice for pond fishing/casting and light jigging. Its carbon material body delivers an increased sensitivity to tiny bites and nibbles.

It comes fitted with Original Japan FUJI reel seat and K-Guide Concept for a smoother cast with minimal line-tangling. Additionally, we added a built-in hook keeper for convenience and as an extra safety precaution.


*All Marvex models have been field tested—in strength and lifting power—and proven effective in performance before production.



FUJI Reel Seat



K-Guide



Butt Joint



Hook Keeper

MARVEX SPINNING ROD (BUTT JOINT)

Model	Length	Line Wt. (lb)	Guide	Action	Section
MRX 562MS	5'6"	6 - 12	6 + 1	Medium	2
MRX 602MHS	6'0"	10 - 20	6 + 1	Medium Heavy	2
MRX 662MHS	6'6"	12 - 25	7 + 1	Medium Heavy	2
MRX 702MHS	7'0"	15 - 30	7 + 1	Medium Heavy	2

DEEP RUNNER

Deep Runner is a wallet-friendly all-rounder that is good for most fishing environments such as jigging, bottom, and pond fishing. It is a moderate-heavy action butt-joint rod that offers good lifting power and a convenient built-in gimbal for rod holders and fighting belts.



Butt Joint



Gimbal



DEEP RUNNER SPINNING ROD (BUTT JOINT)

Model	Length	Line Wt. (lb)	Guide	Action	Section
DR 562H	5'6"	18 - 30	4 + 1	Heavy	2
DR 602H	6'0"	18 - 35	5 + 1	Heavy	2
DR 662H	6'6"	18 - 35	5 + 1	Heavy	2

SEMERU

Features :

- Seahawk solid carbon tip offers durability and strength.
- FUJI aluminium oxide guides for smoother cast.
- Stainless hooded reel seat



SEMERU SPINNING ROD

Model	Length (m)	Line Wt. (lb)	Guide	Action	Section
SEMERU-135	1.35	5 - 10	6 + 1	Medium	2
SEMERU-150	1.50	5 - 10	6 + 1	Medium	2
SEMERU-165	1.65	5 - 15	6 + 1	Medium	2
SEMERU-180	1.80	8 - 17	6 + 1	Medium Heavy	2
	1.80	10 - 20	6 + 1	Medium Heavy	2




MARVEX MRX 602MHS

DEEP RUNNER DR 662H

DEEP RUNNER DR 662H

SEMERU - 165



TOP GUN



TOP GUN SPINNING ROD				
Model	Length	Line Wt. (lb)	Action	Section
TG 602MHS	6'0"	12 - 25	Medium Heavy	2
TG 662MHS	6'6"	12 - 25	Medium Heavy	2
TG 702MHS	7'0"	15 - 30	Medium Heavy	2
TG 802MHS	8'0"	15 - 30	Medium Heavy	2
TG 902HS	9'0"	18 - 35	Heavy	2
TG 1002HS	10'0"	18 - 35	Heavy	2

CARBON STINGER



SIC Guide

CARBON STINGER SPINNING ROD						
Model	Length	Lure Wt. (g)	Line Wt. (lb)	Guide	Action	Section
SCB 562MHS	5'6"	1/4 - 3/4	8 - 15	6 + 1	Medium Heavy	2
SCB 602HS	6'0"	1/4 - 3/4	8 - 17	7 + 1	Heavy	2
SCB 662HS	6'6"	1/4 - 3/4	8 - 17	7 + 1	Heavy	2
SCB 702HS	7'0"	1/4 - 3/4	10 - 20	8 + 1	Heavy	2



HIGHLAND HLD 702MHS

TIGER POWER - SBW 2200-66

HIGHLAND

QUALITY JAPAN TECHNOLOGY

Features :

- Manufactured with the latest in Japan technology
- Medium-heavy to heavy action
- High-modulus 24-T carbon graphite blank
- Strong, light and sensitive
- Rods 8 feet above suitable for popping
- UV resistant blank construction for increased durability
- Long-lasting EVA handle



HIGHLAND SPINNING ROD				
Model	Length	Line Wt. (lb)	Action	Section
HLD602MHS	6'0"	15 - 30	Medium Heavy	2
HLD662MHS	6'6"	15 - 30	Medium Heavy	2
HLD702MHS	7'0"	15 - 30	Medium Heavy	2
HLD802MHS	8'0"	15 - 30	Medium Heavy	2
HLD902HS	9'0"	18 - 35	Heavy	2
HLD1002HS	10'0"	18 - 35	Heavy	2

TIGER POWER



TIGER POWER SPINNING ROD				
Model	Length	Line Wt. (lb)	Action	Section
SBW 2200-50	5'0"	8 - 17	Medium	2
SBW 2200-56	5'6"	8 - 17	Medium	2
SBW 2200-60	6'0"	8 - 20	Medium	2
SBW 2200-66	6'6"	8 - 20	Medium	2
SBW 2200-70	7'0"	10 - 25	Medium Heavy	2
SBW 2200-80	8'0"	12 - 30	Heavy	2
SBW 2200-90	9'0"	12 - 40	Heavy	2
SBW 2200-100	10'0"	12 - 40	Heavy	2

CRAWDAD

2^{SEC} FIBER GLASS



CRAWDAD SPINNING ROD					
Model	Length	Line WL (lb)	Guide	Action	Section
CD 462MS	4'6"	18 - 30	4 + 1	Medium	2
CD 502MS	5'0"	18 - 30	4 + 1	Medium	2
CD 562MS	5'6"	18 - 30	4 + 1	Medium	2
CD 602MS	6'0"	18 - 35	5 + 1	Medium	2
CD 662MHS	6'6"	18 - 35	5 + 1	Medium Heavy	2
CD 702MHS	7'0"	18 - 35	5 + 1	Medium Heavy	2
CD 802HS	8'0"	20 - 40	5 + 1	Heavy	2
CD 902HS	9'0"	20 - 40	5 + 1	Heavy	2

CRAWFISH

A slim & ultra-tough rod, the Crawl Fish is close to unbreakable. Its solid fibre-glass blank provides superb bend throughout the rod. This rod is perfect for saltwater techniques such as bottom, trolling, & vertical jigging. It comes in medium and medium heavy range of up to 18-35lb.

2^{SEC} SOLID ROD



CRAWFISH SPINNING ROD					
Model	Length	Line WL (lb)	Guide	Action	Section
CF 502MS	5'0"	18 - 30	4 + 1	Medium	2
CF 562MS	5'6"	18 - 30	4 + 1	Medium	2
CF 602MS	6'0"	18 - 35	5 + 1	Medium	2
CF 662MHS	6'6"	18 - 35	5 + 1	Medium Heavy	2
CF 702MHS	7'0"	18 - 35	5 + 1	Medium Heavy	2



TUNA POWER II TPWII 562MS



TUNA POWER II TPWII 662MHS



TUNA POWER II

The Tuna Power II rod is constructed using solid fiber-glass. This makes for an economical rod that, while being friendly to your wallet, is still mighty tough on big fish. The rod flexes in a parabolic curve—meaning the entire rod bends from butt to tip—when lifting weight at the end of the line, making this rod practically unbreakable with its slow-medium class action.

A perfect choice for anglers who want a wallet-friendly, durable rod that lasts.

2^{SEC} SOLID ROD



TUNA POWER II SPINNING ROD					
Model	Length	Line Weight (lb)	Guide	Action	Section
TPWII 502MS	5'0"	18 - 30	4 + 1	Medium	2
TPWII 562MS	5'6"	18 - 30	4 + 1	Medium	2
TPWII 602MS	6'0"	18 - 35	5 + 1	Medium	2
TPWII 662MHS	6'6"	18 - 35	5 + 1	Medium Heavy	2
TPWII 702MHS	7'0"	18 - 35	5 + 1	Medium Heavy	2

HUNTER 2

Exclusive Design
Performance Action

The Micra is one of the top-selling rods among prawning rods in the fishing industry. The new Micra II rod is crafted from high quality E-glass material, and is designed for a better grip with its length specifically customised for boat and land-based prawning or light fishing.



HUNTER II SPINNING ROD					
Model	Length	Line Weight (lb)	Guide	Action	Section
HTII 502MS	5'0"	18 - 30	4 + 1	Medium	2
HTII 562MS	5'6"	18 - 30	4 + 1	Medium	2
HTII 602MS	6'0"	18 - 35	5 + 1	Medium	2
HTII 662MHS	6'6"	18 - 35	5 + 1	Medium Heavy	2
HTII 702MHS	7'0"	18 - 35	5 + 1	Medium Heavy	2
HTII 802HS	8'0"	20 - 40	5 + 1	Heavy	2
HTII 902HS	9'0"	20 - 40	5 + 1	Heavy	2



HUNTER II HTII 562MS



HUNTER II HTII 602MS



HUNTER II HTII 702MHS



STORM CHASER SC 702HS



STORM CHASER SC 662MHS



STORM CHASER SC 602MHS



STORM CHASER SC 562MHS



STORM CHASER

The Storm Chaser rod series is a top choice for an economical yet strong and durable option. It is great for two major reasons: It's very light in weight, and very light on your wallet. What's more, it comes in 4 unique designs and a wide range of lengths — from 5 feet to as long as 10 feet. A winning choice for the budget conscious angler.



STORM CHASER SPINNING ROD					
Model	Length	Line Wt. (lb)	Guide	Action	Section
SC 502MHS	5'0"	10 - 20	4 + 1	Medium Heavy	2
SC 562MHS	5'6"	10 - 25	4 + 1	Medium Heavy	2
SC 602MHS	6'0"	10 - 25	5 + 1	Medium Heavy	2
SC 662MHS	6'6"	10 - 25	5 + 1	Heavy	2
SC 702HS	7'0"	15 - 30	5 + 1	Heavy	2
SC 802HS	8'0"	18 - 35	6 + 1	Heavy	2
SC 902HS	9'0"	18 - 40	6 + 1	Heavy	2
SC 1002HS	10'0"	20 - 40	7 + 1	Heavy	2

Harimau Stik

Features :

- Seahawk first grade e-glass material offers high durability And superb lifting power.
- Aluminium oxide guides for smoother cast.
- Stainless hooded reel seat.



Model	Length	Line Wt. (lb)	Max Drag (kg)	Guide	Action	Section
HS 602MHS	6'0"	8 - 20	7	5 + 1	Medium Heavy	2
HS 662MHS	6'6"	8 - 20	7	5 + 1	Medium Heavy	2
HS 702MHS	7'0"	10 - 25	8	5 + 1	Medium Heavy	2
HS 802HS	8'0"	12 - 30	9	5 + 1	Heavy	2
HS 902HS	9'0"	12 - 40	9	6 + 1	Heavy	2
HS 1002XHS	10'0"	20 - 50	10	6 + 1	Heavy	2

POWER SEVEN

The Power Seven 2-piece spinning rod is an excellent value all-around fishing rod. Fitted with premium guides, this affordable and lightweight rod is made using tough fiberglass material for outstanding durability and impressive fighting endurance.

Available in multiple lengths, the Power Seven rod covers a wide range of fishing situations including shore casting—the 7 feet hits the ideal sweet spot in length, flex and power and is highly recommended for pond fishing competitions. For its excellent versatility, durability and affordability, there's no better universal rod to own!



Model	Length	Line Wt. (lb)	Max Drag (kg)	Guide	Action	Section
PS 502MHS	5'0"	8 - 17	6	5 + 1	Medium Heavy	2
PS 562MHS	5'6"	8 - 17	6	5 + 1	Medium Heavy	2
PS 602MHS	6'0"	12 - 20	7	5 + 1	Medium Heavy	2
PS 662MHS	6'6"	12 - 25	7	5 + 1	Medium Heavy	2
PS 702HS	7'0"	15 - 30	8	6 + 1	Heavy	2
PS 802HS	8'0"	18 - 35	9	6 + 1	Heavy	2

RED WOLF



Model	Length	Line Wt. (lb)	Action	Section
SRW 502MS	5'0"	8 - 15	Medium	2
SRW 562MS	5'6"	8 - 15	Medium	2
SRW 602MS	6'0"	8 - 20	Medium	2
SRW 662MS	6'6"	8 - 20	Medium	2
SRW 702MHS	7'0"	10 - 25	Medium Heavy	2
SRW 802HS	8'0"	12 - 30	Heavy	2

Superior Stik 2



Model	Length	Line Wt. (lb)	Action	Section
SS II 502MS	5'0"	8 - 15	Medium	2
SS II 562MS	5'6"	8 - 15	Medium	2
SS II 602MHS	6'0"	8 - 20	Medium Heavy	2
SS II 662MHS	6'6"	8 - 20	Medium Heavy	2
SS II 702MHS	7'0"	10 - 25	Medium Heavy	2
SS II 802HS	8'0"	12 - 30	Heavy	2
SS II 902HS	9'0"	20 - 40	Heavy	2

HARIMAU STIK - HS 702HS

POWER SEVEN - PS 662MHS

RED WOLF SRW 902HS

SUPERIOR STIK SSII 562MS



Unagi + 竿

The Unagi is an affordable entry level range of prawn rods that come in a variety of colors and lengths. This model is suitable for users that are looking for a slightly more heavier action compare to our usual prawn rods like Seahawk Micra.



UNAGI SPINNING ROD						
Model	Length	Line Weight (lb)	Lure Weight (g)	Guide	Action	Section
UNAGI-120	4'0"	5 - 12	4 - 20	3 + 1	Medium	2
UNAGI-135	4'6"	5 - 12	4 - 20	4 + 1	Medium	2
UNAGI-150	5'0"	5 - 12	4 - 20	4 + 1	Medium	2

UNAGI - 150 (BLUE)



UNAGI - 135 (WHITE)



UNAGI - 120 (RED)



UNAGI - 120 (BLACK)



MICRA II SMCII 401ULS



MICRA II SMCII 362ULS



MICRA II SMCII 402ULS



MICRA II SMCII 462ULS



MICRA II SMCII 502ULS



MICRA II

The Micra is one of the top-selling rods among prawning rods in the fishing industry. The new Micra II rod is crafted from high quality E-glass material, and is designed for a better grip with its length specifically customised for boat and land-based prawning or light fishing.



MICRA II SPINNING ROD					
Model	Length	Line Capacity (lb)	Guide	Action	Section
SMCII 401ULS	4'0"	2 - 8	4 + 1	Ultra Light	1
SMCII 362ULS	3'6"	2 - 8	3 + 1	Ultra Light	2
SMCII 402ULS	4'0"	2 - 8	4 + 1	Ultra Light	2
SMCII 462ULS	4'6"	2 - 8	4 + 1	Ultra Light	2
SMCII 502ULS	5'0"	2 - 8	5 + 1	Ultra Light	2



AMBERJACK



AMBERJACK SPINNING ROD (BUTT JOINT)					
Model	Length	Line Wt. (PE)	Drag Test (kg)	Guide	Section
AMJ 562S	5'6"	1 - 3	7	5 + 1	2
	6'0"	1 - 3	7	5 + 1	2
AMJ 602S	6'0"	2 - 4	9	5 + 1	2
	6'0"	3 - 6	11	5 + 1	2

AMBERJACK CASTING ROD (BUTT JOINT)					
Model	Length	Line Wt. (PE)	Drag Test (kg)	Guide	Section
AMJ 562C	5'6"	1 - 3	7	6 + 1	2
AMJ 602C	6'0"	2 - 4	9	7 + 1	2



AMBERJACK XT

The Amberjack XT rod series is custom made for saltwater speed jigging using heavy metal jigs. The foundation of all good rods is the blank, and the Amberjack XT is made to impress with its combination of power, strength and lightness.

The blank is made using high strength, high density carbon. This creates an incredibly light yet resilient blank, loaded with the strength and lifting power required for high speed jigging, controlling and leading large fish such as Amberjack, GTs, Tuna. Complete with modern aesthetics featuring striking neon green against classic black, this rod looks as good as it fishes. Jack up your game with the Amberjack XT!

Features :


- Lightweight and powerful High Modulus 24T blank
- Slim blank profile
- 5 + 1 Japan FUJI K-Guides for tangle-free fishing & increased rod response
- Custom made for speed jigging using heavy metal jigs
- Perfect for controlling and leading large fish such as Amberjack
- 2 section butt joint for easy transport
- Classic black EVA grip with rubber gimbal to ease fighting big fish



AMBERJACK XT SPINNING ROD (BUTT JOINT)					
Model	Length	Line Wt. (PE)	Drag Test (kg)	Guide	Section
AMJ-XT 602S	6'0"	1 - 3	7	6 + 1	2
	6'0"	2 - 4	9	6 + 1	2
	6'0"	3 - 6	11	6 + 1	2

TOURNAMENT POWER

Tournament Power is customised for saltwater jigging. The blank itself is constructed from a hybrid glassco material, lending extreme lifting power to the rod for big game fishing. It comes in both spinning and casting models and is especially suitable in Asia as the common jigging species are game fish such as Spanish Mackerel, Giant Trevally, Dorado & Cobia. The Tournament Power is also excellent for bottom and pond fishing to target species that require good rod resistance such as Red-Tail, Patin & Mekong.



TOURNAMENT POWER SPINNING RODS

Model	Length	PE	Jig Wt. (g)	Guide	Section
TP 602S	6'0"	1 - 3	40 - 100	6 + 1	2
	6'0"	2 - 4	80 - 200	6 + 1	2
	6'0"	3 - 6	100 - 250	6 + 1	2



TOURNAMENT POWER CASTING RODS

Model	Length	PE	Jig Wt. (g)	Guide	Section
TP 602C	6'0"	1 - 3	40 - 100	7 + 1	2
	6'0"	2 - 4	80 - 200	7 + 1	2
	6'0"	3 - 6	100 - 250	7 + 1	2



TOURNAMENT POWER TP 602C



Gachiri GENKI

Features :

- Carbon composite blank
- Sensitive and responsive with excellent durability
- Specifically engineered and designed for jigging
- Applicable for freshwater and saltwater conditions
- Semi-parabolic action



K-Guide



Butt Joint

GACHIRI GENKI SPINNING ROD

Model	Length	PE	Jig Wt. (g)	Guide	Action	Section
GCG 592MHS	5'9"	1.5 - 3	40 - 80	6 + 1	Medium Heavy	2
GCG 602MHS	6'0"	1.5 - 3	40 - 80	6 + 1	Medium Heavy	2
GCG 632MHS	6'3"	1.5 - 3	40 - 80	6 + 1	Medium Heavy	2
GCG 662MHS	6'6"	1.5 - 3	50 - 100	6 + 1	Medium Heavy	2

JIGMASTER

Features :

- Lightweight and sensitive graphite composite blank with extra fast actions
- Stronger than other carbon graphite rods
- Constructed using multi layered technology using 90% carbon - 10% glass mix
- High - Modulus Carbon Graphite Blank (HMCB)
- Comfortable EVA HD Foam grips
- Lightweight yet extremely powerful and sensitive
- Guide system with aluminium oxide guides
- High parabolic rod designed to give high speed jigs a positive jig action
- Butt joint



FUJI Reel Seat



Model	Length	PE	Jig Wt. (g)	Max Drag (kg)	Guide	Action	Section
JM 582MLS	5'8"	0.8 - 1.2	20 - 40	7	6 + 1	Medium Light	2
JM 632MLS	6'3"	0.8 - 1.2	20 - 40	7	6 + 1	Medium Light	2
JM 582MS	5'8"	1 - 3	40 - 60	9	6 + 1	Medium	2
JM 632MHS	6'3"	2 - 4	60 - 100	12	6 + 1	Medium Heavy	2



FUJI Reel Seat



Model	Length	PE	Jig Wt. (g)	Max Drag (kg)	Guide	Action	Section
JM 582MLB	5'8"	0.8 - 1.2	20 - 40	7	7 + 1	Medium Light	2
JM 632MLB	6'3"	0.8 - 1.2	20 - 40	7	7 + 1	Medium Light	2
JM 582MB	5'8"	1 - 3	40 - 60	9	7 + 1	Medium	2
JM 632MHB	6'3"	2 - 4	60 - 100	12	7 + 1	Medium Heavy	2

MONSTER JIGGER II

Features :

- Solid fiberglass blank
- Strong and durable
- Specifically engineered and designed for jigging & bottom fishing



SOLID BLANK



Model	Length	Line Wt. (lb)	Guide	Action	Section
MJII 501HS	5'0"	15 - 40	5 + 1	Heavy	1
MJII 502HS	5'0"	15 - 40	6 + 1	Heavy	2
MJII 562HS	5'6"	15 - 40	6 + 1	Heavy	2
MJII 602HS	6'0"	15 - 40	6 + 1	Heavy	2

INTREPID



FIBER GLASS

LIGHTWEIGHT



Model	Length	PE	Jig Wt. (g)	Guide	Action	Section
IT 502MS	5'0"	1 - 2	80 - 140	9 + 1	Medium	2
IT 562MS	5'6"	1 - 2	80 - 140	9 + 1	Medium	2
IT 602MS	6'0"	1 - 2	80 - 140	9 + 1	Medium	2
IT 602MHS	6'0"	1 - 3	80 - 140	9 + 1	Medium Heavy	2

INTREPID IT 562MS



LEXUS




FUJI Reel Seat



LEXUS JIGGING ROD						
Model	Length	PE	Jig Wt. (g)	Max Drag (kg)	Action	Section
LX 591LS	5'9"	0.8 - 1.2	Max 60	5	Light	1
LX 591MS	5'9"	1 - 3	Max 100	7	Medium	1
LX 591MHS	5'9"	2 - 4	Max 150	9	Medium Heavy	1
LX 631LS	6'3"	0.8 - 1.2	Max 60	5	Light	1



FUJI Reel Seat



LEXUS SPINNING ROD				
Model	Length	Line Wt. (lb)	Action	Section
LX 502MS	5'0"	8 - 18	Medium	2
LX 562MS	5'6"	8 - 18	Medium	2
LX 602MHS	6'0"	8 - 20	Medium Heavy	2
LX 662MHS	6'6"	12 - 25	Medium Heavy	2
LX 702MHS	7'0"	12 - 30	Medium Heavy	2
LX 802HS	8'0"	15 - 30	Heavy	2



LEXUS LX 631LS



LEXUS LX 602MHS



GROUPE CHASER GC 401HB

GROUPE CHASER GC 502HB-B (Butt Joint)

GROUPE CHASER

The Grouper Chaser is the ideal boat rod for those wanting a relatively inexpensive heavy-action rod with no compromise on boat rod performance. Featuring a solid robust E-glass blank with the inclusion of excellent quality aluminium reel seat and gimbal, the Grouper Chaser is one of Seahawk's toughest lineups designed to take abuse and perform reliably with unbelievable strength and lifting power. Offered in six different models with various lengths ranging from 4' to 6' in one-piece and two-piece variants for selected models, you can be sure you'll find one you can confidently rely on day-in and day-out to handle your battles with aggressive game fish at sea.



Gimbal



Butt Joint

GROUPE CHASER BOAT ROD						
Model	Length	Line Weight (lb)	Lure Weight (g)	Guide	Action	Section
GC 401HB	4'0"	30 - 60	100 - 300	4 + 1	Heavy	1
GC 461HB	4'6"	30 - 60	100 - 300	4 + 1	Heavy	1
GC 501HB	5'0"	30 - 60	100 - 300	4 + 1	Heavy	1
GC 502HB-B	5'0"	30 - 60	100 - 300	5 + 1	Heavy	2 (Butt Joint)
GC 562HB-B	5'6"	30 - 60	100 - 300	6 + 1	Heavy	2 (Butt Joint)
GC 602HB-B	6'0"	30 - 60	100 - 300	6 + 1	Heavy	2 (Butt Joint)

GEO-JIGGER

The Geo Jigger rod is specifically crafted for heavy jigging and bottom fishing. This butt-joint rod is packed with excellent lifting power and comes ready with a heavy-duty reel seat & guides, complete with a gimbal for convenience when a fighting belt or rod holder is needed. Its high-quality E-glass material body also delivers extra sensitivity.



Heavy Duty Reel Seat



Heavy Duty Guides



Gimbal



Butt Joint

GEO-JIGGER JIGGING ROD (BUTT JOINT)						
Model	Length	Line Weight (lb)	Lure Weight (g)	Guide	Action	Section
GJ 562HB	5'6"	20 - 50	80 - 200	6 + 1	Heavy	2
GJ 602HB	6'0"	30 - 60	100 - 300	6 + 1	Heavy	2
GJ 662HB	6'6"	30 - 60	100 - 300	6 + 1	Heavy	2

POWER SALTSTIK II

The NEW and enhanced Power Saltstik II is constructed using high quality E-Glass material, lighter & more sensitive tips, with a more refined moderate action that has been tested to deliver a higher hook-up rate. This butt-joint rod is custom-built for heavy game fishing.

It comes equipped with a built-in gimbal to easily pair with a fighting belt during tussles with big and heavy fish.



Gimbal



Butt Joint (Metal Tube & Screw)

POWER SALTSTIK II BOAT ROD (BUTT JOINT)					
Model	Length	Line Wt. (lb)	Guide	Action	Section
PSIIB 502	5'0"	15 - 40	5 + 1	Heavy	2
PSIIB 562	5'6"	15 - 40	6 + 1	Heavy	2
PSIIB 602	6'0"	15 - 40	6 + 1	Heavy	2

TRUE-TEMPER



SOLID BLANK

FIBER GLASS



TRUE TEMPER BOAT ROD					
Model	Length	Line Wt. (lb)	Guide	Action	Section
STT 2055	5'6"	15 - 40	5 + 1	Heavy	2
STT 2060	6'0"	15 - 40	6 + 1	Heavy	2
STT 2065	6'6"	15 - 40	-	Heavy	2
TTE 2055	5'6"	15 - 40	-	Heavy	2
TTE 2060	6'0"	15 - 40	6 + 1	Heavy	2
TTE 2065	6'6"	15 - 40	6 + 1	Heavy	2





TELESURF


The Telesurf is crafted using a full Carbon Graphite body that packs in more lifting power and higher sensitivity compared to the average rod. We took note of the feedback from our customers and designed a telescopic rod that is travel-friendly; with foldable ring guides that take up even less space!

Comes equipped with anti-slip grip, quality reel seat and butt for perfect balancing.



TELESURF SPINNING ROD			
Model	Lure Weight (g)	Guide	Section
TELESURF 360	100 - 200	4 + 1	5
TELESURF 420	100 - 200	4 + 1	5
TELESURF 450	100 - 200	4 + 1	5

TELESURF 420



WIND SURF 1303

WIND SURF-FG 1203

Wind SURF

HIGH MODULUS TOURNAMENT SURF CASTING ROD

Introducing Seahawk's Wind Surf, a basic entry-level surf fishing rod offered within an affordable price range with no compromise on performance. This range comes with a fluorescent tip for increased visibility for night fishing and is perfect paired with Seahawk's reel of the same name, or other equivalent reels.



WIND SURF TOURNAMENT SURF CASTING ROD						
Model	Length	Line Wt (lb)	Lure Wt. (g)	Guide	Action	Section
1203	12'0"	20 - 50	100 - 200	6 + 1	Heavy	3
1303	13'0"	20 - 50	100 - 200	6 + 1	Heavy	3
1503	15'0"	20 - 50	100 - 200	6 + 1	Heavy	3
1653	16'5"	30 - 50	100 - 250	6 + 1	Heavy	3

Wind SURF-FG

HIGH MODULUS TOURNAMENT SURF CASTING ROD



WIND SURF-FG TOURNAMENT SURF CASTING ROD						
Model	Length	Line Wt (lb)	Lure Wt. (g)	Guide	Action	Section
1203	12'0"	20 - 50	100 - 200	6 + 1	Heavy	3
1303	13'0"	20 - 50	100 - 200	6 + 1	Heavy	3
1403	14'0"	20 - 50	100 - 200	6 + 1	Heavy	3
1503	15'0"	20 - 50	100 - 200	6 + 1	Heavy	3



BEACH CASTER

Features :

- Powerful & fast heavy action high-modulus carbon graphite (HMCG) blanks
- Extremely lightweight & super-sensitive
- High density EVA foam fore grips
- High Carbon SIC saltwater guides



BEACH CASTER SURF CASTING ROD

Model	Length	Line Wt. (lb)	Guide	Action	Section
BC 1203HS	12'	20 - 50	6 + 1	Heavy	3
BC 1303HS	13'	20 - 50	6 + 1	Heavy	3
BC 1403HS	14'	20 - 50	-	Heavy	3
BC 1503HS	15'	20 - 50	7 + 1	Heavy	3
BC 1603HS	16'	20 - 50	-	Heavy	3
BC 1703HS	17'	20 - 50	8 + 1	Heavy	3


SHORE Caster

Seahawk Shore Caster surf fishing rods are built on new High-modulus Carbon Graphite technology, which makes them extremely lightweight, equipped with strong lifting power and acute sensitivity.

Seahawk Shore Caster surf fishing rods are specially made for professional-level surf fishing anglers. They are an ideal choice for medium to heavy bait fishing conditions. Whether anglers prefer fishing from rocks or the classic surf fishing style, these rods are made to suit all.

Features :

- Powerful high-modulus carbon graphite (HMCG) blanks
- Extremely lightweight & super-sensitive



SHORE CASTER SURF CASTING ROD

Model	Length	Line Wt. (lb)	Guide	Action	Section
SC 1203HS	12'	20 - 50	6 + 1	Heavy	3
SC 1303HS	13'	20 - 50	-	Heavy	3
SC 1403HS	14'	20 - 50	-	Heavy	3
SC 1503HS	15'	20 - 50	6 + 1	Heavy	3
SC 1703HS	17'	20 - 50	7 + 1	Heavy	3





EX-POLE PRO

Aluminum Handle Act As Balancer

Seahawk Ex-Pole & Ex-Pole PRO Telescopic Prawn Rods are constructed using high modulus carbon materials for increased sensitivity. These rods come in two variants; the basic and the PRO. The basic EX-Pole comes with a cork handle whilst the PRO range is upgraded with an aluminum CNC precision cut handle for improved balance and a more comfortable grip. Both poles are able to extend one foot extra to be used two ways length-wise; 5ft to 6ft, and 6ft to 7ft.

These eye-catching rods are highly portable for travel. They retract to a compact length of only slightly more than 30cm (12") in length. Both versions come with individual rod bags and protective caps for added protection during transport.



High Modulus Carbon Materials



Aluminium Handle - Improved Balance



EX-POLE PRO TELESCOPIC PRAWN RODS			
Model	Section	Red	Blue
5 feet - 6 feet	8	•	•
6 feet - 7 feet	9	•	•

EX-POLE



High Modulus Carbon Materials



EVA Handle

EX-POLE TELESCOPIC PRAWN RODS		
Model	Section	Green
5 feet - 6 feet	8	•
6 feet - 7 feet	9	•

EX-POLE PRO 6FT - 7FT

EX-POLE PRO 5FT - 6FT

EX-POLE 6FT - 7FT



Telepac II

This fishing rod is made from carbon fiber, strong and durable. With the features of good elasticity and strong heavy capacity. Adjustable length fishing rod for situations where full-size fishing gear is inconvenient.

Best suitable for fishing from the shore, reefs and rocks on trips and vacations. Comes with the pad for comfortable holding.



TELEPAC II SPINNING ROD		
Model	Length	Section
TELEPAC II STP 1505	5'0"	5
TELEPAC II STP 1605	5'6"	5
TELEPAC II STP 1806	6'0"	5
TELEPAC II STP 2106	7'0"	6
TELEPAC II STP 2406	8'0"	6
TELEPAC II STP 2706	9'0"	6
TELEPAC II STP 3007	10'0"	7
TELEPAC II STP 3608	12'0"	8





PUYU POLE

Features :

- Medium heavy action
- Exclusive quick-taper
- UV resistant blank construction



PUYU POLE SPINNING ROD			
Model	Length (m)	Weight (gm)	Section
PUYU POLE 1300 - 200	2	53	2
PUYU POLE 1300 - 300	3	130	3
PUYU POLE 1300 - 400	4	233	4
PUYU POLE 1300 - 500	5	372	5

PUYU POLE SOLID TIP

Features :

- Medium heavy action
- Exclusive quick-taper
- UV resistant blank construction



PUYU POLE SPINNING ROD (SOLIP TIP)			
Model	Length (m)	Weight (gm)	Section
PUYU POLE 1300 - 200ST	2	53	2
PUYU POLE 1300 - 300ST	3	130	3
PUYU POLE 1300 - 400ST	4	233	4
PUYU POLE 1300 - 500ST	5	372	5






COMPAC
SOLID COMPACT TYPE

Features :

- Medium heavy action
- Exclusive quick-taper clear design
- UV resistant blank-thru-handle construction

COMPAC POLE SPINNING ROD	
Model	Length
150	5
160	5'6"
180	6'
210	7'
240	8'
270	9'
300	10'
360	12'
450	15'



T3 TELESCOPIC B/P

Features :

- Fiberglass rod
- Reel with line

Length : 5'6"



11645 B/P

Features :

- Fiberglass rod
- Reel with line


Length : 5'6"

Blaze

COMBO SET

Features :

- Ultra Smooth Drag System
- 5 Magnetic Anti-Backlash Control System
- Lightweight Body
- Precision Machine Cut Brass Gear
- Specially Crafted Handle & Rubber Soft Knob



BLAZE CASTING REEL

Model	Gear Ratio	Line Capacity (lbs-yards)	Wt (g)	Max Drag (kg)
BLZ 100HSL	7.0:1	8-215, 12-170, 16-150	210	7



Blaze
BLZ 100HSL
(Turquoise)



Blaze
BLZ 100HSL
(Orange)

Seahawk's Blaze rod complements its reel counterpart of the same name, matching it not only in style but also in fighting capacity. This carbon-blank rod is crafted with a strong backbone power made to withstand vigorous thrashing and jerking that normally accompanies difficult and feisty fish. Whether paired with the Blaze reel or other sturdy reels, you know you can count on this tough rod when you're out in the watery battlefield.



BLAZE CASTING ROD

Model	Length	Line Weight (lb)	Guide	Action	Section
BLZ 602MHB	6'0"	8 - 17	7 + 1	Medium Heavy	2
BLZ 662MHB	6'6"	10 - 20	7 + 1	Medium Heavy	2

BLAZE - BLZ 602MHB & BLZ 100HSL (Turquoise)



BLAZE - BLZ 662MHB & BLZ 100HSL (Orange)



SOL X8 PLY BRAID

Greater accuracy casting and trouble-free performance.

As seen on
 YouTube | TeamSeahawkFishing



MULTI-COLOR

SUPER
ABRASION RESISTANCE

ULTIMATE
KNOT STRENGTH

MADE IN TAIWAN



Features :

A newly developed innovative raw material from Nippon. The 8-ply nano construction braided fishing line is woven with 20% power-up fibers for extraordinary pedigree and performance – specifically manufactured with the latest fishing technology for maximum performance aimed for multipurpose saltwater and freshwater tournament competition.

- Strongest PE 100% fibers superior grade braided fishing line
- Incredibly thin line diameter with rounded body structure
- Super high abrasion resistance
- No reel memory with ultimate sensitivity
- Micro-pitch braided to reduce wind knots, backlash and rod tip wraps
- Tightly-woven for a beautifully smooth profile
- Ultra skin-coating technology for Increased longevity and lasting coloration
- Heightened accuracy and outstanding casting distance
- Ultimate knot strength with virtually zero stretch

SOL-X8 PLY BRAID LINE - 100m X 6 CONNECTED





Model	Size	PE	Dia (mm)	Spool Capacity / m	Moss Green	Yellow	Pink	Lagoon Blue	Neon Orange	Apple Green	Vermillion Red	Multi Colour
SOL (X8 PLY)	#10lbs	1	0.08	100	*	*	*	*	*	*	*	*
	#15lbs	1.5	0.10	100	*	*	*	*	*	*	*	*
	#20lbs	2	0.12	100	*	*	*	*	*	*	*	*
	#25lbs	2.5	0.135	100	*	*	*	*	*	*	*	*
	#30lbs	3	0.15	100	*	*	*	*	*	*	*	*
	#40lbs	4	0.20	100	*	*	*	*	*	*	*	*
	#50lbs	5	0.27	100	*	*	*	*	*	*	*	*
	#60lbs	6	0.32	100	*	*	*	*	*	*	*	*
	#70lbs	7	0.36	100	*	*	*	*	*	*	*	*
	#85lbs	8	0.43	100	*	*	*	*	*	*	*	*
	#110lbs	10	0.50	100	*	*	*	*	*	*	*	*

SOL-X8 PLY BRAID LINE - 150m

Model	Size	PE	Dia (mm)	Spool Capacity / m	Moss Green	Yellow	Pink	Lagoon Blue	Neon Orange	Apple Green	Vermillion Red	Multi Colour
SOL (X8 PLY)	#10lbs	1	0.08	150	*	*	*	*	*	*	*	*
	#15lbs	1.5	0.10	150	*	*	*	*	*	*	*	*
	#20lbs	2	0.12	150	*	*	*	*	*	*	*	*
	#25lbs	2.5	0.135	150	*	*	*	*	*	*	*	*
	#30lbs	3	0.15	150	*	*	*	*	*	*	*	*
	#40lbs	4	0.20	150	*	*	*	*	*	*	*	*
	#50lbs	5	0.27	150	*	*	*	*	*	*	*	*
	#60lbs	6	0.32	150	*	*	*	*	*	*	*	*

SOL-X8 PLY BRAID LINE - 300m

Model	Size	PE	Dia (mm)	Spool Capacity / m	Moss Green	Yellow	Lagoon Blue	Neon Orange	Apple Green	Vermillion Red	Multi Colour
SOL (X8 PLY)	#15lbs	1.5	0.10	300	*	*	*	*	*	*	*
	#20lbs	2	0.12	300	*	*	*	*	*	*	*
	#25lbs	2.5	0.135	300	*	*	*	*	*	*	*
	#30lbs	3	0.15	300	*	*	*	*	*	*	*
	#40lbs	4	0.20	300	*	*	*	*	*	*	*
	#50lbs	5	0.27	300	*	*	*	*	*	*	*
	#60lbs	6	0.32	300	*	*	*	*	*	*	*
	#70lbs	7	0.36	300	*	*	*	*	*	*	*
	#85lbs	8	0.43	300	*	*	*	*	*	*	*
	#110lbs	10	0.50	300	*	*	*	*	*	*	*



SOL-X8 PLY BRAID LINE - 500m

Model	Size	PE	Dia (mm)	Spool Capacity / m	Moss Green	Lagoon Blue	Apple Green	Multi Colour
SOL (X8 PLY)	#15lbs	1.5	0.10	500	*	*	*	*
	#20lbs	2	0.12	500	*	*	*	*
	#25lbs	2.5	0.135	500	*	*	*	*
	#30lbs	3	0.15	500	*	*	*	*
	#40lbs	4	0.20	500	*	*	*	*
	#50lbs	5	0.27	500	*	*	*	*
	#60lbs	6	0.32	500	*	*	*	*
	#70lbs	7	0.36	500	*	*	*	*
	#85lbs	8	0.43	500	*	*	*	*
	#110lbs	10	0.50	500	*	*	*	*

SOL-X8 PLY BRAID LINE - 1500m

Model	Size	PE	Dia (mm)	Spool Capacity / m	Moss Green	Lagoon Blue	Apple Green	Vermillion Red	Multi Colour
SOL (X8 PLY)	#15lbs	1.5	0.10	1500	*	*	*	*	*
	#20lbs	2	0.12	1500	*	*	*	*	*
	#25lbs	2.5	0.135	1500	*	*	*	*	*
	#30lbs	3	0.15	1500	*	*	*	*	*
	#40lbs	4	0.20	1500	*	*	*	*	*
	#50lbs	5	0.27	1500	*	*	*	*	*
	#60lbs	6	0.32	1500	*	*	*	*	*
	#70lbs	7	0.36	1500	*	*	*	*	*
	#85lbs	8	0.43	1500	*	*	*	*	*
	#110lbs	10	0.50	1500	*	*	*	*	*
	#165lbs	16.5	0.58	1500	*	*	*	*	*



Gachiri x8

Performance of ultra high-strength **BRAID**



Moss Green



The Gachiri X8 is a high-quality all-rounder braided fishing line. If you need a tough economical braid that gets the job done, the Gachiri is your friend. It is applicable to most fishing conditions and is tough enough to stand up to everyday fishing challenges while maintaining an affordable price range – a “just right” line at a “just right” price.

Features :

- High quality all-rounder braid for most fishing conditions
- Ultimate knot strength
- Premium PE fishing braided line
- Super abrasion resistance
- Maximised performance & durability at a minimal price point



GACHIRI - X8 PLY BRAID LINE (100 x 10 CONNECTED)					
Model	Size	PE	Dia (mm)	Spool Capacity / m	Moss Green
Gachiri (X8 PLY)	#10lbs	1	0.14	100	•
	#20lbs	2	0.16	100	•
	#30lbs	3	0.20	100	•
	#40lbs	4	0.23	100	•
	#50lbs	5	0.30	100	•
	#60lbs	6	0.37	100	•
	#70lbs	7	0.43	100	•
	#80lbs	8	0.47	100	•

SOL X8 PLY BRAID

Greater accuracy casting and trouble-free performance.

Seahawk PE Line Experience

From SEAHAWK's popular best-selling SOL braid comes the new range of UltraLight braid with the THINNEST diameter in the market at only 0.05mm! This ultrathin-ness - specifically made for finesse fishing - allows anglers to fit more line into the spool for an even FURTHER cast. On top of that, the Seahawk SOL UltraLight also retains all the awesome features that makes the original braid such a bestseller : 100% PE, absolute silky-smooth surface, trouble-free performance, increased accuracy and distance in casting, super abrasion resistance and ultimate knot strength.

**100% PE
BRAID**

**LONGER
LASTING COLORATION**

**ULTIMATE
KNOT STRENGTH**

**SUPER
ABRASION RESISTANCE**



SOL ULTRA LIGHT - X8 PLY BRAID LINE (150m)										
Model	Size	PE	Dia (mm)	Spool Capacity / m	Yellow	Apple Green	Lagoon Blue	Moss Green	Vermillion Red	Neon Orange
SOL	#4lbs	0.4	0.05	150	•	•	•	•	•	•
Ultra Light	#6lbs	0.6	0.06	150	•	•	•	•	•	•
(X8 PLY)	#8lbs	0.8	0.07	150	•	•	•	•	•	•





Gachiri Braid x4



The Gachiri braid is formulated with the latest colour-lock technology that extends the life of its colouration. The process also ensures a smoother surface for longer and improved casts and its tightly woven construction delivers incredible abrasion resistance and knot strength. This line comes in a wide variety of colours to suit any fishing situations.



GACHIRI 4PLY BRAID LINE - 100m X 6 CONNECTED													
Model	Size	PE	Dia (mm)	Spool Capacity / m	Yellow	Moss Green	Blue	Orange	Maroon	Grey	Black	Pink	Multi Colour
Gachiri (4 PLY)	#10lbs	0.8	0.12	100	*	*	*	*	*	*	*	*	*
	#15lbs	1	0.14	100	*	*	*	*	*	*	*	*	*
	#20lbs	2	0.16	100	*	*	*	*	*	*	*	*	*
	#25lbs	2.5	0.18	100	*	*	*	*	*	*	*	*	*
	#30lbs	3	0.23	100	*	*	*	*	*	*	*	*	*
	#40lbs	4	0.28	100	*	*	*	*	*	*	*	*	*
	#55lbs	5.5	0.35	100	*	*	*	*	*	*	*	*	*
	#70lbs	7	0.40	100	*	*	*	*	*	*	*	*	*
	#85lbs	8.5	0.48	100	*	*	*	*	*	*	*	*	*

4PLY **PREMIUM PE** **ULTIMATE** **LONGER** **SUPER** **MULTI-COLOR**
 BRAID FISHING BRAIDED LINE KNOT STRENGTH LASTING COLORATION ABRASION RESISTANCE

GACHIRI 4PLY BRAID LINE - 150m							
Model	Size	PE	Dia (mm)	Spool Capacity / m	Yellow	Moss Green	Multi Colour
Gachiri (4 PLY)	#10lbs	0.8	0.12	150	*		
	#15lbs	1	0.14	150	*	*	*
	#20lbs	2	0.16	150	*	*	*
	#25lbs	2.5	0.18	150	*	*	*
	#30lbs	3	0.23	150	*	*	*
	#40lbs	4	0.28	150	*	*	*
	#55lbs	5.5	0.35	150	*	*	*


GACHIRI 4PLY BRAID LINE - 300m						
Model	Size	PE	Dia (mm)	Spool Capacity / m	Moss Green	Multi Colour
Gachiri (4 PLY)	#20lbs	2	0.16	300	*	*
	#25lbs	2.5	0.18	300	*	*
	#30lbs	3	0.23	300	*	*
	#40lbs	4	0.28	300	*	*
	#55lbs	5.5	0.35	300	*	*

GACHIRI 4PLY BRAID LINE - 1500m						
Model	Size	PE	Dia (mm)	Spool Capacity / m	Moss Green	Multi Colour
Gachiri (4 PLY)	#15lbs	1	0.14	1500	*	
	#20lbs	2	0.16	1500	*	*
	#25lbs	2.5	0.18	1500	*	*
	#30lbs	3	0.23	1500	*	*
	#40lbs	4	0.28	1500	*	*
	#55lbs	5.5	0.35	1500	*	*
	#70lbs	7	0.40	1500	*	*
	#85lbs	8.5	0.48	1500	*	*



Gachiri Ultra Light

Performance of ultra high-strength
BRAID



GACHIRI ULTRA LIGHT BRAID LINE (150m)										
Model	Size	PE	Dia (mm)	Spool Capacity / m	Khaki Green	Fiery Red	Pink	Fluo Yellow	Fluo Green	Purple
Gachiri Ultra Light	#3lbs	0.3	0.055	150	•	•	•	•	•	•
	#5lbs	0.5	0.065	150	•	•	•	•	•	•
	#7lbs	0.7	0.075	150	•	•	•	•	•	•

Seahawk PE Line Experience

GACHIRI Ultra Light is constructed using 4 strands of high-strength 100% PE braided fibre tightly-woven into an optimum smooth round profile that is then treated with a protective coating for excellent water-resistance.

A budget-friendly buy that is ideal for beginners of ultra light fishing for freshwater or saltwater conditions.

ULTIMATE
KNOT STRENGTH



LAGENDA II BRAID II



The LAGENDA 4X braided gives you surprising value and durability that far exceeds its low price point. This bargain buy features amazing well-rounded balance in knot strength, low memory, and abrasion resistance with zero stretch. Contrary to popular belief, you can achieve stronger knots, farther and better casts, and more solid hook-ups with less!

4 PLY DYNEEMA COATED

ULTIMATE
KNOT STRENGTH



LAGENDA II 4X BRAID LINE (100m X 6 CONNECTED)					
Model	Size	Dia (mm)	Spool Capacity / m	Yellow	Moss Green
Lagenda II (4 PLY)	#10lbs	0.10	100	•	•
	#15lbs	0.12	100	•	•
	#20lbs	0.14	100	•	•
	#25lbs	0.16	100	•	•
	#30lbs	0.20	100	•	•
	#40lbs	0.25	100	•	•
	#50lbs	0.32	100	•	•
	#60lbs	0.37	100	•	•
	#70lbs	0.40	100	•	•
	#80lbs	0.45	100	•	•



Features :

The younger brother of the SOL x8 with all the quality and performance of its sibling at a more affordable price – suitable for anglers of all types looking to maximize performance without hurting the bank balance.

- Strongest PE 100% fibers superior grade braided fishing line
- Incredibly thin line diameter
- Silky smooth and supple
- Ultra skin-coating technology for increased longevity and lasting coloration
- Incredible knot strength with near zero stretch



ULTIMATE
KNOT STRENGTH

LONGER
LASTING COLORATION

100% PE
BRAID

SUPER
ABRASION RESISTANCE

MADE IN TAIWAN



Multi Colour

ULTIMATE
KNOT STRENGTH

100% PE
BRAID

MADE IN TAIWAN

SOL BRAID LINE (150m / 300m / 1500m)						
Model	Size	Dia (mm)	Spool Capacity / m	Yellow	Pink	Multi Colour
SOL BRAID (4 PLY)	#15lbs	0.10	150	•	•	•
	#20lbs	0.16	150	•	•	•
	#30lbs	0.20	150	•	•	•
	#40lbs	0.27	150	•	•	•
	#50lbs	0.32	150	•	•	•
	#60lbs	0.36	150	•	•	•



BRAIDED LINE 編組ライン
BASS HUNTER 2
ABRASION RESISTANCE LONGER LASTING



Yellow Moss Green



POWER-Z
The Tough & Strong Performance
BRAIDED PE LINE



Yellow / Black

Features :

- Rounded body structure and micro pinch braided to reduce winding knots backlashes and rod tip wrapping.
- Extremely low stretch creating an unbelievable hook setting power.
- Superior abrasion resistance and increased line capacity from its predecessor.
- Its slick finish reduces drag & friction on rod guides, adds greater casting distance, highly sensitive, resulting in more positive hook up.

BASS HUNTER II BRAID LINE (100m X 6 CONNECTED)						
Model	Size	Dia (mm)	Spool Capacity / m	Moss Green	Yellow	
Bass Hunter II (4 PLY)	#10lbs	0.10	100	•	•	
	#15lbs	0.14	100	•	•	
	#20lbs	0.16	100	•	•	
	#30lbs	0.23	100	•	•	
	#40lbs	0.28	100	•	•	
	#55lbs	0.32	100	•	•	
	#70lbs	0.37	100	•	•	
	#80lbs	0.40	100	•	•	

BASS HUNTER II BRAID LINE (150m)						
Model	Size	Dia (mm)	Spool Capacity / m	Moss Green	Yellow	
Bass Hunter II (4 PLY)	#10lbs	0.10	150	•	•	
	#15lbs	0.14	150	•	•	
	#20lbs	0.16	150	•	•	
	#30lbs	0.23	150	•	•	
	#40lbs	0.28	150	•	•	
	#55lbs	0.32	150	•	•	

Features :

- The Power-Z superline provides extreme power for a tournament record catch.
- The interplait strands of fibers are high-tensile, low-stretch and tech-tech, a combination of features that provide superior strength and increased sensitivity, offering tournament anglers their record catch.

ULTIMATE
KNOT STRENGTH

JAPAN
MATERIAL


MADE IN TAIWAN



POWER-Z BRAID LINE (100m X 6 CONNECTED)						
Model	Size	Dia (mm)	Spool Capacity / m	Yellow/Black		
POWER-Z (4 PLY)	#20lbs	0.17	100	•		
	#30lbs	0.21	100	•		
	#40lbs	0.27	100	•		
	#50lbs	0.33	100	•		
	#65lbs	0.40	100	•		
	#80lbs	0.46	100	•		

CARP-XPERT

THE TOUGH & STRONG PERFORMANCE



Dark Green



Clear

高い耐摩耗性

CO-POLYMER MONOFILAMENT

高性能液晶ポリエステルモノフィラメントを

It is made from premium material made in Japan it has:

- Superior knot strength resist impact of sudden strike
- Low Stretching
- Superior abrasion resistance
- UV Ray resistance

ULTIMATE TOUGH

CARP-XPERT MONOFILAMENT LINE (150m)					
Model	Size	Dia (mm)	Spool Capacity / m	Clear	Dark Green
Carp-Xpert	#4lbs	0.14	150	•	•
	#6lbs	0.16	150	•	•
	#8lbs	0.18	150	•	•
	#10lbs	0.20	150	•	•
	#12lbs	0.23	150	•	•
	#15lbs	0.26	150	•	•
	#20lbs	0.28	150	•	•
	#25lbs	0.30	150	•	•
	#30lbs	0.33	150	•	•
	#40lbs	0.40	150	•	•
	#50lbs	0.45	150	•	•



モノフィラメント釣り糸

MEIJI

QUALITY LINE FOR ALL TYPE GAMES



Yellow



Orange

モノフィラメントライン 耐久性

CO-POLYMER MONOFILAMENT



It is made from premium material made in Japan it has:

- Superior knot strength resist impact of sudden strike
- Low Stretching
- Superior abrasion resistance
- UV Ray resistance

MEIJI MONOFILAMENT LINE (150m)					
Model	Size	Dia (mm)	Spool Capacity / m	Yellow	Orange
Meiji	#10lbs	0.23	150	•	•
	#12lbs	0.26	150	•	•
	#15lbs	0.28	150	•	•
	#20lbs	0.30	150	•	•
	#25lbs	0.33	150	•	•
	#30lbs	0.38	150	•	•
	#40lbs	0.40	150	•	•

SUPERIOR STRENGTH

BIG STRIKE

HI-TECH COPOLYMER LINE



Clear

~ Premium Quality Fishing Line ~

Gamma



Clear



Yellow



Green

Features :

- Superior strength
- Excellent toughness & durable
- Outstanding performance fishing line
- Ultimate knot strength

ULTIMATE KNOT STRENGTH



BIG STRIKE HI-TECH COPOLYMER LINE (150m)				
Model	Size	Dia (mm)	Spool Capacity / m	Clear
Big Strike Hi-Tech Copolymer	#6lbs	0.18	150	•
	#8lbs	0.20	150	•
	#10lbs	0.22	150	•
	#15lbs	0.28	150	•
	#20lbs	0.30	150	•
	#25lbs	0.35	150	•
	#30lbs	0.40	150	•
	#40lbs	0.50	150	•
	#50lbs	0.60	150	•

Features :

Premium all rounded line for diverse fields of application. The GAMMA combines a relatively slight stretch with a superior knot strength. Top price-performance ratio.

- Superior knot strength
- Little stretching
- High abrasion resistance

GAMMA MONOFILAMENT LINE (100m)						
Model	Size	Dia (mm)	Spool Capacity / m	Clear	Yellow	Green
Gamma	#6lbs	0.16	100	•	•	•
	#8lbs	0.18	100	•	•	•
	#10lbs	0.20	100	•	•	•
	#12lbs	0.23	100	•	•	•
	#15lbs	0.26	100	•	•	•
	#20lbs	0.28	100	•	•	•
	#25lbs	0.30	100	•	•	•
	#30lbs	0.33	100	•	•	•
	#40lbs	0.40	100	•	•	•
	#50lbs	0.45	100	•	•	•

GAMMA MONOFILAMENT LINE (150m)						
Model	Size	Dia (mm)	Spool Capacity / m	Clear	Yellow	Green
Gamma	#6lbs	0.16	150	•	•	•
	#8lbs	0.18	150	•	•	•
	#10lbs	0.20	150	•	•	•
	#12lbs	0.23	150	•	•	•
	#15lbs	0.26	150	•	•	•
	#20lbs	0.28	150	•	•	•
	#25lbs	0.30	150	•	•	•
	#30lbs	0.33	150	•	•	•
	#40lbs	0.40	150	•	•	•
	#50lbs	0.45	150	•	•	•

Steelpower



Gray

Features :

A line created effectively with all the right properties for an outstanding line for all fishing situations. It caters to extreme shock strength, outstanding clarity and durability.

Steel Power MX is toughest finish for the toughest fishing conditions with the ability of preventing lines from brushing, flipping or snagging on any underwater structure. This is an ideal line for big game in saltwater and freshwater.

With high-durability, excellent abrasion resistance, soft, thin diameter, lowest memory and excellent knot strength.

STEELPOWER MX MONOFILAMENT LINE (100m X 10 CONNECTED & 1/4lb)					
Model	Size (lb)	Dia (mm)	Spool Capacity / lb	Gray	
Steel Power MX	#8lbs	0.15	100	1/4	•
	#10lbs	0.20	100	1/4	•
	#12lbs	0.23	100	1/4	•
	#15lbs	0.25	100	1/4	•
	#20lbs	0.28	100	1/4	•
	#25lbs	0.30	100	1/4	•
	#30lbs	0.35	100	1/4	•
	#40lbs	0.40	100	1/4	•
	#50lbs	0.45	100	1/4	•

STEELPOWER MX MONOFILAMENT LINE (1lb)				
Model	Size (lb)	Dia (mm)	Spool Capacity / lb	Gray
Steel Power MX	#30lbs	0.35	1	•
	#40lbs	0.40	1	•
	#80lbs	0.80	1	•

Features :

高性能 & 超コストパフォーマンス。

- Quality performance at an affordable price
- Monofilament fishing line



AAA MONOFILAMENT LINE							
Model	Size	Dia (mm)	Spool Capacity / lb	Length (m)	Length (Yards)	Orange	Green
AAA	#6lbs	0.18	1/8	1904	2083	•	•
	#8lbs	0.20	1/8	1542	1687	•	•
	#10lbs	0.22	1/8	1275	1395	•	•
	#12lbs	0.23	1/8	1166	1276	•	•
	#15lbs	0.26	1/8	913	998	•	•
	#20lbs	0.28	1/8	787	861	•	•
	#25lbs	0.32	1/8	602	659	•	•
	#30lbs	0.35	1/8	504	551	•	•
	#40lbs	0.40	1/8	386	422	•	•
	#50lbs	0.45	1/8	305	333	•	•
	#60lbs	0.50	1/8	235	215	•	•




Orange

Green

Red

Pro Line



Clear

Green

Blue


Features :

- Professional grade raw material
- Monofilament fishing line
- High abrasion resistance with reduced knotting
- Increased casting distance



PRO LINE MONOFILAMENT LINE								
Model	Size	Dia (mm)	Spool Capacity / lb	Length (m)	Length (Yards)	Clear	Green	Blue
Pro Line	#6lbs	0.18	1/8	1904	2083	•	•	•
	#8lbs	0.20	1/8	1542	1687	•	•	•
	#10lbs	0.22	1/8	1275	1395	•	•	•
	#12lbs	0.23	1/8	1166	1276	•	•	•
	#15lbs	0.26	1/8	913	998	•	•	•
	#20lbs	0.28	1/8	787	861	•	•	•
	#25lbs	0.32	1/8	602	659	•	•	•
	#30lbs	0.35	1/8	504	551	•	•	•
	#40lbs	0.40	1/8	386	422	•	•	•
	#50lbs	0.45	1/8	305	333	•	•	•
	#60lbs	0.50	1/8	235	215	•	•	•
	#70lbs	0.60	1/8	150	164	•	•	•

NOTTO



Clear

Green

Features :

- Professional grade raw material made in Japan
- Monofilament fishing line
- Significantly reduced knotting
- Promotes outstanding casting with increased smoothness and accuracy



NOTTO MONOFILAMENT LINE							
Model	Size	Dia (mm)	Spool Capacity / lb	Length (m)	Length (Yards)	Clear	Green
Notto	#6lbs	0.18	1/8	1904	2083	•	•
	#8lbs	0.20	1/8	1542	1687	•	•
	#10lbs	0.22	1/8	1275	1395	•	•
	#12lbs	0.23	1/8	1166	1276	•	•
	#15lbs	0.26	1/8	913	998	•	•
	#20lbs	0.28	1/8	787	861	•	•
	#25lbs	0.32	1/8	602	659	•	•
	#30lbs	0.35	1/8	504	551	•	•
	#40lbs	0.40	1/8	386	422	•	•
	#50lbs	0.45	1/8	305	333	•	•
	#60lbs	0.50	1/8	235	215	•	•

COPPER SCORPION



Copper

MADE IN JAPAN

COPPER SCORPION (1/4 lb)

Model	Size	Dia (mm)	Spool Capacity / lb	Black
POWER-X 2	#6lbs	0.20	1/4	•
	#8lbs	0.23	1/4	•
	#10lbs	0.26	1/4	•
	#12lbs	0.28	1/4	•
	#15lbs	0.30	1/4	•
	#20lbs	0.35	1/4	•
	#25lbs	0.40	1/4	•
	#30lbs	0.45	1/4	•

Features :

- Monofilament fishing line
- High abrasion resistance with reduced knotting

POWER-X 2 (100m X 10 CONNECTED)

Model	Size	Dia (mm)	Spool Capacity / m	Black
POWER-X 2	#8lbs	0.20	100	•
	#10lbs	0.22	100	•
	#12lbs	0.23	100	•
	#15lbs	0.26	100	•
	#20lbs	0.28	100	•
	#25lbs	0.32	100	•
	#30lbs	0.35	100	•
	#40lbs	0.40	100	•
	#50lbs	0.45	100	•

Features :

Japan Technology | Germany Material

ECONOMY MONOFILAMENT LINE (18m X 10 CONNECTED)

Model	Size	Length (m)
Economy Line	#6lbs #8lbs #10lbs	18
	#12lbs #15lbs #20lbs	
	#25lbs #30lbs #40lbs	
	#50lbs #60lbs #70lbs	
	#80lbs #90lbs #100lbs	
	#120lbs #150lbs #200lbs	
	#250lbs #300lbs #400lbs	
	#450lbs #500lbs	

POWER X2




Black

ECONOMY LINE



銀狼
GINRO
TOURNAMENT
FLUOROCARBON 釣り糸



Clear

Noro
野狼
Ultimate



超細い・Ultra Thin
High Tensile Strength

Material Made in Taiwan



Clear

DOUBLE
STRENGTH
LEADER LINE



Excellent Knot Strength

Features :

- Virtually invisible in water
- Super tough line to stand sudden shock
- Ultimate knot strength
- Low water absorption
- High abrasion resistant



GINRO FC TOURNAMENT FLUOROCARBON LINE (50m)

Model	Size	Dia (mm)	Spool Capacity / m	Clear
Ginro FC Tournament	#15lbs	0.32	50	•
	#20lbs	0.40	50	•
	#30lbs	0.48	50	•
	#40lbs	0.58	50	•
	#50lbs	0.66	50	•
	#60lbs	0.76	50	•
	#70lbs	0.81	50	•
	#80lbs	0.87	50	•
	#90lbs	0.93	50	•
	#100lbs	0.98	50	•
	#120lbs	1.07	50	•

Features :

Made from high quality Monofilament material, provides high abrasion resistance with superior knot strength. An all rounded tough one for your daily fishing needs.

- Ultra thin line diameter
- Excellent for heavy cover application
- Invisible under water



NORO ULTIMATE LEADER LINE

Model	Size	Dia (mm)	Spool Capacity / m	Clear
Noro Ultimate	#20lbs	0.40	50	•
	#30lbs	0.50	50	•
	#40lbs	0.60	50	•
	#50lbs	0.70	50	•
	#60lbs	0.75	50	•
	#70lbs	0.80	50	•
	#80lbs	0.85	50	•
	#100lbs	1.00	50	•
	#120lbs	1.10	50	•

Features :

Seahawk's Double Strength is a great leader material when fishing with braid. Simply connect the 2 lines with an Uni knot, or any other knots that create a strong connection between 2 lines. It has a high knot and crimp strength, so you can tie on your lures or rigs with confidence. The Seahawk Double Strength will help you catch more fish, so you don't go home empty-handed or without a photo to brag your mates.

- Exceptional transparency
- Supreme knot and linear breaking strength
- Fluorocarbon coated
- Very high performance copolymer

DOUBLE STRENGTH LINE

Model	Size	Dia (mm)	Yards
DOUBLE STRENGTH	30lbs	0.40	10
	40lbs	0.45	10
	50lbs	0.50	10
	60lbs	0.60	10
	85lbs	0.70	10
	100lbs	0.80	10

ANGEL X-DEEP II



Blue Diamond



Oceanic Blue



Avocado Green



Green Tiger



Green-Back Shiner



Spectre

The Angel X-Deep range now comes in 85mm with increased dive depth. Just like its predecessor, X-Deep, the X-Deep II is crafted with enhanced aerodynamics for superb diving abilities and life-like swimming action in a range of attractive colours that's sure to attract the attention of fish hiding deep below waters and draw them out to strike.



30 Red Eyes



Mustad Hook

ANGEL X-DEEP II BIG STRIKE LURES

Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
Angel X-Deep II	75	12.4	3	Floating
	85	18.6	3.5	Floating



Angel X-Deep II 75

75mm



Angel X-Deep II 85

85mm



TETRA NEON 48S BIG STRIKE LURES

Model	Length (mm)	Weight (g)	Depth (m)	Action
Tetra Neon 48S	48	2.8	0.5 - 1	Sinking



Parrot Orange Belly



Flaming White



Ocean Green



Gold



Pearl White



Toad Green

Tetra Neon 48S

The trusted Tetra range, but even smaller and in eye-catching neon colours! The slim-shaped body is very suitable for the jerking technique to perfectly mimic injured baitfish. The Tetra Neon also comes with UV coating for night fishing and for increased visibility in dark murky waters. This lure is ideal for species such as MJ, Grouper (Kerapu), Tarpon, Peacock Bass, Temesis, Sebarau and Hampala.

Features:

- Exclusively for ultralight fishing
- Excellent for jerking technique to mimic injured baitfish
- Fitted with ultra sharp Mustad hooks
- UV-coated for night fishing and increased visibility in dark murky waters
- 6 eye-catching neon colours
- Tank-tested and proven effective
- Target species: MJ, Grouper (Kerapu), Tarpon, Peacock Bass, Temesis, Sebarau, Hampala





Phantom 68



The Phantom 68 is a topwater lure that comes in an ideal baitfish size of 68mm. Its slim body is aerodynamically enhanced to increase casting distance. The lure's built-in ball bearing also creates a series of distractive rattles to drive fish crazy.

An excellent choice for targeting freshwater species such as Tarpon, Snakehead, Hampala, Temesis, Peacock Bass and also saltwater species such as Barramundi, Talawa, GT and MJ.

Features :

- Topwater lure
- Built-in ball bearing creates distractive rattling that drives fish crazy
- Aerodynamically shaped for super long casts
- Fitted with ultra sharp Mustad hooks
- UV-coated for night fishing and increased visibility in dark murky waters
- Tank-tested and proven effective
- Target species (freshwater): Tarpon, Snakehead, Hampala, Temesis, Peacock Bass
- Target species (saltwater): Barramundi, Talawa, GT and MJ


PHANTOM 68 BIG STRIKE LURES

Model	Length (mm)	Weight (g)	Depth (m)	Action
Phantom 68	68	6.8	Top Water	Floating



TINY LAVA 40T

Tiny Lava is no average popper. This tiny popper -- made for ultralight anglers -- is intricately crafted with a thin angled lip to form a shallow cup that deflects more water to create a more significant "pop". Despite its size and name, the Tiny Lava is also incorporated with sufficient body volume for enhanced casting performance to cast further and more accurately, helping anglers to cover a vast casting area, regardless of casting skills.



TINY LAVA BIG STRIKE LURE

Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
Tiny Lava 40T	40	3	-	Top Water




Tetra 50S

Introducing the Tetra range of lures! Specifically engineered for ultralight fishing, these lures come at an ideal weight of 4g to sink within hot strike zones of 1 meter deep. UL anglers who fancy a little night fishing... fret not! These lures come coated in UV, making them a perfect companion for some night fishing as well! These attractive lures are especially amazing to target species such as Sebarau, Peacock Bass, Tarpon, and Pacu.

Features :

- Exclusively for ultralight fishing
- Fitted with ultra sharp Mustad hooks
- UV-coated for night fishing and increased visibility in dark murky waters
- 6 attractive fish-catching colours
- Tank-tested and proven effective
- Target species: Sebarai, Peacock Bass, Tarpon, Pacu



TETRA 50S BIG STRIKE LURE

Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
Tetra 50S	50	4	1	Sinking



Wizard Ltd



MADE WITH
Mustad
HOOK

3D
RED
EYES

UV COATED
コーティング



Seahawk's Wizard 125/150 lure is not only excellent for trolling, but also terrific as a casting lure for big salt and fresh water species. The tapered "tail" of the lure is designed to improve aerodynamics for an easy casting. The lure easily sinks to the depth stated on the packaging (3.5-5m depending on model). For trolling, the buoyancy of the lure and its tail is designed to increase the chance of the lure to loosen itself from snags when the line is allowed to slack off. This feature is an essential when trolling areas of structure.

Tip: For a faster trolling speed, simply remove the center hook. Heavier hooks like Seahawk's 2/0's can be used on the front and back hook hanger. Do not put heavier hooks on the center hanger to avoid upsetting the balance of the lure.

WIZARD 125 LTD BIG STRIKE LURES

Model	Length (mm)	Weight (g)	Depth (m)	Action
Wizard 125 LTD	125	26.8	3.5m	Floating

WIZARD 150 LTD BIG STRIKE LURES

Model	Length (mm)	Weight (g)	Depth (m)	Action
Wizard 150 LTD	150	34.5	5m	Floating

Classic RedHead

Chrome Silver Blue

Chrome Fire Tiger

Chrome Sun Rider

Zebra Chrome Silver

Redhead Clown

Silver Chrome Redhead

White Tiger

SUPERDIVE120

FISHING LURE



MADE WITH
Mustad
HOOK



SEAHAWK Big Strike premium lures are of the utmost quality valued by anglers all over the world.

Our lures undergo skilled engineering using the latest in angling technology derived from years of thorough research and experience expertly crafted into specific well-balanced shapes complete with lifelike reaction and a wide range of striking colours. Experience premium quality at its finest.

SUPERDIVE-120 BIG STRIKE LURE

Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
Superdive-120	120	32	4.5	Floating



MAD CRANKER 75

FISHING LURE



MADE WITH
Mustad
HOOK



UV COATED
コーティング



This deep diving crankbait is made for open water casting to lure and aggravate ferocious Tomans and Snakeheads; especially those protectively guarding their fry. It dips and dives up to 5-metres with a distracting rattling from the bearings inside its body, making it also great for targeting aggressive Mangrove Jacks and Groupers. Crank this lure under structures for some extraordinary strikes!

MAD CRANKER 75 BIG STRIKE LURES

Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
Mad Cranker 75	75	25.6	5	Floating



SONIC48

FISHING LURE



MADE WITH
Mustad
HOOK



SONIC 48 is almost similar to its brother the ECHO 40, only exception being that this model is made to target even larger groupers with its size of 48mm. For more windy or gusty spots, this model would be a more suitable pick than the ECHO 40 due to its heavier weight of 7.6g. The SONIC 48 features a crank depth of up to 5m; a surefire way to lure out all the giants lurking beneath the surface!

SONIC-48 BIG STRIKE LURE

Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
Sonic-48	48	7.6	5	Floating



STARDUST 120

FISHING LURE



MADE WITH
Mustad
HOOK




SEAHAWK Big Strike premium lures are of the utmost quality valued by anglers all over the world.

Our lures undergo skilled engineering using the latest in angling technology derived from years of thorough research and experience expertly crafted into specific well-balanced shapes complete with lifelike reaction and a wide range of striking colours. Experience premium quality at its finest.

STARDUST-120 BIG STRIKE LURE

Model	Length (mm)	Weight (g)	Depth	Action
STARDUST-120	120	41	Deep	Sinking





PREDATOR 75

FISHING LURE



MADE WITH
MUSTAD
HOOK



UV COATED
コーティング



The Predator lure is designed specifically to target the aggravation and feeding impulse of predator fish. It closely mimics small bait fish that bigger predators love hunting for. All colours are specially chosen according to lures with the highest strike rates. Use this jerk-bait for some topwater twitching and jerking to aggravate fish to the surface and entice strikes.

PREDATOR 75 BIG STRIKE LURES				
Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
Predator 75	75	9.8	Top	Floating



SINKING BARRA 85S

FISHING LURE



MADE WITH
MUSTAD
HOOK




UV COATED
コーティング



This is the #1 lure for targetting Barramundi and Giant Trevally. Its slow-sinking action allows this lure to reach specific depths in deeper places. With a built-in wobble, this lure creates a vibrating frequency to draw strikes while sinking. Designed in a range of colours selected specifically to target the appetite of big Barramundi and Trevally.

SINKING BARRA 85S BIG STRIKE LURES				
Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
Sinking Barra 85S	85	18	-	Sinking



SEXY SLIDER 75



UV COATED
コーティング

As its name suggests, the Sexy Slider swims with a wide sliding zig-zagging action. Designed with a slim aerodynamic body, this lure is made for distance and speed for long precise casts. Its easy size makes it suitable for attracting a wide range of fish such as Snakehead, Peacock Bass, Temesis, Sebarau and Tarpon. Available in a range of irresistible colours.



SEXY SLIDER 75 BIG STRIKE LURES				
Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
Sexy Slider 75	75	7.8	Top	Floating



SONIC 48



SONIC 48 is almost similar to its brother the ECHO 40, only exception being that this model is made to target even larger groupers with its size of 48mm. For more windy or gusty spots, this model would be a more suitable pick than the ECHO 40 due to its heavier weight of 7.6g. The SONIC 48 features a crank depth of up to 5m; a surefire way to lure out all the giants lurking beneath the surface!



SONIC-48 BIG STRIKE LURE				
Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
Sonic-48	48	7.6	5	Floating



Gcassie Vibration




GCASSIE VIBRATION BIG STRIKE LURES				
Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
GV 5	50	9	-	Sinking
GV 6.5	65	19.5	-	

Humbag Minnow



HUMBAG MINNOW BIG STRIKE LURE			
Model	Length (mm)	Weight (g)	Action/Depth
HM 3.5	35	2	0 to 0.5m
HM 4.5	45	3.8	0 to 0.6m
HM 6.5	65	8.2	0 to 1.0m
HM 6.5SU	65	8.6	

Gripp Crank



GRIPP CRANK BIG STRIKE LURE			
Model	Length (mm)	Weight (g)	Action/Depth
GC 5.5	55	8	0 to 0.3m

Tactic Shad



MOUNTED WITH HOOK



TACTIC SHAD BIG STRIKE LURE			
Model	Length (mm)	Weight (g)	Action/Depth
TS 7	70	8	0 to 1.2m
TS 8.8	88	18.5	0 to 1.5m

Snub Crank



MOUNTED WITH HOOK



SNUB CRANK BIG STRIKE LURE			
Model	Length (mm)	Weight (g)	Action/Depth
SC 5	50	8.7	0 to 1.2m

Valor Minnow



MOUNTED WITH HOOK



VALOR MINNOW BIG STRIKE LURE			
Model	Length (mm)	Weight (g)	Action/Depth
VM 7.5	75	8.5	0 to 1.0m
VM 9	90	11	0 to 1.0m

Darkstar Shad 85

MADE WITH **Mustad** HOOK

DARKSTAR SHAD 85			
Model	Length (mm)	Weight (g)	Action/Depth
Darkstar Shad 85	85	9	Floating 1.0m

Cross Bone 80

MADE WITH **Mustad** HOOK

CROSS BONE 80			
Model	Length (mm)	Weight (g)	Action/Depth
Cross Bone 80	80	8	Floating 0.4m

Chubby 50

MADE WITH **Mustad** HOOK

CHUBBY 50			
Model	Length (mm)	Weight (g)	Action/Depth
Chubby 50	50	11	Floating 1.8m

Atlas MADE WITH **Mustad** HOOK



ATLAS			
Model	Length (mm)	Weight (g)	Action/Depth
Atlas 55	55	5.8	Floating
Atlas 70	70	7.4	

Minnow Lure MOUNTED WITH **V-MAX** HOOK

MINNOW LURE			
Model	Length (mm)	Weight (g)	Action/Depth
TMXN	# 70	6	Floating
	# 90	9	
	# 110	12	

Dare Devil 50 MADE WITH **Mustad** HOOK **RED**

DARE DEVIL 50			
Model	Length (mm)	Weight (g)	Action/Depth
Dare Devil 50	50	5	Top Water

Shook Head Frog (Wooden Lure) **Made in THAILAND**

SHOOK HEAD FROG (WOODEN LURE)			
Model	Length (mm)	Weight (g)	Action/Depth
Shook Head Frog	40	9	Top Water



SEAHAWK® **STRIKE POP**



MADE WITH
Mustad
HOOK



Feature:

- Excellent and life-like swimming action.
- Variety of sizes, styles and colour to fit your fishing.
- A great lures for all types of freshwater & saltwater fishing.

STRIKE POP 120/130			
Model	Length (mm)	Weight (g)	Action
Strike Pop 120	120	40	Top Water
Strike Pop 130	130	58	



HR31



S80



S30



HL01



M01



SUSB 01

ULTRA
Single Tail
Just like real ones but not


SUSB 01 ULTRA SOFT LURE			
Model	Length (mm)	Weight (g)	Action/Depth
SUSB 01/84	64	8	Sinking
SUSB 01/88	86	17	

SUSB 02

ULTRA
Single Tail
Just like real ones but not


SUSB 02 ULTRA SOFT LURE			
Model	Length (mm)	Weight (g)	Action/Depth
SUSB 02/80	80	17	Sinking
SUSB 02/100	100	27	

SUSB 03

ULTRA
Single Tail
Just like real ones but not


SUSB 03 ULTRA SOFT LURE			
Model	Length (mm)	Weight (g)	Action/Depth
SUSB 03/120	120	17	Top Water


Pop Hollow Frogie

Frog lures are a popular choice when it comes to freshwater fishing. The Seahawk Pop Hollow Frogie features a cup face popper at the front end and a mass of trailing legs at the backend combined to give it an enticing action that fish can't resist.

Features:

- Complete with hook for easy ready-to-fish situations
- Trailing legs for an attractive swimming action
- Attractive 3D eyes

POP HOLLOW FROGIE SOFT LURE				
Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
Pop Hollow Frogie	56	12.5	—	Floating




Mini Frogie (SF80)

MINI FROGIE SOFT BAIT LURE				
Model	Length (mm)	Weight (g)	Depth	Action/Depth
SF 80	80	12	—	Floating



Frog FC (FC50/65)

FROG FC SOFT BAIT LURE				
Model	Length (mm)	Weight (g)	Depth	Action/Depth
FC 50	50	4	-	Sinking
FC 65	65	7	-	

**Throll (S/M/L)**

"THROLL" FROG SOFT BAIT LURE				
Model	Length (mm)	Weight (g)	Depth	Action/Depth
S	45	2	-	Sinking
M	55	4	-	
L	68	8	-	

Spinner Frog (BFC50/65)

Seahawk's Spinner Frog features a soft well-made body that provides durability and quality. It is fitted with a small willow blade for a subtle approach and for fish in faster flowing water.

Features:

- Fitted with Colorado or Willow Blades
- Contrast or Natural Colouration
- Strong Swivel

SPINNER FROG SOFT LURE				
Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
BFC 50	50	4	-	Sinking
BFC 65	65	7	-	



SMART FROG
HIGH QUALITY SOFT LURE 2.0



Black/Green



Black/Orange



Black/Red



Orange/Brown



Black/White



Brown/Apple Green



Red/White



Green/Yellow

SMART FROG SOFT LURES 2.0				
Model	Length (mm)	Weight (g)	Depth (m)	Action
Smart Frog	35	5	-	Top Water

Smart Frog **Made in THAILAND**



Light Green



Black



Yellow



Orange



Dark Green

SMART FROG SOFT LURES				
Model	Length (mm)	Weight (g)	Depth (m)	Action
Smart Frog	30	3.5	-	Top Water
	35	5	-	Top Water
	45	5.5	-	Top Water



Medium to medium-heavy spinning, trolling & baitcasting in swift or deep running water ideal for all larger fresh water game fish.



03 - Yellow



05 - Red



02 - Green



04 - Orange



01 - Black



68 mm

JUMPER SOFT LURE				
Model	Length (mm)	Weight (g)	Depth (m)	Action/Depth
SF68	68	11	-	Top Water



Features:

- Easy Use
- Perfect design can increase your catches
- Shrimp-resembled body can confuse the predators.

LIVE SHRIMP WITH LEADED WORM HOOK		
Model	Length (cm)	Weight (g)
Live Shrimp	7.5	5.0
	9.0	8.2



ZR01



ZR03



ZR10



ZR02



ZR04



TIGER SHRIMP		
Model	Length (mm)	Weight (g)
TS-03-3	90	3.5
TS-03-5	50	1.5



9CM

5CM



RH (Red Head)



OH (Orange Head)



BH (Black Head)



PK (Pink)



Features :

- Perfect design can increase your catches
- Shrimp-resembled body can confuse the predators

TIGER SHRIMP WITH HOOKS		
Model	Length (mm)	Weight (g)
TSH-03-1	90	5.2




#RH (Red Head)



#BH (Black Head)



#OH (Orange Head)



#PK (Pink)



MADE IN KOREA

BELACAN SQUID FISHING
SQUID JIG
EXTRA LUMINOUS

LUMINOUS

One of the most common inhabitants of the Adriatic. Because of its distinctive lines it is easy to identify and it is often the prey of squids. The colors are a frequently merged with the environment in which it lives. This product has all these features.

Features:

- Attractive colors
- Luminous body
- Strong / sharp & pointed hooks

BELACAN SQUID JIG				
Model	Size	Color	Weight (g)	Qty
SYY-03	2.0"	#1, #2, #3	7.0	1's
	2.5"		10.0	
	3.0"		13.7	
	3.5"		19.0	

Color : 01

Color : 02

Color : 03

BELACAN SQUID FISHING SQUID JIG EXTRA LUMINOUS




One of the most common inhabitants of the Adriatic. Because of its distinctive lines it is easy to identify and it is often the prey of squids. The colors are a frequently merged with the environment in which it lives. This product has all these features.

Features:

- Attractive colors
- Luminous body
- Strong Hooks

BELACAN SQUID FISHING			
Model	Length	Colour	Qty
SYY-02	2.0"	#01	5's
	3.0"	#02	5's
	3.5"	#03	5's

MADE IN KOREA



YASHITA SQUID FISHING PREMIUM QUALITY



One of the most common inhabitants of the Adriatic. Because of its distinctive lines it is easy to identify and it is often the prey of squids. The colors are a frequently merged with the environment in which it lives. This product has all these features and comes in assorted colors.


Features:

- Soft Body - Natural colors
- Luminous Body - Strong Hooks



YASHITA SQUID FISHING			
Model	Length	Colour	Qty
SYY-01	2.0"	Pearl White / Red	5's
	2.5"		5's
	3.0"		5's
	3.5"		5's

SEAHAWK SQUID FISHING YASHITA PREMIUM QUALITY MADE IN KOREA



One of the common inhabitants of the Adriatic. Because of its distinctive lines it is easy to identify and it is often the prey of squids. The colors are a frequently merged with the environment in which it lives. This product has all these features and comes in assorted colors.

Features :

- Soft body
- Luminous body

YASHITA SQUID FISHING			
Model	Length	Color	Qty
SYY-04	1.0"	Pearl White / Red Stripe	5's
	1.5"		5's
	2.0"		5's
	2.5"		5's
	3.0"		5's



SYQ - 1001 LUMINOUS

Seahawk's Yashita line up aims to give you the best Squidding experience. It features a double luminous tail; luminous cap on the hook and luminous band around the tail in addition with a super sharp stainless steel bump hook, real feather wings and luminous eyes making them more attractive to squid.


Features:

- Bright range of colors
- Luminous tail band and hook cap
- Super sharp bump hook

YASHITA SQUID FISHING		
Model	Length (in)	Weight (g)
SYQ-1001	2.0"	7
	2.5"	11
	3.0"	14
	3.5"	19
	4.0"	27



SYQ-RB

**SYQ - 1002** LUMINOUS

Seahawk SYQ1002 features a classic stripe pattern across the body that is also covered with a shimmery Japanese cloth material. Comes with tempered stainless steel hook crowns and are fine tuned for balance and optimum performance.

YASHITA SQUID FISHING		
Model	Length (in)	Weight (g)
SYQ-1002	2.0"	7
	2.5"	11
	3.0"	13
	3.5"	20
	4.0"	25



SYQ-P

**SYQ - 1003** LUMINOUS

Seahawk SYQ1003 features a tiger stripe pattern across the body that is also covered in a round body fish-like luminous body. It Comes with tempered stainless steel hook crowns and equipped with 3D realistic eye.

Features:

- Luminous Round Body
- 3D Realistic Eye

YASHITA SQUID FISHING		
Model	Length (cm)	Weight (g)
SYQ-1003	7	10
	8	15
	9	18



SYQ-RB

**SYQ - 1004** LUMINOUS

Seahawk's Yashita SYQ-1004 features a luminous belly, luminous cap on the hook and luminous band around the tail in addition with a super sharp stainless steel bump hook, real feather wings and lifelike 3D eye which makes them more attractive to squid.

YASHITA SQUID FISHING		
Model	Length (cm)	Weight (g)
SYQ-1004	7	9
	8	14
	9	17



SYQ-G




YASHITA

イカウキ釣り

One of the most common inhabitants of the Adriatic. Because of its distinctive lines it is easy to identify and it is often the prey of squids. The colors are a frequently merged with the environment in which it lives.

Features:

- Attractive colors
- Luminous body
- Strong Hooks



YASHITA SQUID		
Model	Length (cm)	Weight (g)
SYQ-1004T	7	10

SYQ - 1009 LUMINOUS

Seahawk SYQ1009 Squid Jig series comes with a lifelike Holographic Internal Prism finish in a range of striking colors. Each unit is forged using tough and durable ABS resin material and features "Glow-in-the-Dark" eyes for added brightness and visibility.

Features:

- Perfectly balanced for precise lifelike swimming action
- Swivel line tie for effortless and natural movement
- Super sharp bump hook
- Realistic lifelike eyes
- Innovative construction using Japanese technology
- Internal glow-in-the-dark insert
- Tough and durable ABS resin material
- Luminous tail

YASHITA SQUID		
Model	Length (cm)	Weight (g)
SYQ-1009	2.0	8
	2.5	11
	3.0	13
	3.5	20
	4.0	25



SYQ - 1010 LUMINOUS

Seahawk Classic SYQ1010 Squig Jigs feature a "crystal-like" body that gives off an eye-catching glint and shimmer. A patch of Reflective Holographic Center (Abalone Seat) is added for extra eye-catching movement. These reflective features come in handy when visibility is needed in low-light murky waters.

Features:

- "Crystal-like" body actively bounces and reflects light to attract squids by sight
- Reflective Holographic Center additional feature to further provoke squids to attack
- Luminous tail

YASHITA SQUID FISHING		
Model	Length (in)	Weight (g)
SYQ-1010	2.5	13
	3.0	16
	3.5	30



SYQ - 1005 LUMINOUS



YASHITA LURE			
Model	Size	Length (mm)	Hook
SYQ-1005	S	75	Double
	M	85	Double
	L	90	Double

SYQ - 1006 LUMINOUS



YASHITA LURE			
Model	Size	Length (mm)	Hook
SYQ-1006	S	75	Double
	M	85	Double
	L	90	Double

SYQ - 1007 LUMINOUS



YASHITA LURE			
Model	Size	Length (mm)	Hook
SYQ-1007	S	75	Double
	M	85	Double
	L	90	Double

SYQ - 1008 LUMINOUS



YASHITA LURE			
Model	Size	Length (mm)	Hook
SYQ-1008 (L/P)	S	110	Double
	M	114	Double
	L	117	Double

YASHITA GLOW


JIG-MASTER
イカジグ

One of the common inhabitants of the Adriatic. Because of its distinctive lines it is easy to identify and it is often the prey of squids. The colours are a frequently merged with the environment in which it lives. This product has all these features and comes in assorted colours.

Features :

- Soft body
- Natural colour
- Luminous body


Model	Length (mm)	Weight (gm)
YGLO - 05	50	3
YGLO - 07	70	4
YGLO - 09	90	8




LUMINOUS

Crystal PEN SQUID JIG

EGi-MASTER
イカジグ



LUMINOUS




Model	Length (mm)	Color	Qty
Crystal Pen Squid Jig	140	Red & Yellow	2's
Crystal Pen Squid Jig	140	Blue & Green	2's

Wide Reef Squid Jig (WR-12)

The Wide Reef Squid Jig features an umbrella-like head with super sharp stainless steel jig hooks and a luminous collar. Available in 7 striking colors; Clear, Green, Orange, Red, White, Pink and Yellow. This jig is great at catching cephalopods (Octopus, squid and nautilus) or fish like sleeve-fish and cuttlefish in both fresh and saltwater.


Features:

- Super sharp stainless steel jig hooks
- Wide umbrella-like hooks for higher hook up ratio
- Hard body with front ring to connect fishing line
- Broad-spectrum bait and suitable for any waters
- Excellent for octopus, squid, cuttlefish etc.
- Luminous collar attracts squid



Model	Length (mm)	Weight (g)	Green	Orange	Red	White	Clear	Yellow
WR-12	58	25	•	•	•	•	•	•
	68	35	•	•	•	•	•	•
	80	55	•	•	•	•	•	•

Wide Reef Squid Jig (WR-13)




Model	Length (mm)	Weight (g)	White	Luminous
WR-13	90	75	•	•

LUMINOUS



LUMINOUS





Stainless Steel Squid Hook

LUMINOUS

YASHITA LURE (STAINLESS STEEL SQUID HOOK)		
Model	Length (mm)	Hook
SH 3001 - 6	150	Single
SH 3002 - 6	150	Double
SH 3003 - 6	150	Triple

SQUID JIG RIG

イカジグリゲ

EGI-MEISTER 墨文
イカジグリゲ


極めてシャープジグリゲ

To ensure quality eging experience, Seahawk offers the Squid Jig Rig equipped with a dual layer of super sharp split jig hooks and a luminous tail end that easily attracts squids.


Features:

- With dual-layer split hooks.
- Perfect for catching fish like sleeve-fish, squid, octopus and cuttlefish
- Luminous ends, glow in dark, attract more squid.

SQUID JIG RIG		
Model	Length (mm)	Weight (gm)
YGLO - 05	50	3
YGLO - 07	70	4
YGLO - 09	90	8









Atom 3016




Made for large carnivorous fish (both salt and freshwater), such as catfish or pike. Equipped with larger caliber and sturdy split ring for excellent durability.

ATOM 3016 QT SPOON LURE			
Model	Size	Length (mm)	Weight (g)
Atom 3016	01	50	12
	02	65	20
	03	75	25






Gnom 3010



High quality gold, chrome, copper and silver plated with heavy action. The holographic pattern adds to its lifelike appeal.

GNOM 3010 QT SPOON LURE			
Model	Size	Length (mm)	Weight (g)
Gnom 3010	02	45	16
	03	55	22



Syclops 3045




SYCLOPS 3045 QT SPOON LURE		
Model	Length (mm)	Weight (g)
Syclops 3045	50	7
	60	12
	75	17


No other spoon matches the versatility of the Syclops. Casts like a bullet and trolls well at almost any speed.



Altima TJ 3030



ALTIMA TJ 3030 QT SPOON LURE		
Model	Length (mm)	Weight (g)
Altima TJ 3030	35	3
	38	5
	45	7
	55	12
	65	15
	75	20




Altima TJ spoon has been upgraded by a revolutionary new coating technique as well as by the addition of a new holographic painting method. Effective both in freshwater and saltwater.



Sima 3089

SIMA 3089 SPOON LURE		
Model	Length (mm)	Weight (g)
Sima 3089	42	10
	60	21



ISLAND XT SPOON



Medium to medium-heavy spinning, trolling & baitcasting in swift or deep running water game fish.

ISLAND XT SPOON	
Model	Weight (g)
IXT-07	7
IXT-12	12



TRILO-BAIT spoon 釣リスプーン

TRILO-BAIT SPOON LURE		
Model	Length (mm)	Colour
TB - 40	8	Silver
TB - 51	12	
TBX - 17	14	
TBX - 26	10 / 15	



ABALONE SPOON



Medium to medium-heavy spinning, trolling & baitcasting in swift or deep running water game fish.

ABALONE SPOON		
Model	Weight (g)	Silver
S500	2.5	•
S1000	4	•
S2000	5	•

Leonard Spoon (TC-02)




Daniel Spoon (TC-03)




TAKOSKIRT	
Model	Length (cm)
Takoskirt	8

TAKOSKIRT

Seahawk TAKOSHIRT are made with premium quality silicon material it is designed to attract fish anywhere can be used for jigging.



NEEDLE-HEAD OCTOPUS SKIRT					
Model	Size Inch (cm)	White	Green	Luminous Green	Clear
OS Needle-Head (PCS / PKT 5's)	2" (5 cm)	•	•	—	—
	3" (7.5cm)	•	•	—	—
	4" (10cm)	•	•	—	—
	5" (12cm)	—	—	•	•
	6" (15cm)	—	—	•	•




Octopus Skirts (OS 188)

OCTOPUS SKIRTS				
Model	Size (cm)			
OS 188	4	6	7.5	9



TRILO-BAIT spinner

TBS-12
(Silver)TBS-12
(Red)

Medium to medium-heavy spinning, trolling & baitcasting in swift or deep running water ideal for all larger fresh water game fish.

TRILO-BAIT SPINNER		
Model	Weight (g)	Colour
TBS - 12	8	Red / Silver
TBS - 50	10	

TRILO-BAIT SPINNER		
Model	Length (mm)	Weight (g)
TBS - 50	-	9 / 12
TBS - 54	-	9

TBS-54
(Orange)TBS-54
(Yellow)TBS-50
(Gold)TBS-54
(Red)TBS-54
(Green)

BLADE STRIKE II SPINNERBAIT



Seahawk Blade Strike II can keep you on a spinnerbait under all conditions. Spinnerbaits are made with premium quality swivels and stainless steel blades.

BLADE STRIKE II SPINNER BAIT		
Model	Weight (g)	Hook Size
BSSB2	20	3/0



MINI BLADE STRIKE SPINNERBAIT

Seahawk Mini Blade Strike can keep you on a spinnerbait under all conditions and our spinnerbaits are made with premium quality swivels and stainless steel blades.

MINI BLADE STRIKE SPINNER BAIT LURE	
Model	Weight (g)
MBSSB - 15	10



Yellow / Green



Black / Red

Black / Orange

Black / Yellow

Black

RATTLER

PREMIUM QUALITY SPINNER BAIT


Seahawk Rattler can keep you on a spinnerbait under all conditions. Spinnerbaits are made with premium quality stainless steel blades & wires.

RATTLER SPINNER BAIT		
Model	Weight (g)	Hook Size
SBR	18	4/0



Beka Bait LUMINOUS

BEKA BAIT		
Model	Size	Weight (g)
BSSB-02	S	17
	M	20
	L	24



Snakehead

MOUNTED WITH HOOK

3D EYES

Features :

- Exclusive silicon skirts
- Premium hard coat paint

SNAKEHEAD SPINNER BAIT	
Model	Weight (g)
SSB 01	12



TRILO-BAIT
Spoon
 釣リスプーン


Gold

Medium to medium-heavy spinning, trolling & baitcasting in swift or deep running water ideal for all larger fresh water game fish.

TRILO-BAIT SPOON		
Model	Weight (g)	Colour
TBXH-07	10	Gold
	15	
	21	

TRILO-BAIT
Vibration
 釣リスプーン



Medium to medium-heavy spinning, trolling & baitcasting in swift or deep running water ideal for all larger fresh water game fish.

TRILO-BAIT VIBRATION (METAL-VIBE)			
Model	Weight (g)	Red / Silver	Green / Gold
TBMV-7	7	•	•
TBMV-10	10	•	•



Green / Gold

Red / Silver




Silicon Skirt

Seahawk produces quality silicon skirts that deliver superior action and durability with the ideal amount of strands to fit most jigs and spinnerbaits.


Features:

- Premium 100% silicone skirt material delivers superior action and durability
- 45-strand construction for the perfect jig or spinnerbait profile, without overpowering or interfering with trailers
- Fits most wire baits or jigheads
- Available in a wide range of color patterns




Tinsel





Flicker Jig




FLICKER JIG						
Model	Length (mm)	Weight (g)	Silver 03	Zebra Green	Zebra Silver	Luminous
	80	40	•	•	•	•
Flicker Jig	90	60	•	•	•	•
	100	80	•	•	•	•

Metal Jig (66904)



LUMINOUS




METAL JIG LURE			
Model	Length (mm)	Weight (g)	Action / Depth
SMJ 66904	75	40	—
	85	60	
	100	80	

Metal Jig (66905)



LUMINOUS



METAL JIG LURE			
Model	Length (mm)	Weight (g)	Action / Depth
SMJ 66905	56	10.5	—
	62	14	
	70	21	
	80	32	

Assorted Colour Fishing Lure Set



ASSORTED COLOUR FISHING LURE SET		
Model	Length (cm)	Weight (g)
SR 30	5	4
	6	7



ASSORTED COLOUR FISHING LURE SET		
Model	Length (cm)	Weight (g)
SY 30	5.5	3
	6	5.5



ASSORTED COLOUR FISHING LURE SET		
Model	Length (cm)	Weight (g)
ST 12	5	6



ASSORTED COLOUR FISHING LURE SET		
Model	Length (cm)	Weight (g)
Y 24	1st & 2nd Row: CRA 02	4.5
	3rd & 4th Row: MIN 02	6
	5th & 6th Row: PEN 02	8.5
	7th & 8th Row: MIN 10	8
		6.5



SEA HAWK®

HOOKS ANATOMY

POINTS

-  Needle Straight
-  Forged Edge
-  Beak
-  Knife Point
-  Kirbed
-  Reversed
-  Straight
-  Barbless Needle
-  Without Slices
-  With Double Slices
-  With Single Slices


HOOK EYES

-  Ringed
-  Open Ring
-  Flatted

HOOK COATING / COLOURS

-  BLM Black Matte
-  BL Black
-  B Bronze
-  BLN Black Nickel
-  N Nickel
-  TIN Tin
-  G Gold
-  W Weedless
-  H High Carbon

-  SE Straight Eye
-  UE Turned-Up Eye
-  DE Turned-Down Eye
-  2X Large Ring



MISCELLANEOUS


-  Forged
-  SS Stainless Steel
-  PS Perma Steel

WIRE STRENGTH


- | | | |
|---|---|--|
|  X Extra Strong |  X Extra Long |  X Extra Short |
|  2X 2 Extra Strong |  1X 1 Extra Long |  1X 1 Extra Short |
|  3X 3 Extra Strong |  2X 2 Extra Long |  2X 2 Extra Short |
|  4X 4 Extra Strong |  3X 3 Extra Long |  3X 3 Extra Short |
|  5X 5 Extra Strong |  4X 4 Extra Long |  4X 4 Extra Short |
|  6X 6 Extra Strong |  5X 5 Extra Long |  6X 6 Extra Long |

Beak Hook (MS4310N) *Made in Korea*


-  Nickel
-  Beak
-  Turned-Up Eye
-  Ringed
-  Forged

**Beak Hook (MS4310HC)** *Made in Korea*

-  High Carbon
-  Black Nickel
-  Beak
-  Turned-Up Eye
-  Ringed
-  Forged

**Beak Hook (MS4310SS)** *Made in Korea*


-  Stainless Steel
-  Beak
-  Turned-Up Eye
-  Ringed
-  Forged

**Octopus Beak (MS4310PS)** *Made in Korea*

-  Parma Steel
-  Beak
-  Ringed
-  Forged

**Chinu (2913R-HC)** *Made in Korea*


-  High Carbon
-  Kirbed
-  Needle Straight
-  Ringed
-  Forged

**Chinu (1950SS)** *Made in Korea*

-  Stainless Steel
-  Beak
-  Kirbed
-  Ringed
-  Forged

**Chinu Ring Eye** *Made in Korea*

-  High Carbon
-  Beak
-  Ringed
-  Forged



Iseama 2X Strong (1940SS-2X) *Made in Korea*

SS Stainless Steel

Beak

Ringed

Forged

**Iseama (2813R)** *Made in Korea*


H High Carbon

BLN Black Nickel

Needle Straight

Ringed

Forged


**O'Shaughnessy (1930N)** *Made in Korea*

N Nickel

Needle Straight

Ringed

Forged

**O'Shaughnessy (1930HC)** *Made in Korea*

H High Carbon

BLN Black Nickel

Needle Straight

Ringed

Forged


**O'Shaughnessy (1930SS)** *Made in Korea*

SS Stainless Steel

Needle Straight

Ringed



Forged




O'Shaughnessy (1920SS-2X) *Made in Korea*

STAINLESS STEEL BIG GAME HOOKS

-  Stainless Steel
-  2 Times Stronger
-  Needle Straight
-  Ringed
-  Forged

**O'Shaughnessy (254HC)** *Made in Korea*

-  High Carbon
-  Black Nickel
-  Needle Straight
-  Ringed
-  Forged

**Live Bait (10827HC)** *2X STRONG - Made in Korea*

-  High Carbon
-  Beak
-  Ringed

**Live Bait (10827HCF)** *Made in Korea*

-  High Carbon
-  Beak
-  Ringed
-  Forged


**Wide Gap (DX11010HC)** *Made in Korea*

-  High Carbon
-  Black Nickel
-  Needle Straight
-  Ringed



Soi (10829BLHC) *Made in Korea*

- High Carbon
- Black
- Reversed
- Beak
- Ringed
- Forged



Soi (10829HC) *Made in Korea*

- High Carbon
- Black Nickel
- Reversed
- Beak
- Ringed
- Forged




Soi - 2X Strong (10829SS-2X) *Made in Korea*

- Stainless Steel
- Reversed
- Needle Straight
- Ringed
- Forged



Maru-Seigo (DX-SMA) *Made in Korea*

- Black
- Needle Straight
- Ringed
- Forged




Maru-Seigo (4539G) *Made in Korea*

- Gold
- Needle Straight
- Ringed
- Forged



Maru-Seigo (DX800HC) *HIGH CARBON HOOK - Made in Korea*

- High Carbon
- With Single Slices
- Needle Straight
- Forged



Sepit Biru (DX777) *PRAWN HOOKS - Made in Korea*

- High Carbon
- Black Nickel
- Beak
- Needle Straight
- Ringed
- Forged




Sepit Biru (DX888) *PRAWN HOOKS - Made in Korea*


- High Carbon
- Black Nickel
- Needle Straight
- Forged
- Flatted




Baitholder (DS4310N) *Made in Korea*




Baitholder (DS4310B) *Made in Korea*




Sode (DX400) *HIGH CARBON HOOK - Made in Korea*




Hosoji Mutsu (10354HC) *CIRCLE - Made in Korea*



Tanago (DX970HC) *Made in Korea*



O'Shaughnessy Treble Hook (8244BLN-3X) *Made in Korea*




O'Shaughnessy Treble Hooks (8244PS-3X) *Made in Korea*



Octopus NSB Japan Material

- High Carbon
- Turned-Up Eye
- Black Nickel
- Forged
- Reversed
- Beak



Octopus 4X Strong Japan Material

- High Carbon
- Forged
- Black Nickel
- Beak
- 4 Extra Strong
- Reversed



Soi Bari Tin Japan Material

- Needle Straight
- Bari Tin
- Forged





K-Mutsu High Carbon Japan Material

- High Carbon
- Black Nickel
- Beak
- Kirbed
- Forged




Raja Rawai Round Bent Sea Hook (2315F-PS) Made in Korea

- Parma Steel
- Knife Point
- Flatted



Raja Rawai Round Bent Sea Hook (2335R-PS) Made in Korea


- Parma Steel
- Knife Point
- Ringed





Weedless (254HCW) *Made in Korea*

- H High Carbon
- BLN Black Nickel
- W Weedless
- NS Needle Straight
- R Ringed
- F Forged



Weedless With Lead (254HCW) *Made in Korea*

- H High Carbon
- BLN Black Nickel
- W Weedless
- NS Needle Straight
- R Ringed
- F Forged




Worm Hook 2X Strong *Made in Korea*


- H High Carbon
- BLN Black Nickel
- NS Needle Straight
- R Ringed
- F Forged
- 2X 2 Extra Strong



Worm Hook Ledged *Made in Korea*




Worm Hook Ledged - 2X Strong *Made in Korea*




Double Weedless (254D) *Made in Korea*


-  High Carbon
-  Black Nickel
-  Needle Straight
-  Weedless
-  Ringed
-  Forged

**Propeller Double Hooks (204D)****Double Assist Hooks (Jigging Hook x2)**


Model : KNB2KP
Kevlar Line : 240lb

**Sepit Biru Snelled (DX-888) PRAWN HOOKS** *Japan Material*

-  High Carbon
-  Black Nickel
-  Beak
-  Forged
-  Flatted


**Baitholder Snelled Hooks (LINE DIA Ø0.50mm)** *Made in Korea*

-  Bronze
-  Straight
-  Beak




**Sabiki 111** (Ultra One-Touch Fishing Set)

Hook Size	6	8	10	12	14	16
Main Line (lb)	15	15	25	25	30	35
Branch Line (lb)	13	13	15	15	20	25

Sabiki 450

Hook Size	4	5	6	7	8	9	10	11	12	14	16
Main Line (PE)	3.0	3.5	3.5	3.5	4.0	5.0	6.0	-	6.0	7.5	9.0
Branch Line (lb)	1.5	1.5	2.5	2.5	3.5	3.5	4.0	-	4.0	4.5	6.0

Sabiki 222 (Ultra One-Touch Fishing Set)

Hook Size	8	10	12	14	16	18	20	24
Main Line (lb)	20	20	25	30	35	40	45	55
Branch Line (lb)	13	13	15	20	25	30	35	45

Sabiki 555

Hook Size	4	6	8	10	12	14	16
Main Line (lb)	12	20	20	25	25	40	45
Branch Line (lb)	8	12	15	15	15	20	25

Sabiki 320

Hook Size	4	5	6	7	8	9	10	12	14
Main Line (PE)	3.0	3.5	3.5	3.5	4.0	5.0	6.0	6.0	7.5
Branch Line (lb)	1.5	1.5	2.5	2.5	3.5	3.5	4.0	4.0	4.5

Sabiki 777

Hook Size	4	5	6	7	8	9	10	12	14	16
Main Line (lb)	12	12	20	20	20	25	25	25	40	45
Branch Line (lb)	8	8	12	12	12	15	15	15	20	25

Sabiki 888

Hook Size	4	5	6	7	8	9	10	12	14	16
Main Line (lb)	12	12	20	20	20	25	25	25	40	45
Branch Line (lb)	8	8	12	12	15	15	15	15	25	25

Sabiki 2525

Hook Size	8	10	12	14	16
Main Line (lb)	10	20	20	35	35
Branch Line (lb)	6	15	15	20	20

Sabiki 6633

Hook Size	14	16	18	20	22
Main Line (lb)	80	85	85	85	85
Branch Line (lb)	70	80	80	80	80

Sabiki DA 2828

Size Available	1	2	3	1/0	2/0	3/0	4/0	5/0
----------------	---	---	---	-----	-----	-----	-----	-----

Sabiki 320 EXA

Hook Size	4	6	8	10	12	14
Main Line (PE)	3.0	3.5	4.0	6.0	6.0	7.5
Branch Line (lb)	1.5	2.5	3.5	4.0	4.0	4.5

Sabiki 3030

Hook Size	6	8	10	12	14	16
Main Line (lb)	20	20	25	25	40	45
Branch Line (lb)	12	15	15	15	20	25

Sabiki DA 2626

Size Available	1	2	3	1/0	2/0	3/0	4/0
----------------	---	---	---	-----	-----	-----	-----

Sabiki Samurai 2020

Hook Size	4	5	6	7	8	9	10	12	14	16
Main Line (lb)	12	12	20	20	20	25	25	25	40	45
Branch Line (lb)	8	8	12	12	15	15	15	15	20	25

Sabiki 5588

Hook Size	8	10	12	14	16	18	20	22	24
Main Line (lb)	20	25	25	40	40	50	50	60	75
Branch Line (lb)	15	20	20	25	25	40	40	50	65

Sabiki DA 2727

Size Available	1	2	3	1/0	2/0	3/0	4/0	5/0
----------------	---	---	---	-----	-----	-----	-----	-----



Barrel Swivel With Safety Snap (5610-B/N/P)

N - Nickel
B - Black Nickel
P - Brass Polished

BARREL SWIVEL WITH SAFETY SNAP (5610-B)															
Size (#)	12	10	09	08	07	06	05	04	03	02	01	1/0	2/0	3/0	4/0
Test (lb)	26	29	-	35	-	40	-	57	-	78	79	79	125	135	135

BARREL SWIVEL WITH SAFETY SNAP (5610-N)															
Size (#)	12	10	09	08	07	06	05	04	03	02	01	1/0	2/0	3/0	4/0
Test (lb)	26	29	29	35	38	40	42	57	71	78	79	79	125	135	135

BARREL SWIVEL WITH SAFETY SNAP (5610-P)															
Size (#)	12	10	09	08	07	06	05	04	03	02	01	1/0	2/0	3/0	4/0
Test (lb)	26	29	-	35	-	40	-	57	-	78	79	79	125	135	-

Barrel Swivel With Safety Snap (5610P-SS)

BARREL SWIVEL WITH SAFETY SNAP (5610P-SS)										
Size (#)	12	10	08	06	04	02	01	1/0	2/0	3/0
Test (lb)	26	29	35	40	57	78	79	79	125	135

Barrel Swivel With Interlock Snap (5620-B)


BARREL SWIVEL WITH INTERLOCK SNAP (5620-B)															
Size (#)	12	10	09	08	07	06	05	04	03	02	01	1/0	2/0	3/0	4/0
Test (lb)	26	29	29	38	38	42	45	45	56	56	85	93	125	125	188

Rolling Swivel With Safety Snap (YM-3001)


ROLLING SWIVEL WITH SAFETY SNAP (YM-3001)									
Size (#)	08	06	04	02	01	1/0	2/0	3/0	4/0
Test (kg)	5	7	9	13	15	15	34	50	65

Rolling Swivel With Germany Snap (YM-3013)

ROLLING SWIVEL WITH GERMANY SNAP (YM-3013)						
Size (#)	10	08	06	04	02	1/0
Test (lb)	10	10	15	25	30	40

Rolling Swivel With Coastlock Snap (YM-3005-B)


ROLLING SWIVEL WITH COASTLOCK SNAP (YM-3005-B)											
Size (mm)	10	08	06	04	02	01	1/0	2/0	3/0	4/0	
Test (lb)	26	26	40	55	66	77	77	88	110	154	

Rolling Swivel With Insurance Snap (YM-3006-B)


ROLLING SWIVEL WITH INSURANCE SNAP (YM-3006-B)											
Size (#)	10	08	06	04	02	01	1/0	2/0	3/0	4/0	
Test (lb)	22	22	33	66	88	121	121	154	154	198	

Rolling Swivel With New Hooked Snap (YM-3007)


ROLLING SWIVEL WITH NEW HOOKED SNAP (YM-3007)											
Size (#)	12	10	08	06	04	02	01	1/0	2/0	3/0	4/0
Test (kg)	5	7	7	11	28	35	45	45	55	70	-

High Speed Double Rolling Swivel With T-Shape Snap (1048)

HIGH SPEED DOUBLE ROLLING SWIVEL WITH T-SHAPE SNAP (1048)					
Size (#)	8	6	4	2	1/0
Test (lb)	19	30	35	43	60

Diamond Impressed Rolling Swivel With Hooked Snap (YM-3009-B)


DIAMOND IMPRESSED ROLLING SWIVEL WITH HOOKED SNAP (YM-3009-B)											
Size (#)	12	10	08	06	04	02	01	1/0	2/0	3/0	4/0
Test (lb)	20	26	26	44	62	77	88	88	99	132	176

Ball Bearing Swivel With 2 Solid Ring With Coastlock Snap (YM-3807-B)

BALL BEARING SWIVEL WITH 2 SOLID RING WITH COASTLOCK SNAP (YM-3807-B)							
Size (#)	0	01	02	03	04	05	06
Test (lb)	18	31	48	77	99	121	154

Crane Swivel With Hawaiian Snap (YM-1926T-B)

CRANE SWIVEL WITH HAWAIIAN SNAP (YM-1926T-B)			
Size (#)	1	2	3
Test (lb)	20	26	44

Crane Swivel With Germany Snap-B (YM-1901 + YM-2011)

CRANE SWIVEL WITH GERMANY SNAP-B (YM-1901 + YM-2011)						
Size (#)	#6 + #1	#4 + #2	#2 + #3	#1 + #4	#1/0 + #4	#2/0 + #5
Test (lb)	33	55	66	88	88	132

Barrel Swivel (5600-B/N)

BARREL SWIVEL (5600-B)																
Size (#)	12	10	09	08	07	06	05	04	03	02	01	1/0	2/0	3/0	4/0	5/0
Test (lb)	-	29	-	38	-	42	-	45	-	56	85	93	125	125	125	188

BARREL SWIVEL (5600-N)																
Size (#)	12	10	09	08	07	06	05	04	03	02	01	1/0	2/0	3/0	4/0	5/0
Test (lb)	26	29	29	38	38	42	45	45	56	56	85	93	125	125	125	188

Crane Swivel (YM-1901-B)


CRANE SWIVEL (YM-1901-B)												
Size (#)	10	08	06	04	02	01	1/0	2/0	3/0	4/0	5/0	
Test (lb)	31	42	66	77	95	104	132	165	220	297	352	

Rolling Swivel (YM-1001)


ROLLING SWIVEL (YM-1001)								
Size (#)	10	8	6	4	2	1	1/0	2/0
Test (lb)	14	19	27	35	43	47	60	75

High Speed Double Impressed Rolling Swivel (YM-1009)


HIGH SPEED DOUBLE IMPRESSED ROLLING SWIVEL (YM-1009)								
Size (#)	08	07	06	05	04	03	02	01
Test (kg)	-	22	30	-	35	40	43	47

Ball Bearing Swivel With Solid Ring (YM-1804-B/W)


BALL BEARING SWIVEL WITH SOLID RING (YM-1804-B/W)							
Size (#)	0	01	02	03	04	06	08
Test (lb)	33	44	55	77	110	176	275

Dual Colored Rolling Swivel (YM-1007)

DUAL COLORED ROLLING SWIVEL (YM-1007)							
Size (#)	06	04	02	01	1/0	2/0	3/0
Test (kg)	27	35	43	47	60	75	100

Ball Bearing With Split Ring (YM-1802-B)

BALL BEARING WITH SPLIT RING (YM-1802-B)						
Size (#)	0	01	02	04	06	08
Test (kg)	9	11	18	33	55	88

Rolling Swivel With Screwed Snap (YM-1041)

ROLLING SWIVEL WITH SCREWED SNAP (YM-1041)						
Size (#)	8	6	4	2	1/0	3/0
Test (kg)	19	27	35	43	60	100

Box Polished (5600-P)


BOX POLISHED (5600-P)														
Size (#)	01	02	04	06	08	1/0	2/0	3/0	4/0	5/0	6/0	7/0	8/0	9/0

Swivel Heavy Polished (YM-1058-P)

SWIVEL HEAVY POLISHED (YM-1058-P)				
Size (mm)	8	9	10.5	12.5
Test (lb)	485	551	617	705

Cross Line Brass Head & Tube (YM-1025)


CROSS LINE BRASS HEAD & TUBE (YM-1025)						
Size (#)	1	3	5	7	10	2/0
Test (kg)	47	40	32	22	19	75

Cross Line Crane Swivel (YM-1055)

CROSS LINE CRANE SWIVEL (YM-1055)				
Size (#)	2	1	1/0	2/0
Test (kg)	43	47	60	75

Cross Line Rolling Swivel With Pearl Beads (YM-1027)


CROSS LINE ROLLING SWIVEL WITH PEARL BEADS (YM-1027)				
Size (mm)	#5 x 6	#3 x 4	#1 x 2	#2/0 x 1/0
Test (kg)	30	35	43	60

T-Shape Cross Line Rolling Swivel Pearl Beads (YM-1028)


T-SHAPE CROSS LINE ROLLING SWIVEL PEARL BEADS (YM-1028)					
Size (#)	1/0 x 1	2 x 3	4 x 5	6 x 7	8 x 10
Test (kg)	47	40	32	22	14

3-Way Swivel Brass & Stainless Steel (YM-1717)

3-WAY SWIVEL BRASS & STAINLESS STEEL (YM-1717)							
Size (#)	06	04	02	01	1/0	2/0	3/0
Test (kg)	15	21	34	38	50	57	65

Hooked Snap (YM-2003-B)

HOOKED SNAP (YM-2003-B)						
Size (#)	00	01	02	03	04	05
Test (lb)	20	44	62	77	88	99

Nice Snap (YM-2004-B)

NICE SNAP (YM-2004-B)								
Size (#)	000	00	0	1	2	4	6	8
Test (lb)	9	11	18	20	24	51	110	220

Diamond Insurance Snap (YM-2020)

DIAMOND INSURANCE SNAP (YM-2020)					
Size (#)	5	4	3	2	1
Test (kg)	55	45	35	22	14

Fish Finder (YM-4027-B)

FISH FINDER (YM-4027-B)	
Size (#)	#6

Stainless Steel Flat Split Ring

STAINLESS STEEL FLAT SPLIT RING									
OD Size (mm)	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	8.0
Test (lb)	45	50	55	60	65	70	85	115	145

Stainless Steel Round Split Ring



STAINLESS STEEL ROUND SPLIT RING					
OD Size (mm)	5.0	6.5	8.0	8.5	14.5
WD Size (mm)	0.5	0.7	1.0	0.8	1.2

Heavy-Duty Split Ring Forged (Stainless Steel) MADE IN KOREA



HEAVY-DUTY FLAT SPLIT RING FORGED (STAINLESS STEEL)								
Size (#)	1XH	2XH	3XH	4XH	5XH	6XH	7XH	8XH
ID Size (mm)	3.5	4.0	4.5	5.0	5.5	6.0	7.5	8.0
Test (lb)	25	42	57	66	80	225	240	310

Stainless Steel Flat Solid Ring



STAINLESS STEEL FLAT SOLID RING			
OD Size (mm)	5.0	7.5	10
Test (lb)	500	800	900

Brass Tube (YM-6007-B)



BRASS TUBE (YM-6007-B)					
Size (#)	1.6	1.8	2.0	2.2	2.4

Copper Sleeve



COPPER SLEEVE									
Size (#)	1.6	1.8	2.0	2.2	2.4	2.6	2.8	3.0	3.2

Monofilament Spin Leader



SEAHAWK'S Monofilament Spin Leader is made of high abrasion clear monofilament line and premium quality Diamond Rolling Swivel and D-Lock Snap

MONOFILAMENT SPIN LEADER				
Length (cm)	55	55	55	55
Diameter (mm)	0.7	0.8	0.9	1.0
Strength (kg)	17	21	24	27


Big Fish Lock (YM-6060-P)



BIG FISH LOCK (YM-6060-P)	
Size (#)	1.5


- Quality swivel designed to ensure smooth movement and eliminate line twist.
- Swivels are engineered from the finest high-grade stainless steel and premium components.
- Maximum protection against twisting and tangling of line
- For fresh or saltwater fishing.

Big Style Plastic Tube Balance (YM-6056-B)



BIG STYLE PLASTIC TUBE BALANCE (YM-6056-B)			
Size (mm)	80	120	180


Small Style Plastic Tube Balance (YM-6063-B)



SMALL STYLE PLASTIC TUBE BALANCE (YM-6063-B)				
Size (mm)	30	55	85	120



Brass Tube Balance



BRASS TUBE BALANCE			
Model	Size (inch)	Qty	
Brass Tube Balance	4	5pcs	
	6	4pcs	
	8	4pcs	
	10	4pcs	
	12	4pcs	
	16	3pcs	
	20	3pcs	

U-Turn
UT-100



U-TURN			
Size	Size	Length (mm)	Colour
UT-100	S	5	Gold
	M	6	

Spin Blade
STB-430



SPIN BLADE			
Size	Size	Length (mm)	Colour
STB-430	# 2	26	Red / Silver
	# 3	33	

Crappie Rig




CRAPPIE RIG	
Model	lb
SH6017-1	40
SH6017-2	40
SH6017-3	40

Wire Leader



WIRE LEADER	
Length (Inch)	Test lb
6	40
9	40
12	40
18	40

Spreader T-Rangon
Stainless Steel



SPREADER T-RANGON				
Size (Inch)	12	18	24	30

Spreader S-Rangon
Stainless Steel




SPREADER S-RANGON		
Size (Inch)	9	16

Spreader L-Long
Stainless Steel



SPREADER L-LONG										
Size (Inch)	2	4	6	9	12	14	16	18	20	



Spreader Dragon Type



SPREADER DRAGON TYPE		
Size (Inch)	9	12

Fish Hanger



FISH HANGER	
Size (Inch)	4

Luminous Beads


Oval Hard - LBHO
Oval Soft - LBSO



LUMINOUS BEADS										
Size	3	3.3	4	5	6	7	8	10	12	


Luminous Beads

Round Hard - LBHR
Round Soft - LBSR



LUMINOUS BEADS										
Size	3	3.5	4	5	6	8	10	12		

Luminous Tube



Longer Duration Luminous



LUMINOUS TUBE			
Size	Length (m)	Green	Red
SFT 1.5	3	•	•
SFT 2.0	3	•	•
SFT 2.5	3	•	•

Tube Fluo



TUBE FLUO	
Size	SLP 1.0 SLP 1.5 SLP 2.0

Bait Cast

SBN



BAIT CAST										
Size	05	06	07	08	09	10	12	14		

Sinker



SINKER							
Size (oz)	1/2	1	2	3	4	5	6

Sinker Barrel



SINKER BARREL						
Size (oz)	#02	#03	#04	#05	#06	#07

Sinker Barrel With Wire



SINKER BARREL WITH WIRE						
Size (oz)	02	03	04	05	06	07

Red / White Float



RED/WHITE FLOAT							
Size (inch)	1/2	3/4	1.0	1-1/4	1-1/2	1-3/4	2.0

SSF Float



SSF FLOAT	
Size	Length (mm)
SSF 01	24.4
SSF 02	30.9
SSF 03	40.4
SSF 04	44.1
SSF 05	52.1
SSF 06	59.9
SSF 07	65.6

Paulownia Wood

#210069



PAULOWNIA WOOD (#210069)			
Size (g)	4	5	6

#27630B



PAULOWNIA WOOD (#27630B)			
Size (g)	2	3	4

#27637B



PAULOWNIA WOOD (#27637B)			
Size (g)	3	4	5

#28075A



PAULOWNIA WOOD (#28075A)			
Size (g)	3	4	5

#29092B



PAULOWNIA WOOD (#29092B)			
Size (g)	5	10	15

#210016



PAULOWNIA WOOD (#210016)			
Size (g)	0.5	1	1.5

#210017



PAULOWNIA WOOD (#210017)			
Size (g)	0.8	1.2	1.5

#210019



PAULOWNIA WOOD (#210019)			
Size (g)	0.5	1	1.5

#210020



PAULOWNIA WOOD (#210020)			
Size (g)	0.2	0.3	0.6

#210023



PAULOWNIA WOOD (#210023)			
Size (g)	1	2	3

#210026



PAULOWNIA WOOD (#210026)			
Size (g)	0.8	1	1.5

#210031



PAULOWNIA WOOD (#210031)			
Size (g)	0.5	1	1.5

#210038



PAULOWNIA WOOD (#210038)			
Size (g)	0.5	1	1.5

#210048



PAULOWNIA WOOD (#210048)			
Size (g)	1	1.5	2

#210061



PAULOWNIA WOOD (#210061)			
Size (g)	0.5	1	1.5

#210064



PAULOWNIA WOOD (#210064)			
Size (g)	0.5	1	1.5

#210065



PAULOWNIA WOOD (#210065)			
Size (g)	1.5	2.5	3.5

#28072



PAULOWNIA WOOD (#28072)			
Size (g)	0.3	0.5	1




7x7
49-STRAND COATED
STAINLESS STEEL WIRE

ELEPHANT POWER
HIGH TENSILE STRENGTH



- 49 Strands braided together, leading to an amazing softness and flexibility.
- Special brown protection coating, resulting in an extremely high abrasion resistance.
- Premium quality stainless steel wire.
- For saltwater and freshwater use. (Also recommended for murky waters)

Brown
Protection
Coating



ULTRA-SOFT CABLE STRONGEST STRAND

ELEPHANT POWER							
Test (lb)	27	39	58	79	100	125	155
Test (kg)	12	18	26	36	45	57	70
Length (m)	10	10	10	10	10	10	10

7 X 7 Elephant Power

Perhaps the best un-coated leader wire available! For more than 30 years, Seahawk's Classic Elephant Power has remained one of the top choices for premium quality wires in the industry - a popular choice especially for trolling and as leader wire for big game fishing. Forged from Japan-sourced carefully selected high quality materials, the Elephant Power is a 49-strand (7x7) un-coated stainless steel wire that features supreme flexibility, exceptional durability and remarkable high tensile strength compared to other wires in the market. With quality assured for decades and up to today, Seahawk stands strong and proud to say that the Elephant Power is 'Often Imitated, Never Duplicated'.



MADE IN JAPAN

7 X 7 ELEPHANT POWER										
Test (lb)	10	10	10	10	10	10	10	10	10	10
Length (m)	20	30	40	50	60	80	100	120	150	200

TENGGERI WIRE



7x7
49-STRAND UNCOATED
STAINLESS STEEL WIRE

2X POWER
STRENGTH

Japan Material

TENGGERI WIRE		
Test (lb)	Diameter (mm)	Length (m)
20	0.40	10
30	0.45	10
40	0.50	10
50	0.60	10
60	0.70	10
80		10




SEAHAWK®
ELEPHANT™
HIGH TENSILE STRENGTH **POWER**

AFW
AMERICA'S
FINEST WIRE

KNOTTABLE

10m ULTRA-SOFT CABLE STRONGEST STRAND

SEAHAWK'S ULTRA SOFT ELEPHANT POWER uses the latest technology in the industry. Compared to other traditional wires that are stiff and rigid, the Elephant Power boasts an ultra-soft and pliable material that enables it to easily be tied into a knot. This unique knottable feature coupled with proven high durability and abrasion resistance, the Elephant Power continues to dominate the industry and remains a bestseller among wires.



Durable, Higher Flexibility and abrasion resistance. Good general purpose construction for strength and flexibility.

7x7 49-STRAND UNCOATED STAINLESS STEEL WIRE



Size Available (lbs) : 25 35 45 55 70 80 100 120 150



10m Nylon Coated Wire With 12pcs Copper Sleeve



10M NYLON COATED WIRE										
Size (lb)	5	10	15	20	25	30	40	50	60	70
	60	70	80	90	100	120	150	200		

Single Strand Soft Wire



SINGLE STRAND SOFT WIRE			
Size	Dia (mm)	lb Test	Yards
32	0.25	20	10
30	0.30	30	10
29	0.35	40	10
28	0.38	50	10
27	0.40	60	10
26	0.45	70	10
25	0.50	80	10
23	0.60	90	10
22	0.70	100	10
20	0.90	150	10
18	1.20	200	10

Single Strand Hard Wire




SINGLE STRAND HARD WIRE			
Size	Dia (mm)	lb Test	Yards
32	0.25	20	10
30	0.30	30	10
29	0.35	40	10
28	0.38	50	10
27	0.40	60	10
26	0.45	70	10
25	0.50	80	10
23	0.60	90	10
22	0.70	100	10
20	0.90	150	10
18	1.20	200	10


DESIGNED FOR SALTWATER GAME

TUFFTECH
 AQUA-BLOCK


STB-518


RUGGED
 DESIGN


Interior Size :
 A : 307mm / B : 168mm
 Deep : 140mm




C : 285mm / D : 153mm
 E : 115mm / F : 95mm
 G : 35mm / Deep : 23mm



Features:
 • Floats
 • Tight sealling
 • Keep your supplies clean & dry

Size (mm)	Material	Section
330 x 195 x 150	PP	10

STB-547


RUGGED
 DESIGN


Interior Size :
 A : 247mm / B : 145mm
 C : 47mm / Deep : 35mm

Features:
 • Floats
 • Tight sealling
 • Keep your supplies clean & dry

Size (mm)	Material	Section
360 x 230 x 50	PP	23

STB-547-A



RUGGED
 DESIGN


Interior Size :
 A : 247mm / B : 145mm
 Deep : 35mm

Features:
 • Floats
 • Tight sealling
 • Keep your supplies clean & dry

Size (mm)	Material	Section
247 x 230 x 50	PP	1


STB-548


RUGGED
 DESIGN


Interior Size :
 A : 247mm / B : 145mm
 C : 47mm / Deep : 35mm

Features:
 • Floats
 • Tight sealling
 • Keep your supplies clean & dry

Size (mm)	Material	Section
275 x 185 x 50	PP	13

**SBB-130TCE**

Interior Size:
A: 68mm | B: 113mm | C: 47mm |
D: 33mm | E: 113mm

Size (mm)	Material	Section
120 x 75 x 30	PP	5

SBB-260TCE


Interior Size:
A: 92mm | B: 152mm | C: 114mm | D: 45mm |
E: 37mm | F: 75mm

Size (mm)	Material	Section
159 x 99 x 32	PP	5


**SUB-200TCE**

Interior Size:
A: 92mm | B: 190mm | C: 94mm | D: 45mm |
E: 76mm | F: 114mm | G: 37mm

Size (mm)	Material	Section
200 x 130 x 47	PP	3/5

STB-315 (5/6-Section Double-Sided Box)

Interior Size:
A: 175mm | B: 95mm | C: 21mm
D: 73mm | E: 43mm | Deep: 15mm



Interior Size:
F: 62mm | G: 48mm | H: 38mm
I: 32mm | Deep: 15mm

Size (mm)	Material	Section
190 x 110 x 47	PP	11


STB-319 (Small Size Double-Sided Multi-Functional Box)

Interior Size:
A: 128mm | B: 29mm | C: 41mm |
Deep: 16mm




D: 62mm | Deep: 16mm

Size (mm)	Material	Section
140 x 75 x 50	PP	6


STB-316 (5/8-Section Double-Sided Box)

Interior Size:
A: 120mm | B: 20mm | C: 95mm



D: 172mm | E: XXXmm | Deep: 16mm


Size (mm)	Material	Section
190 x 110 x 48	PP	13

STB-320 (Large Size Flexible Box)

Interior Size:
A: 125mm | B: 48mm |
C: 34mm | D: 181mm |
Deep: 26mm

Size (mm)	Material	Section
190 x 135 x 38	PP	14


STB-321



Interior Size:
A: 73mm | B: 118mm |
C: 22mm | Deep: 22mm

Size (mm)	Material	Section
125 x 80 x 28	PP	8

STB-323 (Medium Sized 8-Section Box)




Interior Size:
A: 88mm | B: 170mm |
Deep: 19mm

Size (mm)	Material	Section
178 x 100 x 30	PP	8

STB-335 (Small Size Double-side 4/6-Section Box)



Interior Size:
A: 34mm | B: 78mm | Deep: 15mm



A: 42mm | B: 38mm |
C: 34mm | Deep: 15mm

Size (mm)	Material	Section
155 x 95 x 45	PP	10

STB-391




Interior Size:
A: 87mm | B: 230mm | Bottom Deep: 25mm



1st & 2nd Small Tray:
C: 66mm | D: 206mm | Deep: 10mm

Size (mm)	Material	Section
235 x 95 x 45	PP	3


STB-330 (Small Sized 10-Section Box)



Interior Size:
A: 29mm | B: 125mm |
C: 24mm | Deep: 15mm

Size (mm)	Material	Section
460 x 205 x 80	PP	10


STB-331 (Small Sized 5-Section Pseudo-Bait Box)



Interior Size:
A: 125mm | B: 56mm |
C: 24mm | Deep: 15mm

Size (mm)	Material	Section
132 x 65 x 25	PP	5


STB-393



Interior Size:
A: 161mm | B: 96mm |
C: 31mm | Deep: 35mm

Size (mm)	Material	Section
167 x 115 x 35	PP	15


STB-396




Interior Size:
A: 203mm | B: 105mm | Deep: 34mm

Size (mm)	Material	Section
210 x 115 x 35	PP	6

STB-397




Interior Size:
A: 145mm / B: 215mm /
C: 60mm / D: 153mm /



E: 35mm / F: 96mm /
Deep: 45mm

Size (mm)	Material	Section
225 x 155 x 45	PP	15


STB-399



Interior Size:
A: 207mm / B: 305mm /
C: 43mm / Deep: 50mm

Size (mm)	Material	Section
315 x 255 x 50	PP	28


STB-408 (Preudo-Bait Box Series)



Interior Size:
A: 222mm / B: 111mm /
C: 37mm / D: 74mm /
E: 37mm / Deep: 31mm

Size (mm)	Material	Section
228 x 112 x 35	PP	18


STB-409 (Preudo-Bait Box Series)



Interior Size:
A: 170mm / B: 85mm /
C: 28.33mm /
D: 56.66mm / E: 28.33mm /
Deep: 35mm

Size (mm)	Material	Section
117 x 92 x 35	PP	18


STB-400



Interior Size:
A: 347mm / B: 211mm /
Deep: 50mm

Size (mm)	Material	Section
360 x 225 x 50	PP	48

STB-407 (Preudo-Bait Box Series)



Interior Size:
A: 266mm / B: 169mm /
C: 44.33mm / D: 84.5mm /
E: 56.33mm / Deep: 40mm

Size (mm)	Material	Section
273 x 176 x 44.5	PP	36


STB-430 (Preudo-Bait Box Series)



Interior Size:
A: 170mm /
B: 320mm /
Deep: 150mm

Size (mm)	Material	Section
330 x 184 x 156	PP	19


STB-461



Interior Size:
A: 322mm / B: 207mm /
C: 50mm / D: 118mm /
E: 85mm / Deep: 45mm

Size (mm)	Material	Section
331 x 220 x 50	PP	21


STB-458 (Large Size Portable Series)



Interior Size:
A: 252mm | B: 373mm |
C: 52mm | D: 65mm |
E: 185mm | F: 61mm |
Deep: 85mm

Size (mm)	Material	Section
387 x 280 x 85	PP	21


STB-458-A



Interior Size:
A: 250mm | B: 373mm | C: 65mm | D: 60mm |
E: 65mm | F: 195mm | G: 120mm | H: 52mm

Size (mm)	Material	Section
380 x 270 x 122	PP	50


STB-482



Interior Size:
A: 262mm | B: 347mm |
C: 53mm | D: 230mm |
E: 215mm | F: 115mm |
G: 45mm | H: 100mm |
Deep: 435mm

Size (mm)	Material	Section
365 x 295 x 85	PP	66


STB-488



Interior Size:
A: 263mm | B: 162mm |
C: 29mm | D: 10mm

Size (mm)	Material	Section
276 x 176 x 49	PP	16


STB-487



Interior Size:
A: 310mm | B: 450mm | C: 60mm |
D: 430mm | E: 280mm | F: 110mm |
G: 165mm | H: 230mm | I: 50mm |
J: 158mm

Size (mm)	Material	Section
450 x 310 x 190	PP / PC	33


STB-494



Interior Size :
A: 155mm / B: 90mm |
C: 41mm / D: 30mm |
Deep: 40mm

Size (mm)	Material	Section
160 x 94 x 39	PP	20


STB-496



Interior Size:
A: 260mm / B: 360mm /
Deep: 85mm

Size (mm)	Material	Section
230 x 110 x 70	PP	18


STB-497



Interior Size :
A : 265mm / B : 170mm
C : 55mm / Deep : 95mm

Size (mm)	Material	Section
280 x 170 x 100	PP	15


STB-517



Interior Size:
A: 290mm /
B: 390mm /
Deep: 305mm

Size (mm)	Material	Section
390 x 290 x 330	PP / PC	21


STB-542



Interior Size:
A: 260mm / B: 360mm /
Deep: 85mm

Size (mm)	Material	Section
360 x 260 x 85	PP	1


STB-501



Interior Size:
A: 175mm /
B: 275mm /
Deep: 225mm

Size (mm)	Material	Section
275 x 175 x 260	PP	53


STB-513




Interior Size :
A : 237mm / B : 166mm
C : 40mm / Deep : 35mm

Size (mm)	Material	Section
210 x 165 x 40	PP / PC	12

STB-553



Interior Size:
A: 160mm / B: 233mm




C: 214mm / D: 126mm / E: 65mm
F: 23mm

Size (mm)	Material	Section
233 x 160 x 135	PP	6

SB-001





Interior Size:
A: 170mm / B: 244mm /
C: 39mm



D: 120mm / E: 110mm /
F: 38mm

Size (mm)	Material	Section
275 x 190 x 70	PP	30


SB-002



Interior Size:
A: 88mm / B: 197mm /
C: 32mm / D: 66mm

Size (mm)	Material	Section
225 x 120 x 60	PP	15

SB-006



Interior Size:
A: 68mm / B: 105mm / C: 16mm / D: 34mm
E: 52mm / F: 33mm

Size (mm)	Material	Section
137 x 90 x 35	PP	14

SB-007



Interior Size:
A: 128mm / B: 92mm /
C: 31mm / D: 42mm /
Deep: 15mm

Size (mm)	Material	Section
135 x 105 x 27	PP / PC	7

SB-003



Interior Size:
A: 69mm / B: 188mm /
C: 62mm / D: 30mm

E: 100mm / F: 197mm /
G: 40mm

Size (mm)	Material	Section
205 x 120 x 65	PP	10


SB-004



Interior Size:
A: 99mm / B: 198mm /
C: 31mm

Size (mm)	Material	Section
235 x 125 x 35	PP	12

SB-008



Interior Size:
A: 270mm / B: 369mm / C: 145mm / D: 247mm
E: 58mm / F: 122mm / G: 86mm

Size (mm)	Material	Section
380 x 290 x 60	PP	22


SB-009



Interior Size:
A: 108mm / B: 221mm /
C: 72mm / D: 33mm

Size (mm)	Material	Section
230 x 125 x 33	PP	15


SB-012



Interior Size:
A: 56mm
B: 126mm
C: 24mm

Size (mm)	Material	Section
133 x 62 x 25	PP	5

SB-016



Interior Size:
A: 89mm / B: 172mm /
C: 43mm / D: 33mm

Size (mm)	Material	Section
178 x 94 x 30	PP	10


SB-022



Interior Size:
A: 174mm
B: 269mm
C: 115mm
D: 42mm
E: 152mm

Size (mm)	Material	Section
275 x 18 x 400	PP	18


SB-1011



Interior Size:
A: 68mm / B: 130mm / C: 31mm / D: 33mm

Size (mm)	Material	Section
133 x 72 x 90	PP	7


SB-019



Interior Size:
A: 87mm / B: 204mm / C: 24mm

Size (mm)	Material	Section
217 x 96 x 32	PP	8


SB-021 (4pcs / Set)



Interior Size:
Box A -- A: 52mm / B: 84mm
Box B -- A: 43mm / B: 68mm
Box C -- A: 35mm / B: 50mm
Box D -- A: 28mm / B: 44mm

Size (mm)	Material	Section
89 x 58 x 41	PP	1


SB-1021



Interior Size:
A: 65mm / B: 191mm /
C: 31mm / D: 32mm /
E: 65mm
F: 191mm / G: 31mm /
H: 32mm / I: 32mm

Size (mm)	Material	Section
210 x 107 x 42	PP	11

SB-1022



Interior Size:
A: 125mm
B: 180mm
C: 40mm
D: 48mm


Size (mm)	Material	Section
190 x 134 x 38	PP	14

SB-1024




Size (mm)	Material	Section
209 x 118 x 35	PP	6

SB-1029




Size (mm)	Material	Section
180 x 72 x 28	PP	2

SB-1306 (4pcs / Set)




Size (mm)	Material	Section
340 x 260 x 70	PP	23

SB-1309




Size (mm)	Material	Section
358 x 235 x 50	PP	24

SB-1030




Size (mm)	Material	Section
200 x 105 x 30	PP	6

SB-1032



Size (mm)	Material	Section
112 x 66 x 30	PP	6

SB-1313



Size (mm)	Material	Section
315 x 228 x 50	PP	42



Seat Box




Dark Green



Black



Blue



Size (mm)	Material	Section
390 x 250 x 375	PP	11

Live Bait Box
MB9325



Dark Green



Plier (All pliers come with blister packing)

- Now you can cut both lines & wires, open, close and crimp eye - hooks with one convenient tool.
- No freshwater or saltwater angler should be without a pair of these pliers.
- With any one of these pliers as your companion, you'll be prepared for everything right from cutting line to dehooking fish.
- Designed and built to be the first and last pair of pliers you'll ever own.
- The padded handles give you a firm and comfortable grip.
- Stainless steel pliers with nylon belt sheath keeps your trusty tool close at hand.
- Its innovative shape provides more hook-pulling leverage and greater reach than ordinary plier design.
- These high performance pliers come equipped with extremely sharp cutters capable of handling everything from mono lines to multistrand wires and even high-tech braided lines.



Diagonal Nose Pliers
SFP-602



DIAGONAL NOSE PLIERS		
Model	Length	Wt (g)
SFP-602	6"	202

Long Nose Pliers
SFP-603



LONG NOSE PLIERS		
Model	Length	Wt (g)
SFP-603	6"	162

Long Nose Pliers 45 Bend
SFP-604



LONG NOSE PLIERS 45 BEND		
Model	Length	Wt (g)
SFP-604	6"	84

Split Ring Pliers
SPC-011



SPLIT RING PLIERS		
Model	Length	Wt (g)
SPC-011	4.5"	76

Pliers
SFPMF02



PLIERS		
Model	Length	Wt (g)
SFPMF02	6"	43

Pliers
SFPF06R



Black / Gold

Black / Green



PLIERS		
Model	Length	Wt (g)
SFPF06R	7"	109

Long Nose Pliers 45 Bend
SFP-1101T



Bent nose



Non-slip material



Teflon coated



TEFLON
COATED

LONG NOSE PLIERS 45 BEND		
Model	Length	Wt (g)
SFP-1101T	11"	307

Fishing Pliers
SFP-601T

TEFLON
COATED

Features:

- Teflon coated for durability
- Firm & comfortable non slip rubber grip
- 45° Bend long nose plier
- Excellent for hook disgorger

FISHING PLIERS		
Model	Length	Wt (g)
SFP-601T	6"	161



Bent Nose



Teflon Coated



Non-Slip Material



MULTI-TOOL STAINLESS STEEL PLIER

SUITABLE FOR FISHING AND CAMPING

MULTI-TOOL STAINLESS STEEL PLIER WITH SPLIT RING OPENER					
Model	Size (cm)	Wt (g)	Tools	Material	Colour
SMT-02	H:10 x W:4 x D:19	200	14	Stainless Steel	Blue/Black


Seahawk Multi tools offers a wide variety of tools on a single plier, It is made of strong stainless steel and is designed to tackle any task.

Spring loaded pliers relieve hand strain while each tool serves a purpose.

- Feature:
- Easy to carry
 - Stainless steel
 - Ideal for outdoor and home use
 - Comfortable grip
 - Come with Canvas Pouch



MULTI-TOOL STAINLESS STEEL PLIER					
Model	Size (cm)	Wt (g)	Tools	Material	Colour
SMT-03	H:10 x W:4 x D:19	221	15	Stainless Steel	Blue/Black





FLOATING • SECURES CATCH • UNIQUE DESIGN
FISHING GRIP



FISHING GRIP		
Model	Length (Inch)	Wt (g)
DFG 006	6"	-



Fishing Gripper
SFG-007

- Feature:
- Land and release your catch of the day without harm to you or the fish
 - Securely hold fish with one-hand
 - Fast release mechanism holds strong and releases with ease
 - Corrosion free
 - Includes wrist lanyard
 - Light weight
 - Floats on water
 - Unique design



FISHING GRIPPER		
Model	Length (Inch)	Wt (g)
SFG 007	8"	-

Lip Grip



LIP GRIPS	
Model	Weight (kg)
SLG 25	12
SLG 50	23

Scale Digital
HW-C002



Fishing Grip Spring Scale
SFLG 03



Fishing Grip
SFG-011



FISHING GRIP	
Model	Weight (Inch)
SFG-011	7"

Fish Weighing Scale



FISH WEIGHING SCALE	
Model	Weight (kg)
SFS-12	12
SFS-25	25
SFS-50	50

Stainless Steel Fishing Fillet Knife (Floating Handle)

SFK-02




With this floating fillet knife anglers can now get outstanding quality at unbeatable price! Its 5.8 inch blade, made from The Finest Razor Stainless Steel, gives you the most remarkable filleting, skinning and trimming results.

This floating fillet knife comes complete with stylish and durable handle and strong sheath - both made from long-lasting materials, perfect for all fishing trips!

- Attractive extra tough material
- Sure-grip handle for comfortable grip
- Safety guard for maximum protection
- Durable 5.8" quality stainless steel
- Long-lasting razor-sharp edge for all filleting purposes

Tips For easy Fillet Knife



STAINLESS STEEL FISHING FILLET KNIFE	
Model	Weight (Inch)
SFK-02	11"

Braided Scissors (Stainless Steel) KM-711



- Feature:
- Ambidextrous and constructed of sturdy stainless steel
 - Fully qualified to snip small to medium fishing line, including braided line.
 - Durable cutting surface extends from pivot to point.
 - Overall length about four inches.

STAINLESS STEEL BRAIDED SCISSORS	
Model	Weight (Inch)
KM-711	4"

Fish Fork



Aluminium Gaff



Inflatable Lifejacket
Automatic / Manual Inflatable PFD
 SLJ-018



Feature:

- UML - 5 Auto Hydrostatic Inflation Automatic Inflation - inflates when immersed in water or when user pulls activation cord.
- Safety Inspection Window - Allows user to inspect inflation status : Green indicates inflated and is ready for use.
- Crew saver 150N • 0-40kg buoyancy life jacket - A permanent buoyancy life jacket, with an additional chamber which can be inflated orally for extra buoyancy below 100kg.
- 33g CO2 cartridge, Buoyancy > 150N Cylinder is contained inside the bladder to protect against corrosion
- Heavy duty polyurethane coated nylon
- Safety whistle and S.O.L.A.S reflective tape on bladder and backup oral inflation tube
- UML Inflator made in UK
- Wide mesh-web back strap to spread tension of the center support strap

CE **CE APPROVED LIFEJACKETS**
 All Marine Warehouse Lifejackets carry the relevant CE or ISO approval.
 Testing is carried out in the UK by the Fleetwood Testing Laboratory.
 Fleetwood are known in the industry as having rigorous standards.

ISO 12402-3



Colour Available:



Red

Maroon

Yellow

Navy Blue



Navy Blue Camo

Green White Camo

Army Green Camo

Inflatable Lifejacket Automatic / Manual Inflatable PFD

SLJ-2020



CE APPROVED LIFEJACKETS
All Marine Warehouse Lifejackets carry the relevant CE or ISO approval.

Testing is carried out in the UK by the Fleetwood Testing Laboratory.

Fleetwood are known in the industry as having rigorous standards.

ISO 12402-3



Feature:

- UML - 5 Auto Hydrostatic Inflation Automatic Inflation - inflates when immersed in water or when user pulls activation cord.
- Safety Inspection Window - Allows user to inspect inflation status .
- Crew saver 150N • 0-40kg buoyancy life jacket - A permanent buoyancy life jacket, with an additional chamber which can be inflated orally for extra buoyancy below 100kg.
- 33g CO2 cartridge, Buoyancy > 150N Cylinder is contained inside the bladder to protect against corrosion
- Heavy duty polyurethane coated nylon
- Safety whistle and S.O.L.A.S reflective tape on bladder and backup oral inflation tube
- UML Inflator



Colour Available:



Inflatable Lifejacket
Automatic / Manual Inflatable PFD
SLJ-016



- Feature:
- Weight < 0.6kg
 - Buoyancy > 150N
 - Inflation time < 5s
 - Float duration > 24h
 - Buoyancy loss after 24h < 5%
 - CO2 Weight : 24g
 - Ambient temperature for use : -30°C ~ +65°C



24g Cartridge CO2 Included



Red

Reflective



Blue



Black



Yellow



Camo Green



Gray Camo

Buoyancy Aid
50N

This classic universal canoe buoyancy aid persons over 40kg. Features include reinforced shoulder straps, drain mesh front pocket, adjustable waist belt crutch strap that are sewn in to prevent loss, reflective strip & whistle

FOAM BUOYANCY AID

These products are designed for competent swimmers, and are suitable for use in sheltered waters. They will only provide support to a conscious person who can normally help themselves.



BUOYANCY AID	
Model	Size
50N	One Size 70 + kg

Yellow



Front




Back

Orange



Front



Solas® Reflective Strip



Adjustable Safety Buckle



Whistle



Adjustable Safety Across Strip



Back

Life Jacket Re-Arming Kit
SLJ-018



LIFE JACKET RE-ARMING KIT		
Model	Weight (g)	
SLJ-018	33	

Replacement C02 Cartridge With Bobbin Set
SLJ-016



REPLACEMENT C02 CARTRIDGE WITH BOBBIN SET		
Model	Weight (g)	
SLJ-016	24	

Life Jacket C02 Cyclinder
SFP-1101



LONG NOSE PLIERS 45 BEND		
Model	Length	Wt (g)
SFP-1101	11"	273


Life Jacket UK Firing Bobbin Assembly



Life Jacket Bobbin Assembly



Foldable V-Shape Aluminium Landing Net



Gumming Net


- Colourless
- Quick drying time

Feature:

- Aluminium 2 section telescopic handle with non-slip grip.
- Compact design
- Light weight yet durable
- foldable

FOLDABLE V-SHAPE ALUMINIUM LANDING NET			
Model	Size (cm)	Length (m)	Section
SFN50182	50 x 50	1.8	2
SFN60202	60 x 60	2.0	2

Landing Net Economy



LANDING NET (ECONOMY)	
Size (Inch)	
16	
13	
12	

Landing Net Love Shape




LANDING NET (LOVE SHAPE)	
Size	
S / L	

Mesh Keep Net - Polyester




MESH KEEP NET - POLYESTER	
Model	Size
N20	Small
N24	Medium
N30	Large
N36	X-Large

2 Ringed Basket



2 RINGED BASKET	
Model	Size (Inch)
N2008	8
N2010	10
N2012	12

3 Ringed Basket



3 RINGED BASKET	
Model	Size (Inch)
N3013	13
N3015	15
P3013	13
P3015	15

Mesh Keep Net - Nylon



MESH KEEP NET - NYLON	
Model	Size
N20	Small
N24	Medium
N30	Large
N36	X-Large

Waterproof Bag (Type-A Specifield Box)**Feature :**

- 100% Waterproof
- Floats safely if dropped in water
- Durable, wipe-clean and easy to store away
- Multipurpose storage application
- Heavy duty and durable materials for rough usage
- Supplied with adjustable double strap and double D-ring for easy attachment
- Single strap for 2L and 5L
- Double strap for 10L, 20L, 30L and 40L

WATERPROOF BAG							
Size (Litre)	Pink	Yellow	Orange	Light Blue	Navy Blue	Grey	Black
2	•	•	•	•	•	•	•
5	•	•	•	•	•	•	•
10	•	•	•	•	•	•	•
20	•	•	•	•	•	•	•
30			•		•	•	•
40			•		•	•	•

Fishing Cap With Face Cover

JFC 02

**Multi-Waist And ChestPack With Box Configurations**
M09C**Multi-Waist Pack With Box Configurations**
M10C



ALUMINIUM ROUND KNOB

アルミラウンドノブ


Custom Made System⁺



Super light weight round aluminium power knob that fits most spinning reels (Daiwa / Shimano / Abu garcia etc.) Easy Installation. Comes with bearings (Size 4x7 x 2.0), collar, washer & screw.

- 2 ball bearing included

ALUMINIUM ROUND KNOB				
Item Code	Colour	S Size	M Size	L Size
#01	Gunsmoke / Gold	•	•	•
#02	Gunsmoke / Blue	•	•	•
#03	Gunsmoke / Maroon Red	•	•	•
#04	Black / Silver	•	•	•
#05	Black / Champaign Gold	•	•	•
#06	Black / Gold	•	•	•
#07	Chameleon	•	•	•



ALUMINIUM I-SHAPE KNOB

アルミラウンドノブ

Custom Made System⁺



Super light weight round aluminium power knob that fits most spinning reels (Daiwa / Shimano / Abu garcia etc.) Easy Installation. Comes with bearings (Size 4x7 x 2.0), collar, washer & screw.



ALUMINIUM I-SHAPE KNOB		
Item Code	Colour	Length (mm)
SAI	Gunsmoke	35
	Maroon Red	
	Dark Blue	
	Champaign Gold	
	Apple Green	

Compatible Aluminium Handle With EVA Power Knob



COMPATIBLE ALUMINIUM HANDLE WITH EVA POWER KNOB	
Size	
	1000 - 4000
	5000 - 6000

Line Winder With Aluminium Table Clamp

Feature :


- Weight : 372g



How To Install :



**2 in 1 Table top
Fishing Line Winder**
6067




- Features:

- Compact and Lightweight.
- Easy remove and install multi-rotate aluminium spool holder.
- Avoids line twist spring-loaded tension ensure even spooling.
- Table top with anti slip band provides more stability and efficiency when spooling. The maximum thickness can be fixed up to 5cm.
- Made with high grade stainless steel to enhance corrosion resistance that makes it suitable for any outdoor conditions.
- Strong tested vacuum suction cup that can mount onto any flat and smooth surfaces.

2 IN 1 TABLE TOP FISHING LINE WINDER		
Model	Height (mm)	Wide (mm)
6067	140	135




Snelled Hook Holder
SHH-100



Automatic Rod Holder



Snelled Hook Holder
SHH-200



Headlamp
3324



Power Bank II Speed Air Pump
SHAP-167



Rod Bell Single



ROD BELL SINGLE	
Model	Size (mm)
SH-113	13
SH-115	15
SH-118	18

Rod Bell Double



ROD BELL DOUBLE	
Model	Size (mm)
DH-113	13
DH-115	15
DH-118	18

Rod Bell Luminous

夜光
Luminous



ROD BELL LUMINOUS	
Size (mm)	
14	16

Clamp Rod
RC100UV Flashlight (LED)
SWJ-003UVHorizontal Rod Rack
RHD-001

Light Stik With Tube & Clip

Feature:

- Ideal for: Fishing, Camping, Boating, Hunting, Parties, Gifting, Emergency Lighting.
- Last up to 12 hours.
- Includes: Plastic tube and adhesive tape for easy fitting.



LIGHT STIK WITH TUBE & CLIP		
Model	Size (mm x mm)	Yellow / Green
	4.5 x 39	•
Light Stick	6.0 x 50	•
	7.5 x 75	•

Treble Hook Holder
ZP-056

TREBLE HOOK HOLDER		Size				
Model		6	2	1	1/0	2/0
ZP-056						3/0

Hook Disgorger



HOOK DISGORGER	
Length (cm)	17

Clip-on Lightstick



- Last up to 12 hours.

CLIP-ON LIGHTSTICK	
Model	Size (mm)
	2.0 - 2.6 (M)
Clip-on Lightstick	2.7 - 3.2 (L)
	3.3 - 3.7 (XL)
	3.8 - 4.3 (XXL)

Fighting Belt
Art No. SFB-014Fighting Belt
Art No. SFB-015

Air Pump
SAP 1502



- Feature:
- Water-Resistant
 - Two Speed
 - Using Battery: 1.5V Batteries Size "D"
 - Using time around 48 hours

Air Pump
SAP 5502



- Feature:
- Water-Resistant
 - Two Speed
 - Using Battery: 1.5V Batteries Size "D"
 - Using time around 30 hours

Squid Jig Hook Protector



SQUID JIG HOOK PROTECTOR		
Item Code	Size	Colour
Squid Jig Hook Protector	S (H: 23mm x W: 16mm)	Orange / White
	M (H: 26mm x W: 21mm)	
	L (H: 30mm x W: 25mm)	
	XL (H: 34mm x W: 29mm)	

Hook Keeper



- Feature:
- Compatible all rods

Pole Line Keeper
SPLK-2



Spool

SPOOL				
Size	#103	#104	#105	#106
	#107	#108	#109	

SPOOL WITH LINE			
Size	#103L	#104L	#105L
	#106L	#107L	#108L



Rod Bag



ROD BAG	
Model	Size
Rod Bag	6 - 7ft (1 Sec)
	7 - 9ft (2 Sec)
	10 - 12ft (2 Sec) / (2 Sec / 2 Layer)
	12 - 16ft (3 Sec)



Adventurer Sleep Bag
SSB-168



Rod Stand
GY-005



Designed & Developed by Seahawk / Team Seahawk Malaysia

Head Office (Malaysia)



TCE SPORTS

TCE SPORTS SDN. BHD. (313811-M)

150 & 150A, 1st Floor Beach Street, 10300 Penang, Malaysia.
email : info@tce-sports.com

Tel : +(604) 2638 700 (Hunting Line)

Fax : +(604) 2619 730

Indonesia



TCE SPORTS

PT. TCE SPORTS INDONESIA

Jalan Lautze Raya No.49, RT011 RW003, Karang Anyar-Sawah Besar,
Jakarta Pusat, Jakarta 10740, Indonesia.
email : info.indo@tce-sports.com

Tel : +62 21 2247 3010



www.tce-sports.com



Team Seahawk Fishing



TeamSeahawkFishing



teamseahawk.fishing



SEAHAWK
The Asia Pacific
Super Excellent
Brand 2008



Potential Company
Business of The Year
Award 2007



The 6th Malaysia
Golden Bull Award 2008
100 outstanding SMEs

For More Info :

