



REGUPOL TURFPAD SP

A SUCCESS STORY FOR ALMOST 25 YEARS



Sportfreunde Edertal 1921 e.V. can reflect on more than 100 years of club history, marked by community and sporting diversity. Since its foundation, the club has stood for active togetherness, true to the motto: "Sport is most enjoyable in a club". With a wide range of sports – including football, gymnastics/dance, athletics and table tennis – the club inspires members of all ages.

A PLACE THAT BRINGS GENERATIONS TOGETHER

The heart of the club is the sports field, which was inaugurated in 2001. Equipped with a main pitch and a small pitch, it is used not only for daily training but also for exciting matches on Sundays.

The prefabricated and durable **REGUPOL turfpad SP** elastic layer was installed under the synthetic turf surface back in 2000. It was specially designed for long and intensive use. When the synthetic turf was renewed in 2017, it was found that the elastic layer was still in perfect condition after 17 years and had excellent physical properties for sports. There was, therefore, no need to replace it.





OUALITY THAT SETS THE STANDARD

Today, 25 years after its installation, the **REGUPOL turfpad SP** elastic layer continues to demonstrate its exceptional quality. It provides consistent physical properties across the entire surface, and its water permeability ensures that rainwater drains away quickly.

A SUSTAINABLE SOLUTION FOR THE FUTURE

The combination of the synthetic turf system and the **REGUPOL turfpad SP** elastic layer has provided Sportfreunde Edertal with a sports pitch that has met high standards for decades – even after a quarter of a century of intensive use. Impressive proof that **REGUPOL** stands for quality, durability, efficiency and sustainability.

TOP PERFORMANCE THANKS TO REGUPOL TURFPAD SP

The **REGUPOL turfpad SP** elastic layer offers numerous benefits specially tailored to the requirements of an intensively used club pitch. Its outstanding durability is demonstrated by the fact that it has been in use for 25 years without any loss of quality. It also guarantees uniform physical properties so that ball bounce and force reduction remain constant over the entire surface. The prefabricated elastic layer is easy to install, complies with European standards and is certified according to EN 15330-4



