A6 Air Purifier

Owner's Manual







Please read the instructions carefully before use

DO NOT return to store

For help with installation or warranty issues

Call: 800-939-2983 or

Email: info@bonairedurango.com
For parts, Visit our Website:
https://www.bonairedurango.com

IMPORTANT READ AND SAVE THESE INSTRUCTIONS.

Please keep this important manual in a safe place.

It is the owner's responsibility to ensure that regular maintenance is carried out on this evaporative cooling product. Failure to do so will void all quarantees beyond statutory and legal requirements.


Disclaimer

Climate Technologies reserves the right to make alterations to specifications, quantities, dimensions etc. for production or other reasons, subsequent to publication. While we believe the information is accurate and complete, we make no warranty or representation for any particular purposes. The information is offered in good faith and with the understanding that any use of the units or accessories in breach of the directions and warnings in this document is at the sole discretion and risk of the user.


Performance Indexes

Product Name	Air Purifier
Model Number	TRD000016
Rated Voltage	110V-120V~
Rated Frequency	50Hz/60Hz
Product Usage	Remove airborne particulates, gaseous pollutants, microorganisms and other pollutants
Method of Cleaning	Anti-virus Hepa and Carbon
Rated Power	50W
Particulates CADR	520m³/h
Energy Efficiency Index	High Efficiency (Particulate)
Noise (Maximum)	63dB(A)
Applicable area	36-62 m ²
Product Size	300x300x587mm
Weight	5.8kg


Product Structure



Operator Panel




Display Panel



Installation instructions

Step 1: To open bottom cover, Turn the bottom cover in clock wise direction with help of Handle.








Step 2: Remove Plastic bag from Filter.



Step 3: Insert back filter in to the machine, Turn the bottom cover in Anti clock wise direction and ensure that filter properly fit in to the Machine.








Step 4: Plug the Power cord in to Socket.

How to Use Control Panel

POWER-UP: When the machine is powered on, the buzzer sounds and the machine enters the standby state.



SPEED:Press the wind speed button, the display screen displays 1, 2, 3, 4, 5(cycle), the machine running state, and adjust the speed according to the gear change.

MODE:Press this button shortly to switch among auto mode, turbo mode and sleep mode.

WIFI:In standby state, press "MODE" button for 5 seconds, and the WIFI icon flashes. When the machine enters the distribution Internet mode, the WIFI icon will be illuminated after successful distribution Internet.

TIME:Touch the timer to display a 0-8 hour cycle. After the timer function is turned on, the icon will light up "H". After the timer function is turned on, press and hold the timer button for two seconds to cancel the timer or touch the timer button and the number "0" appears to cancel the timer.

When the filter screen icon prompts replacement, in case of timing, press this button long to cancel the timing function first, and press it again for the second time to reset the filter screen prompt function. If there is no timing function, press this button

RESET:When the machine reaches 1,500 hours, the button icon flashes white slowly, prompts the user to change the filter screen,press the reset key for 3 seconds and reset the replacement prompt.

long to reset the filter screen replacement prompt function.

STERILIZE: Short press this button to switch on/off the function of UV and ecological super-energy ions. When the function is turned on, " ov " and " " icons are highlighted, and the icons do not illuminate when the function is turned off.

LOCK: Press this button for 3 seconds to enter the child lock function. After the child lock function is started, the buttons on the machine will not be operated. Press this key for 3 seconds to unlock before operation.

Filter Screen Maintenance and Repair

1. Anti-virus Hepa and Carbon (about once every two months)

The button icon flashes white slowly every 1,500 hours after the machine timing, prompts the user to change the filter screen. Press the reset button" ()" for 3 seconds to reset the replacement prompt.

Reset icon flashes slowly after 500 hours and change to long light in case of no operation of reset. Sleep mode does not prompt to change the filter screen.

Filter screen replacement is prompted after the end of sleep mode.

(Reset is the prompt function of filter screen replacement. It is not the current accumulated time. After reset, the time will be added and the machine will prompt to replace the filter screen after the next 1,500 hours)

- Put the filter screen in a ventilated place so that harmful gases and bacteria on the filter screen surface can be volatilized. Do not put it in too strong sunlight.
- · Do not wash the filter screen with water.
- Warm tips
- · Before cleaning and maintenance, the power plug must be unplugged;
- Do not operate under the condition that the filter screen has been removed (the machine should be no dust removal effect and suction of dust may cause device failure):
- · When it is idle for a long time, please unplug the power plug (it still consumes electricity in standby mode):
- The replacement cycle of the filter screen may be shortened depending on the place of use and the use method (e.g. households with high smokers or areas with severe air pollution). If the filter effect is not obvious, please replace the filter screen in time.
- · When changing the filter screen, please turn off the power supply first.
- If the servicing instructions of an air cleaner require access to parts that could result in a risk of electric shock, the servicing instructions shall be preceded by the signal word "WARNING" and the following or the equivalent: "RISK OF ELECTRIC SHOCK- These servicing instructions are for use by qualified personnel only. To reduce the risk of electric shock, do not perform any servicing other than that contained in the operating instructions unless you are qualified to do so.
- If a product has an interlock switch that is required to comply with section 29, Interlocks, In accordance with 40.1.5(b) or 45.1.2(b) to prevent operation if an air filter is removed, then the product operating instructions shall specify all intended filter(s), including replacement filters, needed for the intended operation of the product.
- This Product complies with the maximum allowable concentration of ozone of 0.050 parts per million by volume (ppmv) in a 24-h period. To reduce the risk of electric shock, this equipment has a polarized plug (one blade is wider than the other). This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reserve the plug. IF it still does not fit, contact qualified personnel to install the proper outlet. DO not alter the plug in any way.

Precautions

Installation instructions

- 1.Do not place in the following places:
- •Direct sunlight or facing the air outlet and heated places (may cause deformation, Deterioration, discoloration, and failure).
- •Equipment accessories such as TVs and radios (which may cause image distortion and noise). Please place it at a distance of 1m or more. At the same time, if the same socket is used with these devices, image plugging and noise may occur when the power plug is inserted.

When this happens, plug the power cord into a different outlet.


- 2.For indoor dust such as pollen, the product should be placed on the ground. Since pollen, dust, etc. are likely to fall near the floor, it is recommended to place the product on a flat floor in the room
- 3.In order to effectively circulate the air in the room. In order not to block the air inlet and outlet, place the product about 30cm or more from the left and right sides of the wall, furniture, curtains, etc. In order to use this product more effectively, please keep the back of the product at least 20cm away from the wall.
- 4.Do not place objects on the main unit (otherwise it may cause the machine to malfunction). Special Note: Do not place magnets and metal objects.
- 5.Do not block the air inlet and outlet, for example, do not place objects on the air outlet. Or in front of the air inlet.











∕!\ Warning



Prohibited

- The machine is prohibited from moving or shaking while it is running. Do not pull on the power cord while moving or storing it. Pulling the power cord may cause a short circuit or damage to the inside of the power cord, resulting in fire or electric shock.
- 2. Do not damage the power cord or plug, and do not cut, excessively twist, pull, or twist the power cord. If the power cord is damaged, it must be replaced by the manufacturer, service department or professional to avoid danger. Non-professionals are prohibited from disassembling the machine to avoid the risk of electric shock.
- 3. The plug and hand should not be exposed to water before plugging in the power plug, otherwise there is a danger of electric shock.
- 4. Do not use power supplies, universal sockets or connected devices that exceed the rated value.110V ~ 5A AC power. Using a universal outlet that exceeds the rated value or connecting the power supply may cause the power cord to overheat and cause a fire.
- 5. Do not touch the power plug with wet hands, which may result in electric shock
- 6. Do not put your fingers or metal objects into the gap of the air outlet, otherwise it may cause electric shock or injury. Do not allow water, flammable detergents or other liquids to enter the product to avoid electric shock or fire.
- 7. This product is not a substitute for normal ventilation equipment, daily vacuum cleaners and range hoods used in the kitchen.
- 8. Do not use this product in gas appliances, heating devices or stove accessories.
- 9. Do not use this product in a wet or hot environment such as a bathroom, toilet or kitchen.
- 10. Never place products in such locations
- Unstable locations (otherwise the product may fall or fall over, resulting in injury, electric leakage, electric shock or fire.)
- Locations that are hot, humid, or wet, such as bathrooms (air purifiers may cause electric shock or fire due to electric leakage.)
 a place where the kitchen emits soot
- 11. Do not use air purifiers in indoors with incense-based insecticides.
- Chemical residues may accumulate in the machine and then be released from the air outlet to endanger your health.
- After using the insecticide, allow the room to be thoroughly ventilated before using the air purifier.















12. It is not recommended to use an air purifier when burning incense or mosquito coils, otherwise the filter of the air purifier will leave an odor





Mandatory matters

Mandatory matters

- 1. Turn off the power of the machine immediately when any of the following conditions occur (may cause electric shock, sparks or smoke)
- There is abnormal sound or vibration during operation.
- •The product is abnormally hot and has a burnt odor.

2.Please clean the power plug regularly

- If the power plug is dusty, moisture may damage the insulated part of the plug, resulting in a fire.
- If the appliance is not used for a long time, please unplug the power cord.
- 3.Be sure to disconnect the power before performing maintenance on the appliance.
- The product may suddenly start, causing electric shock and injury.
- 4.Plug the plug securely into the power outlet (if the plug is not securely inserted, it may cause electric shock due to overheating or even cause a fire.)
- Do not use a damaged plug or a loose power outlet.

5. Please pull the power plug from the insulated part of the hand-held plug.

- Pull the power cord to pull off the power plug, which may cause damage to the power cord, electric shock, short circuit, or fire.
- 6. When any of the following conditions occur, please turn off the power of the machine immediately and look for the maintenance department.
- The switch does not work.
- The power cord or plug is abnormally hot.
- I noticed an abnormal sound or vibration.
- •There are any other abnormalities or malfunctions.



7.Non-professionals are prohibited from disassembling the machine to avoid the risk of electric shock.

For IEC: This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance. If the supply cordis damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard

For EN:This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.

The user manual can also be check and download from our website:
The symbol on the product or on its packaging indicates that this product
may not be treated as household waste. Instead it should be handed over
to the applicable collection point for the recycling of electrical and electronic
equipment.

By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product

For more detailed information about the recycling of this product, please contact your local council office or your household waste disposal service.

Troubleshooting

Common fault phenomenon, fault code description and troubleshooting

Fault phenomena	Inspection/Solution
Can't turn on or press button no response	 Is the power cord plug inserted? → Plug in the power cord plug. Is the filter screen of the purifier installed? → Install the filter screen.
The smell of the air outlet makes us feel uncomfortable	 Whether the filter screen is dirty? →Clean the filter screen. Has the filter screen not been replaced for a long time? →Replace new filter screen.
Filter screen alarm light is on	Filter screen alarm light is on: it indicates that the timing of filter screen replacement has reached the set value. At this time, replace the filter screen and reset it.

Packing details

Body	1Pc
Anti-virus Hepa and Carbon	1Set
Product Manual	1Pc
Remote Control	1Pc

WiFi Instructions

1.Scan and download

- 1) Download "Smart Life" APP
- 2) Log in the APP after registration (suitable for Android or ios system)



2.Add device

- 1)The mobile phone and the air purifier need to be in the sameUnder a WiFi environment.
- 2)Long press when the air purifier is onWiFi indicator on the operation panel of the WiFi ReyLight flashes quickly.
- 3)Click to add equipment and select "air purifier".

Smart Life + No Device Add Device Esperance Carter 1

3. Configuration mode

Confirming the WIFI indicator light on control panel is flashing quickly, then click "Finish Network configuration".



4.Choose wifi

Choosing the same WIFI mobile phone is connecting, enter WIFI password, and click "confirm".



5. Configuration process

Wait for the configuration to be completed.



6.Configuration completed

Choose "Done" and enter control interface.

13



Supplier's Declaration of Conformity

- a. This device complies with part 15 of the FCC rules.
- b. Responsible supplier listed as per SDoC:

Bonaire USA LLC.

Contact 800-939-2983 or www.bonairedurango.com

Warranty

Statement on Product Warranty (U.S.A.)

1. Warranty

Subject to the Conditions and Exclusions, Climate Technologies Pty Ltd provides the original purchaser with the following warranty:

Climate Technologies Pty Ltd warrants these appliances: Bonaire A6 Air Purifier, for a (2) two-year period (parts only) from the date of purchase. During this period, a defective appliance or defective parts will be repaired or replaced free of charge at the election of Climate Technologies Pty Ltd. In addition, Lifetime cabinet corrosion parts only warranty on the unit cabinet applies.

Climate Technologies Pty Ltd, makes no warranties, representations, or promises as to the quality or performance of its Air Purifier other than those specifically stated in this warranty.

2. Conditions and Exclusions

- a) The warranty only covers Air Purifier manufactured by Climate Technologies Pty Ltd and purchased in the U.S.A.
- b) The warranty does not cover installation components that may be attached to the product manufactured by Climate Technologies Pty Ltd. These may include and is not limited to items such as ducting, flues, grills, piping, etc. These items remain solely the responsibility of the installer / owner.
- c) This warranty is only valid if the appliance is installed and operated in accordance with the manufacturer's instructions and for its designed and intended purpose at the nominated phase, voltage and frequency.

- d) Product fitness for purpose and overall system design / sizing are solely the responsibility of the installer / owner. This includes but is not limited to heat load calculations, air flow, system balancing, humidity, water quality, etc.
- e) Industrial or commercial use of this product will void the warranty. The appliance is designed for domestic use only.
- f) The product must be installed by a qualified person in the manner prescribed by local and statutory regulations and to the manufacturer's specifications.
- g) Warranty will only be given where proof of purchase is provided by the original purchaser and Climate Technologies Pty Ltd is satisfied that the appliance is within the warranty period.
- h) Warranty will not be provided where, in Climate Technologies Pty Ltd opinion:
 - i. There is nothing wrong with the appliance.
 - The defective operation of the appliance is due to failure of electricity or water supply.
 - iii. Defects are caused by neglect, incorrect application, abuse, normal wear and tear or by accidental damage of the appliance.
 - iv. An unauthorized person has attempted to repair the appliance.
 - v. The appliance has been changed or modified in any way.
 - vi. A situation arises referenced in the trouble-shooting guide.
- Damage caused by elements such as wind, rain, lighting, floods, etc. along with power spiking and brownouts are not considered defective material or workmanship and as such are not covered by our warranty.
- j) If there is no certificate of compliance for plumbing or electrical work, Climate Technologies Pty Ltd reserves the right to refuse warranty on non-compliant installations.
- k) No responsibility will be accepted for outside elements such as pests, animals, pets and vermin that may cause damage to the unit.
- Harsh environmental situations such as salt air that may cause damage are not covered.
- m) Responsibility or liability is not accepted for damage to contents, carpet, walls, ceilings, foundations or any other consequential loss or damage of whatever nature either direct or indirect resulting from installation, operation or misuse of the appliance.
- n) Parts replaced under warranty are warranted for the balance of the original Warranty Period.
- o) All warranties are non-transferable.

p) The benefits conferred by this warranty are in addition to warranties and other rights in respect of the appliance, which the consumer has under State and Federal laws. This warranty must be read subject to that legislation and nothing in this warranty has the effect of excluding, restricting or modifying those rights.

3. How to obtain service

Subject to the aforementioned conditions and exclusions, Climate technologies Pty Itd will repair or replace (at its discretion) any Air Purifier which, after examination, is determined to be defective for the duration of warranty delineated in warranty section. Climate Technologies Pty Ltd will assess your product and provided paperwork to confirm 2 -year limited warranty is still valid. If any items in the "conditions and exclusions" section are found, then 2-year limited warranty is null and void. If Climate Technologies Pty Ltd deem that a product cannot be serviced and a replacement is necessary, a similar product of equal or greater value will be shipped to you free of charge by Climate Technologies Pty Ltd.

4. Climate Technologies Ptv Ltd

Climate Technologies Pty Ltd is a company incorporated in Australia (A.C.N. number 001 418 042). Reference to Climate Technologies Pty Ltd includes its authorized distributors.

Warranty for Replacement Parts.

Parts replace under warranty are warranted for the balance of the Cooler's original warranty period.

Proof of Purchase

Please attach your proof of purchase here. Your receipt is your warranty and will be required to validate any warranty.

5. Steps to Register Warranty:

- 1. Visit www.bonairedurango.com/warranty or Scan below QR Code.
- 2. Register your warranty by attaching a scanned copy of the original invoice of the product.

6. Steps to Claim Warranty:

- 1. Visit www.bonairedurango.com/warranty or Scan below QR Code.
- 2. Register your query by attaching photo of the defective product with scan copy of the original invoice of the product.

16



ACCEPTANCE OF THE EXCLUSIVE REPAIR AND REPLACEMENT REMEDIES DESCRIBED HEREIN IS A CONDITION OF THE CONTRACT FOR THE PURCHASE OF EVERY CLIMATE TECHNOLOGIES PTY LTD EVAPORATIVE COOLER PRODUCT. DETAILS OF THIS LIMITED WARRANTY ARE SUBJECT TO CHANGE WITHOUT NOTICE. IF YOU DO NOT AGREE TO THIS CONDITION YOU SHOULD NOT PURCHASE THE PRODUCT IN NO EVENT SHALL CLIMATE TECHNOLOGIES PTY LTD BE LIABLE FOR ANY INCIDENTAL, SPECIAL, CONSEQUENTIAL OR PUNITIVE DAMAGES. OR FOR ANY COSTS. ATTORNEY FEES. EXPENSES, LOSSES OR DELAYS ALLEGED TO BE AS A CONSEQUENCE OF ANY DAMAGE TO. FAILURE OF, OR DEFECT IN ANY PRODUCT INCLUDING, BUT NOT LIMITED TO, ANY CLAIMS FOR LOSS OR PROFITS. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESS WARRANTIES, WRITTEN OR ORAL, TO THE EXTENT PERMITTED BY LAW, CLIMATE TECHNOLOGIES PTY LTD DISCLAIMS ANY IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE: TO THE EXTENT SUCH DISCLAIMER IS NOT PERMITTED BY LAW. SUCH IMPLIED WARRANTIES ARE LIMITED TO THE DURATION O F THE APPLICABLE EXPRESS WARRANTY AS DESCRIBED ABOVE, SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

www.bonairedurango.com

17