


# ACCESS TOUCH PRO



Wi-Fi Enabled  
Minimalistic  
Fingerprint Deadbolt

Access Touch is an award-winning Wi-Fi smart lock that combines the proven security of a deadbolt and the convenience of a 3D biometric fingerprint sensor into a sleek minimalistic design giving unprecedented value without compromise. Enjoy the freedom of keyless access with your finger or using your smartphone. One door, two doors, or more, there's an Access Touch for everyone and for any door.



Multifamily



Residential



BnB/Rental

- Front doors
- Home office
- Back doors
- Garage doors
- Mudrooms
- And more



**Your Finger is Your Key**  
3D Biometric Fingerprint sensor stores up to 99 fingerprints.



**Mobile App Control**  
Unlock, lock, or check door on your smartphone



**Voice Control\***  
Using the WiFi hub, connect to Hey Google/ Amazon Alexa

Features and benefits



**100M accesses granted**  
Most trusted fingerprint sensor smart lock



**Smallest fingerprint lock**  
Aesthetically pleasing small form factor



**Smartphone control**  
Open/close, share, or revoke access with others



**Wi-Fi alerts and control**  
Get status, alerts, and control from anywhere



**Programmable auto-locking**  
Never worry about forgetting to lock your door



**Long-lasting battery**  
Up to 10 months battery life with typical uses



**Weatherproof**  
IP65 works in -4°F to 151°F (-20°C to 66°C)



**Re-key Capabilities**  
Replace the key not the lock with standard re-key kit

Property management



**See the big picture from here**

Works with LocklyOS™ Total Access\* a full property management system of software, products, and services designed to allow you to view and control where, when, and by whom your property's being accessed from anywhere in the world.



## Installation



### Easy, one-person, DIY installation

Installation in less time than a cup of coffee.




Typically 15/min. with common household tools

Door thickness  
1 1/2" (35mm) to  
2" (50mm)

Cross bore  
1" (25mm)



Fits right & left  
swing doors



Bore hole  
2-1/8" (54mm)

Backset (standard)  
2-3/8" (60mm) or  
2-1/2" (70mm)



Download installation  
guide



Download door  
drilling template



Watch installation video



Download user manual

## Access and control options



Your finger is  
your key

### Keyless Access

Secure, fast, and convenient on-site set-up, allows management of properties from anywhere

### Mobile App Control

Unlock, lock, check door, track access history and unique user profile data.

### eKeys & eBadges

Grant one-time use or specific time duration access by issuing codes, digital eKeys or eBadges remotely via a mobile device.

### Grant Access, when you're not there

Remotely lock and unlock your door from anywhere.

### Real-time Monitoring and Status

Monitor open/closed door status with real-time alerts sent to your smartphone.



Mobile app  
Control



Secure Scan-to-  
Open

### Secure Scan-to-Open -

Unlock by unique QR code, revoke capability anytime

### Auto Locking

Never worry about forgetting to lock the door with programmable auto-locking.

### Wi-Fi Control

Monitoring and control from anywhere and voice assistant control.

### Replace the key not the lock

Re-key with readily available standard 6-pin cylinder SC4 re-key kits.

### Lockly Air Transfer Programming

Duplicate user profiles from an existing Lockly smart lock to another lock in just a few clicks.



Programmable  
auto locking



Real-time  
smartphone alerts



Voice assistant  
Control



Re-key with readily available standard 6-pin cylinder SC4 re-key kits.

**Electronic Specifications**

<b>Fingerprint Access</b>	Stores up to 99 biometric fingerprints
<b>Remotely Shareable Temporary Access</b>	Up to 15 FREE eBadge/month
<b>Access Logs</b>	Unlimited Accessible via Lockly app or LocklyOS™
<b>Visual and Audible</b>	Exterior: LED (Red, Green) Interior: LED (Red) Configurable Lock/Unlock Audio Indicator
<b>Communication Standards</b>	BLE 4.2 , Wi-Fi 2.4GHz , RF433.92MHz Advanced Encryption Standard (AES), 256-bit
<b>Gateway Communication Range (networked solution)</b>	Up to 98' (30m) BLE Up to 197' (60m) Wi-Fi Up to 164' (50m) RF433.92MHz Unobstructed open environment
<b>Command Response</b>	Responds to command from host in less than 3 seconds when linked to Lockly Wi-Fi Hub 0.2S on Fingerprint Recognition
<b>Connectivity Options</b>	Lockly Mobile App, LocklyOS, Matter Controller Voice Control Assistants (Hey Google/Alexa) ALL in real-time communication
<b>Available Signal Status</b>	Battery Status via App Open/Close Door Status Bluetooth Connectivity Indicator Sensor LED (Red/Green)
<b>Battery Life</b>	4 AA batteries included Up to 1 year (offline mode) up to 10 months (regular use with App & Sensor) 9V backup power socket
<b>Operating Temperature<sup>1</sup></b>	-4°F to 151°F (-20°C to 66°C)
<b>Operating Humidity</b>	0 - 95% non-condensing

**Credential Specifications**

<b>Credential Technologies</b>	BLE (2.4 GHz) Wi-Fi (2.4GHz) Capacitive Sensor
<b>Maximum Read Range</b>	BLE: up to 98' (30m) Wi-Fi: up to 197' (60m)
<b>Mobile Compatibility</b>	Lockly app BLE 4.2 LocklyOS, Matter

**Mechanical Specifications**

<b>Handing</b>	Field reversible
<b>Materials</b>	Premium Zinc Alloy chassis and escutcheon
<b>Door Thickness</b>	1-3/8" - 2" (35mm- 50mm)
<b>Backset</b>	Adjustable, fits 2" - 2.75" (60mm or 70mm)
<b>Deadbolt</b>	1" (25 mm) steel throw
<b>Strike</b>	1-1/8 x 2-3/4, Rectangular Dust box, included.
<b>Bore</b>	2-1/8" (54mm) diameter bore hole\ 1" (25mm) diameter latch hole
<b>Physical Keys</b>	SC4 Re-keying compatible, 2pcs included

**Certifications /Warranty**

<b>Certification</b>	
<b>Warranty</b>	<p><b>ANSI GRADE 2<sup>2</sup></b></p> <p>Lifetime 24/7 Technical Support 1-year Limited Mechanical &amp; Finish 1-year Limited Electronics</p>

**Ordering information**

<b>1 Edition</b> PGD7YW Access Touch Pro	<b>3 Wi-Fi Hub</b> PGH200 (included) *Wi-Fi hub required	<b>5 Deadbolt</b> Standard Adjustable (60-70mm, included) PGA008 Built-in Door Sensor (optional)
<b>2 Finish</b> SN Satin Nickel MB Matte Black C Custom colors available (advanced order required)	<b>4 Matter Link</b> PGH260 (optional/ sold separately) Only selected versions are supported <sup>1</sup>	<b>6 Extension Screw Kit</b> (optional/ sold separately) 2 1/16" - 2 1/16" (53-68mm) door thickness PGA1101

<sup>00</sup> Requires LocklyOS subscription

<sup>1</sup> Product Serial number must contain N, such as PGD7YNXXXXXXX

<sup>2</sup> Manufacturer Declares Compliance to ANSI A156.36 Auxiliary Locks

