

u h u r u

CONFERENCE

Product Guide



Uhuru Design is the Brooklyn-based New American furniture design firm specializing in high-end commercial and tailored residential furniture. Founded in 2004, Uhuru gained attention for its sustainable approach, utilizing reclaimed and found materials through a narrative design process. This design approach generated collections in the Smithsonian and Brooklyn Museums among many others, positioning Uhuru at the forefront of the New American Design movement and contributing to popularizing the “Brooklyn” aesthetic. Uhuru scaled from bespoke residential to mass office furniture, evolving with the growing New York and West Coast startup and commercial real estate scenes, embracing the “resimmercial” office aesthetic—connecting the home, office, and spaces in between. Uhuru focuses on delivering accessible design to mission-driven clients across residential, hospitality, fast casual, office, co-working, architecture, and interior design landscapes.



# uhuru

CONFERENCE



uhuru

MINIM CONFERENCE

CONFIGURATIONS

BASES

TOPS

SIZES

FINISHES

POWER + DATA

POWER + DATA

CONFIGURATIONS

TELECOMMUNICATION

POWER BOX

MINIM BREAKOUT

CONFIGURATIONS

BASES

TOPS

SIZES

FINISHES






## MINIM CONFERENCE

Inspired by a minimal residential aesthetic, our power-ready conference tables are designed with the contract environment in mind. Surface and base elements are available in a variety of premium materials, finishes, and dimensions that combine to create a dynamic statement in any interior. We also designed the system with clever power and data integrations, with options for concealed tabletop ports and wire management hidden in the base. Keeping true to our roots, our conference tables are built from sustainably harvested hardwoods and are fabricated from recycled steel.

CONFIGURATIONS



EXAMPLE CONFIGURATION: MLMCT02ST-1684830-0110-2AB

\* MINIM Conference Table – Milo profile leg – Standard mid leg – Wood veneer top – Standard overhang – 168” L by 48” W by 30” H – Natural oak veneer top finish – Black base finish – 2 power boxes – With x1 power/data configuration A and x1 power/data configuration B

PRODUCT SPECIFICATIONS					DIMENSIONS		
PROFILE LEG	MID LEG*	PRODUCT TYPE	TOP TYPE	OVERHANG	LENGTH	WIDTH	HEIGHT
ML	M	CT	02	ST	168	48	30
(SP) Split (SQ) Square (BR) Broad (TR) Trapped (ML) Milo (KG) Kong (WL) Bow (WR) Block (PN) Penta (TM) Tome	(M) Mid Leg (K) Kong Mid Leg (B) Block Mid Leg (W) Bow Mid Leg	(CT) Conference Table	(01) Laminate (02) Veneer (03) Solid (04) Reclaimed (05)Boardwalk (06) Slab (07) Summit (08) Natural Live Edge	(SW) Shallow (ST) Standard (DP) Deep	72" - 228" @ 6" increments	36" - 72" @ 6" increments	30" - Seated Height 36" - Counter Height 42" - Standing Height
FINISHES					ELECTRICAL		
TOP FINISH		BASE FINISH			POWER/DATA COUNT	+ POWER/DATA CONFIGURATION*	
01		10			2AB		
<b>Laminate</b> (05) White (06) Black  <b>Veneer</b> (01) Natural Oak (02) Black Oak (03) Walnut (04) White Washed Ash  <b>Solid</b> (51) Natural Oak (53) Walnut (54) White Washed Ash		<b>Reclaimed</b> (50) Reclaimed Oak (56) Antique Heart Pine  <b>Boardwalk</b> (51) Natural Oak (53) Walnut  <b>Slab</b> (53) Walnut (62) Onyx Maple  <b>Summit</b> (53) Walnut (62) Onyx Maple  <b>Natural Live Edge</b> (51) Natural Oak (53) Walnut		<b>Powder-coated Steel</b> (10) Black (11) Cool White (12) Graphite (13) Warm White (14) Fog (15) Iron (16) Lichen (17) Weathered Steel (18) Solar  <b>Veneer * Bow, block profiles only.</b> (01) Natural Oak (03) Walnut	(NP) No Power (1) 1 Power Box (2) 2 Power Boxes (3) 3 Power Boxes	(A) Config A (B) Config B (C) Config C (D) Config D (BO) By Others	<div>Note:<ul style="list-style-type: none"><li>· Add mid leg when applicable.</li><li>· Power configurations are noted with quantity of power boxes and listed configurations.</li><li>· If non Uhuru standard power is specified, full product information needs to be uploaded to product description.</li><li>· Mic holes available upon request.</li></ul></div>



TIER 1



SPLIT BASE



SQUARE BASE



BROAD BASE



TRAPPED BASE

TIER 2



MILO BASE



KONG BASE



PENTA BASE



TOME BASE

TIER 3



BLOCK BASE



BOW BASE

BASE OPTIONS

Our signature base designs are engineered for wire management and available in a variety of finishes. All finishes are contract grade and fit for purpose.

POWDER COATED STEEL

Our powder coated steels are contract grade and are zero VOC.




Powdercoated Steel

- 10 Black
- 11 Cool White
- 12 Graphite
- 13 Warm White
- 14 Fog
- 15 Iron
- 16 Lichen
- 17 Weathered Steel
- 18 Solar

VENEER

Available for Bow and Block leg profiles only, our veneer bases come in four real wood veneers. We take the time to plank-match our veneer layups for an elevated appearance of natural solid wood.



Veener

- 01 Natural Oak
- 02 Black Oak
- 03 Walnut
- 04 White Washed Ash





SY PARTNERS OFFICE, NYC



BLOCK BASE IN NATURAL OAK



TOME BASE WITH WALNUT SLAB TOP







WHITE WASHED ASH VENEER



NATURAL OAK VENEER

# TOP OPTIONS

## LAMINATE (01)

Our laminate tops come in two Greenguard Certified laminate options, for a minimal and easy to clean surface.



05




06

- Laminate**
- 05 White Laminate
  - 06 Black Laminate

## VENEER (02)

Our veneer tops come in four real wood veneers, and are built with solid wood edges for an elevated look. We take the time to plank-match our veneer layups for the appearance of a natural solid wood top.



01



02



03



04

- Veener**
- 01 Natural Oak
  - 02 Black Oak
  - 03 Walnut
  - 04 White Washed Ash





SOLID WALNUT




NATURAL OAK BOARDWALK

## TOP OPTIONS

### SOLID (03)


Our solid, sustainably sourced dimensional wood tops are designed with wide plank boards and are available in several finishes.



- Solid**
- 51 Natural Oak
  - 53 Walnut
  - 54 White Washed Ash

### RECLAIMED (04)


Our reclaimed wood tops are sustainably sourced and give a second life to the material being used.



- Reclaimed**
- 50 Reclaimed Oak
  - 56 Antique Heart Pine

### BOARDWALK (05)

Referencing the distinct pattern of the iconic Coney Island boardwalk, our Boardwalk style tops are available in two solid wood options.



- Boardwalk**
- 51 Natural Oak
  - 53 Walnut



WALNUT SLAB



WALNUT SUMMIT

## TOP OPTIONS

### SLAB (06)

Sourced responsibly from naturally felled trees, our premium slab tops can be specified as a single slab.



53



62

#### Slab


- 53 Walnut
- 62 Onyx Maple

### SUMMIT (07)

Uhuru's signature Summit design takes the live edge of a slab and faces it inward towards the center of the table that creates a dynamic table top.



53




62

#### Summit

- 53 Walnut
- 62 Onyx Maple

### NATURAL LIVE EDGE (08)

Uhuru's Natural Live Edge construction is an economical, stable and design controlled alternative to the traditional single-piece live edge slabs we love.



51



53

#### Natural Live Edge

- 51 Natural Oak
- 53 Walnut









1 WORLD TRADE CENTER OFFICE, NYC

## SIZES


The MINIM conference table system is made up of a collection of modular parts that can combine to create a wide range of standard table sizes. MINIM conference tables are available in 36" - 72" widths and lengths measuring 72" - 288", each at 6" increments. All tables have a height of 29.5", and are also available as counter and standing height.

\* Tabletops over 96" (8') in length will have seams as necessary.

### Without center leg

Length range of 72" - 138"


LENGTHS	72"	78"	84"	90"	96"	102"	108"	114"	120"	126"	132"	138"
WIDTHS	36"	42"	48"	54"	60"	66"	72"					



### With one center leg

Length range of 144"-192"


LENGTHS	144"	150"	156"	162"	168"	174"	180"	186"	192"
WIDTHS	36"	42"	48"	54"	60"	66"	72"		



### With two center legs

Length range of 198" - 288"

LENGTHS	198"	204"	210"	216"	222"	228"	234"	240"	246"	252"	258"	264"	270"	276"	282"	288"
WIDTHS	36"	42"	48"	54"	60"	66"	72"									









MINIM CONFERENCE

## FINISHES

### TOP



### BASE



#### Laminate

- 05 White Laminate
- 06 Black Laminate

#### Veener

- 01 Natural Oak
- 02 Black Oak
- 03 Walnut
- 04 White Washed Ash

#### Solid

- 51 Natural Oak
- 53 Walnut
- 54 White Washed Ash

#### Reclaimed

- 50 Reclaimed Oak
- 56 Antique Heart Pine

#### Boardwalk

- 51 Natural Oak
- 53 Walnut

#### Slab + Summit

- 53 Walnut
- 62 Onyx Maple

#### Natural Live Edge

- 51 Natural Oak
- 53 Walnut

#### Powdercoated Steel

- 10 Black
- 11 Cool White
- 12 Graphite
- 13 Warm White
- 14 Fog
- 15 Iron
- 16 Lichen
- 17 Weathered Steel
- 18 Solar

#### Veener

- 01 Natural Oak
- 02 Black Oak
- 03 Walnut
- 04 White Washed Ash





## POWER + DATA



Uhuru's simple and flexible solutions bring UL Listed power and telecom connectivity to your conference table. Both hardwired and 20 amp plug infeed options available. Compatible with Extron AAP SuperPlate for all of your data and audiovisual needs.



CONFIGURATIONS


Our custom designed electrical housing unit can receive four standard configurations with options consisting of 3-10 power outlets as well as up to 4 telecom plates.

Boxes allow for the use of large charging blocks (Mac, etc.) without interfering with the closed lid. The undermount design highlights the surface matched lid that rests into a self-centering bracket with channels for cable access.



Extron AAP Superplate to be ordered separately (see page after next)

**CONFIGURATION A**  
(4) 15AMP / 120 VOLT RECEPTACLES  
(2) DUAL USB A+C 20W CHARGING PORTS  
(2) OPENINGS FOR EXTRON AAP SUPERPLATE  
  
UNITS COME STANDARD WITH 108" LENGTH INFEED AND CAN BE GANGED UP TO THREE (3) UNITS PER INFEED




Extron AAP Superplate to be ordered separately (see page after next)

**CONFIGURATION B**  
(5) 15AMP / 120 VOLT RECEPTACLES  
(2) DUAL USB A+C 20W CHARGING PORTS  
(1) OPENINGS FOR EXTRON AAP SUPERPLATE  
  
UNITS COME STANDARD WITH 108" LENGTH INFEED AND CAN BE GANGED UP TO THREE (3) UNITS PER INFEED



Extron AAP Superplate to be ordered separately (see page after next)

**CONFIGURATION C**  
(6) 15AMP / 120 VOLT RECEPTACLES  
(2) DUAL USB A+C 20W CHARGING PORTS  
  
UNITS COME STANDARD WITH 108" LENGTH INFEED AND CAN BE GANGED UP TO THREE (3) UNITS PER INFEED




Extron AAP Superplate to be ordered separately (see page after next)

**CONFIGURATION D**  
(3) 15AMP / 120 VOLT RECEPTACLES  
(1) DUAL USB A+C 20W CHARGING PORTS  
(2) OPENINGS FOR EXTRON AAP SUPERPLATE  
  
UNITS COME STANDARD WITH 108" LENGTH INFEED AND CAN BE GANGED UP TO THREE (3) UNITS PER INFEED

EXAMPLE CONFIGURATION: PWCT-A-120NP-PL


MINIM Conference Power - Configuration A - 120 Extron Superplate - No plate - Plug-in infeed




**Note:**

- Kit is per individual power/data location
- Superplate selections are concatenated based on selection, where applicable
- Conference power kit to be added as separate line item

WIRE MANAGEMENT / POWER INFEED



A. POWER EXITS FROM THE SIDE LEGS




B. POWER EXITS FROM THE CENTER LEG

# TELECOMMUNICATION OPTIONS

Choose from two standard Extron AAP SuperPlates for telecommunication requirements; the SuperPlate 120 and the SuperPlate 160.


For custom or other telecomm configurations, users can purchase direct from Extron: <https://www.extron.com/product/aapsuperplate>  
Uhuru power box units are compatible with all AAP SuperPlates.

## AAP SuperPlate 120



- (1) HDMI female to HDMI female
- (1) VGA female to VGA female
- (1) 3.5 mm stereo audio jack to captive screw
- (1) DisplayPort female to DisplayPort female


## AAP SuperPlate 160




- (1) HDMI female to HDMI female
- (1) VGA female to VGA female
- (1) 3.5 mm stereo audio jack to captive screw
- (1) RJ-45 CAT 5e barrel

## TELECOM EXAMPLE LAYOUTS:

### AAP SuperPlate 120



### AAP SuperPlate 160




# MULTI POWER BOX CONFIGURATIONS

\* For multi power box configurations, units are daisychained with jumper cables and connected with a single power infeed. A maximum of (3) power boxes can be connected on a single infeed.

For tables requiring more than (3) power boxes, additional boxes can be specified, but will require an additional power infeed.


## (1) POWER BOX

Table length range of 72" - 138"




## (2) POWER BOX

Table length range of 144"-228"



## (3) POWER BOX

Table length range of 234" - 288"





## POWER BOX TECHNICAL SPECIFICATIONS


### LISTING / COMPLIANCE:

- UL Listed as a Manufactured Wiring System (UL 183) when used with hardwired infeed, (cUL 183 Certified for Canada)
- UL Recognized as a office Furnishing Accessory (UL 1286) when used with corded plug infeed, ( cUL 1286 Certified for Canada)
- Meets NEC (National Electric Code) articles 604 and 605
- Complies with municipal standards such as in New York, Los Angeles, & San Francisco. Note: 20A corded in-feed in UL Recognized only (UL 1286)

### CIRCUITRY / KEYING:

- (3) wires on a single circuit, with (1) neutral and (1) ground
- Rated for 20 Amps
- Receptacles are rated for 15 Amps
- The conductor is 12 AWG
- Wired in single configuration, 240/120V
- Under NEC requirements, users can connect up to a maximum of 26 (15 A) outlets per power infeed. However, the actual number of receptacles recommended on a circuit or infeed will vary depending on load requirements. Please consult a licensed electrician.

### WIRING DIAGRAM:



### TELECOM EXAMPLE LAYOUTS:

#### POWER INFEED - HARDWIRE



#### POWER INFEED - 20 AMP PLUG-IN



#### JUMPER CABLE












## MINIM BREAKOUT

Inspired by a minimal residential aesthetic, Uhuru's MINIM Breakout conference table collection is designed with the contract environment in mind. Surface and base elements are available in a variety of premium materials, finishes, and dimensions that combine to create a dynamic statement in any interior. We also designed the system with clever power and data integrations, with options for concealed tabletop ports and wire management hidden in the base. Keeping true to our roots, our conference tables are built from sustainably harvested hardwoods and are fabricated from recycled steel.

CONFIGURATIONS



EXAMPLE CONFIGURATION: TKBT02RD-60-PP-0110

\* MINIM Breakout Table - Tack base - Round wood veneer top  
- 60" D - Natural oak veneer top finish - Black base finish -  
w/ Power unit

PRODUCT SPECIFICATIONS				DIMENSIONS		ELECTRICAL	
PROFILE LEG	PRODUCT TYPE	TOP TYPE	TOP SHAPE	TOP SIZE		POWER/DATA CONFIGURATION	
TK	BT	02	RD	60		PP	
(TK) Tack (SO) Silo	(BT) Breakout Table	(01) Laminate (02) Veneer (03) Solid (04) Reclaimed	(RD) Round	42"-72" @ 6" increments		(PP) Power (NP) No Power	

FINISHES	
TOP FINISH	BASE FINISH
01	10
<b>Laminate</b> (05) White (06) Black <b>Veneer</b> (01) Natural Oak (02) Black Oak (03) Walnut (04) White Washed Ash <b>Solid</b> (51) Natural Oak (53) Walnut (54) White Washed Ash <b>Reclaimed</b> (50) Reclaimed Oak (56) Antique Heart Pine	(10) Black (11) White (12) Graphite (13) Warm White (14) Fog (15) Iron (16) Lichen (17) Weathered Steel (18) Solar





TACK ROUND BASE



SILO BASE

## BASE OPTIONS

Our MINIM Breakout conference tables are available with a variety of signature base designs. The round top tables feature both a three-sides Tack base and a Silo base. These bases are engineered for wire management and available in a variety of finishes. All finishes are contract grade and fit for purpose. Powder coats are zero VOC.



- Powdercoated Steel**
- 10 Black
  - 11 Cool White
  - 12 Graphite
  - 13 Warm White
  - 14 Fog
  - 15 Iron
  - 16 Lichen
  - 17 Weathered Steel
  - 18 Solar



TACK ROUND BASE



SILO BASE


## TOP OPTIONS

### LAMINATE (01)

Our standard tops come in two Greenguard Certified laminate options, for a minimal and easy to clean surface.



05




06

#### Laminate

- 05 White Laminate
- 06 Black Laminate

### VENEER (02)

Our veneer tops come in four real wood veneers, and are built with solid wood edges for an elevated look. We take the time to plank-match our veneer layouts for the appearance of a natural solid wood top.



01



02



03




04

#### Veener


- 01 Natural Oak
- 02 Black Oak
- 03 Walnut
- 04 White Washed Ash

### SOLID (03)

Our solid, sustainably sourced dimensional wood tops are designed with wide plank boards and are available in several finishes.



51



53




54

#### Solid


- 51 Natural Oak
- 53 Walnut
- 54 White Washed Ash

### RECLAIMED (04)

Our reclaimed wood tops are sustainably sourced and give a second life to the material being used.



50



56

#### Reclaimed

- 50 Reclaimed Oak
- 56 Antique Heart Pine






## SIZES

The MINIM Breakout conference table system is made up of a collection of round tops paired with geometric or round bases. MINIM Breakout conference tables are available in top size diameters of 42"-72" at 6" increments. All tables have a 29.5" height.

\*Power and data available upon request.

### Tack Round Breakout Table

- D 42" H 29.5"
- D 48" H 29.5"
- D 54" H 29.5"
- D 60" H 29.5"
- D 66" H 29.5"
- D 72" H 29.5"


















# FINISHES

## TOP

			
05	06		
			
01	02	03	04
			
51	53	54	
			
50	56		

### Laminate

- 05 White Laminate
- 06 Black Laminate

### Veener

- 01 Natural Oak
- 02 Black Oak
- 03 Walnut
- 04 White Washed Ash

### Solid

- 51 Natural Oak
- 53 Walnut
- 54 White Washed Ash

### Reclaimed

- 50 Reclaimed Oak
- 56 Antique Heart Pine

## BASE

		
10	11	12
		
13	14	15
		
16	17	18

### Powdercoated Steel

- 10 Black
- 11 Cool White
- 12 Graphite
- 13 Warm White
- 14 Fog
- 15 Iron
- 16 Lichen
- 17 Weathered Steel
- 18 Solar







u h u r u

UHURUDESIGN.COM

info@uhurudesign.com

718 855 6519

Copyright © 2023 Uhuru Design  
07 19 23