

Pediatric Early Warning Score

	0	1	2	3
Behavior	Playing/ Appropriate OR Sleeping comfortably	Irritable and consolable	Irritable and NOT consolable	Lethargic, Confused or Reduced Response to pain
Cardiovascular	Pink or capillary refill time < 1-2 seconds	Pale OR capillary refill time 3 seconds	Grey or capillary refill time 4 seconds, OR heart rate 20 above or below normal rate for age	Grey and mottled or capillary refill time > 4 seconds, OR heart rate 30 above or below normal heart rate for age
Respiratory	Within normal rate, no retractions, AND SpO2 98-100% on RA	RR > 10 above normal limits, OR SpO2 98-100% on any O2 device OR SpO2 94-97% on RA OR using accessory muscles	RR > 20 above normal limits OR SpO2 90-93% OR Retractions	RR 5 below normal OR SpO2 < 90% OR Retractions and/or grunting
Output	Reaching target urine output goal of 0.5-1mL/kg/hour (over the last 4 hours) AND 0-1 BMs/emesis events in the last 12 hours	2 BMs/emesis events in the last 12 hours	3 BMs/emesis events in the last 12 hours	< 0.5mL/kg/hour of urine output (over the last 4 hours) OR > 3 BMs/ emesis events in the last 12 hours

Score

0-3 (Green)

4-6 (Yellow)

7 (Red)

Action

No action needed, reassess as per order

Notify Charge Nurse, Call Junior Resident, & notify Staff Physician

Call the Rapid Response Team, Call Staff Physician and Junior Resident

A single '3' in any category, immediate notification the Junior Resident & Staff MD